

# SENTARA COMMUNITY PLAN (MEDICAID)

## PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST\*

**Directions:** The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; **fax to 1-800-750-9692.** No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. **If the information provided is not complete, correct, or legible, the authorization process can be delayed.**

## Weight Loss Management

**Drug Requested:** (check box below that applies)

PREFERRED MEDICATIONS *Requires prior authorization	
<input type="checkbox"/> <b>Adipex-P<sup>®</sup>/Suprenza<sup>™</sup></b> (phentermine HCl)	<input type="checkbox"/> <b>Xenical<sup>®</sup></b> (orlistat)
<input type="checkbox"/> <b>Bontril<sup>®</sup>/Bontril PDM<sup>®</sup></b> (phendimetrazine)	<input type="checkbox"/> <b>Radtue<sup>®</sup></b> (diethylpropion)
<input type="checkbox"/> <b>Didrex<sup>®</sup>/Regimex<sup>®</sup></b> (benzphetamine)	
NON-PREFERRED MEDICATIONS *Saxenda, Wegovy, Zepbound requires trial and failure of one (1) oral preferred agent For Wegovy and Zepbound: the member has tried and failed the selected product, Saxenda <sup>®</sup> , as indicated on the PDL.	
<input type="checkbox"/> <b>Saxenda<sup>®</sup></b> (liraglutide) *ages 12 and older	<input type="checkbox"/> <b>Wegovy<sup>®</sup></b> (semaglutide) *ages 12 and older
<input type="checkbox"/> <b>Imcivree<sup>™</sup></b> (setmelanotide) *ages 2 and older	<input type="checkbox"/> <b>Zepbound<sup>™</sup></b> (tirzepatide) *ages 18 and older

**MEMBER & PRESCRIBER INFORMATION:** Authorization may be delayed if incomplete.

Member Name: \_\_\_\_\_  
Member Sentara #: \_\_\_\_\_ Date of Birth: \_\_\_\_\_  
Prescriber Name: \_\_\_\_\_  
Prescriber Signature: \_\_\_\_\_ Date: \_\_\_\_\_  
Office Contact Name: \_\_\_\_\_  
Phone Number: \_\_\_\_\_ Fax Number: \_\_\_\_\_  
NPI #: \_\_\_\_\_

**DRUG INFORMATION:** Authorization may be delayed if incomplete.

Drug Name/Form/Strength: \_\_\_\_\_  
Dosing Schedule: \_\_\_\_\_ Length of Therapy: \_\_\_\_\_  
Diagnosis: \_\_\_\_\_ ICD Code, if applicable: \_\_\_\_\_  
Weight (if applicable): \_\_\_\_\_ Date weight obtained: \_\_\_\_\_

(Continued on next page)

**CLINICAL CRITERIA:** Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

**Initial Request Requirements:**

- Provider must submit current height and weight measurements **(verified by chart notes)**

Height: \_\_\_\_\_ Current Weight: \_\_\_\_\_ BMI: \_\_\_\_\_ Date: \_\_\_\_\_

**Coverage for all medications will be limited to the following:**

**Absence of medical contraindications:**

- No contraindications to use; (i.e. uncontrolled hypertension, hyperthyroidism etc. for stimulant based products); **AND**
- No malabsorption syndromes, cholestasis, pregnancy and/or lactation (for orlistat); **AND**
- No history of an eating disorder (e.g., anorexia, bulimia); **AND**
- No acute pancreatitis, acute suicidal behavior/ideation, personal or family history of medullary thyroid cancer or multiple endocrine neoplasia 2 syndrome (if requesting a GLP-1 Receptor Agonists); **AND**

**Additional qualifying criteria to include the following: (excludes Imcivree™)**

- Participation in nutritional counseling; **AND**
- Participation in physical activity program, unless medically contraindicated; **AND**
- Commitment to continue the above weight-loss treatment plan; **AND**

**The provider attests that the patient’s obesity is disabling and life threatening (i.e., puts the patient at risk for high-morbidity conditions):**

- Yes
- No

**Written documentation must include the following:**

- Current medical status and weight loss plan. An individualized weight loss program should include a specific reduced calorie meal plan, recommended routine physical activity, and behavioral intervention including lifestyle modification as needed to improve adherence and outcomes.
- Current dated accurate height and weight measurements

**Document details of previous weight loss treatment plans to include diet and exercise plans, in addition to submitting a copy of the plan:**

---

---

---

---

**Drug Specific Requirements (Minimum ages are per FDA approvals):**

- For phentermine (min age 17), phendimetrazine tablet (min age 18), phendimetrazine ER capsule (min age 17) and orlistat (min age 12):

- Body mass index (BMI)  $\geq 30\text{kg/m}^2$ , if no applicable risk factors; **OR**
- Body mass index (BMI)  $\geq 27$  with **at least one** weight-related comorbidity:

<input type="checkbox"/> coronary heart disease	<input type="checkbox"/> dyslipidemia	<input type="checkbox"/> hypertension	<input type="checkbox"/> sleep apnea	<input type="checkbox"/> Type II Diabetes
-------------------------------------------------	---------------------------------------	---------------------------------------	--------------------------------------	-------------------------------------------

- For benzphetamine (min age 17), diethylpropion (min age 16):

- Body mass index (BMI)  $\geq 30\text{kg/m}^2$

- For Imcivree® (min age 2)

- BMI  $\geq 30\text{ kg/m}^2$ ; **AND**
- Prescribed by or in consultation with an endocrinologist or geneticist; **AND**
- Member has Bardet-Biedl syndrome (BBS); **OR**
- Member has proopiomelanocortin (POMC), proprotein convertase subtilisin/kexin type 1 (PCSK1), or leptin receptor (LEPR) deficiency, as confirmed by a genetic test; **AND**
- Member's genetic variants are interpreted as pathogenic, likely pathogenic, or of uncertain significance (VUS)

- For GLP-1 receptor agonists indicated for weight loss (Wegovy/Saxenda min age 12, Zepbound Min age 18):**

- BMI  $> 40\text{ kg/m}^2$ , if no applicable risk factors; **OR**
- BMI  $> 37\text{ kg/m}^2$  with one or more of the following risk factors:

<input type="checkbox"/> dyslipidemia	<input type="checkbox"/> hypertension	<input type="checkbox"/> Type II Diabetes
---------------------------------------	---------------------------------------	-------------------------------------------

- Member has tried and failed one of the non-GLP1 weight-loss medications\*; **OR**
- Member is intolerant to all non-GLP1 weight-loss medications\*; **AND**
- Member not concurrently on another GLP-1 receptor agonists; **AND**
- The member has tried and failed\* the selected product, **Saxenda®**, as indicated on the PDL: <https://www.virginiamedicaidpharmacyservices.com/provider/preferred-drug-list/>

<b>*Definitions of Accepted Drug Trial</b>	
<b>Drug</b>	<b>Trial</b>
Benzphetamine, diethylpropion, phendimetrazine, phentermine	3-month trial without a weight loss of 10lbs
Orlistat	6-month trial without a weight loss of 10lbs
GLP-1 Receptor Agonist	6-month trial without a body weight reduction of 5%

**Length of Authorization:**

- ❑ **Initial request:** Varies (drug specific)
  - Benzphetamine, diethylpropion, phendimetrazine, phentermine -- **3 months**
  - GLP-1 receptor agonists – **6 month**
  - Xenical<sup>®</sup>(orlistat) - **6 months**
  - Imcivree<sup>™</sup> -- **4 months**
- ❑ **Renewal requests:** Renewals will no longer be granted once a member reaches a BMI < 25. See additional requirements below (drug specific):
  - **Benzphetamine, diethylpropion, phendimetrazine, phentermine** – If patient achieves at least a 10-lb weight loss during initial 3 months of therapy, an additional 3-month prior authorization may be granted. Maximum length of continuous drug therapy = 6 months (**waiting period of 6 months before next request**)
  - **Alli<sup>®</sup>/Xenical<sup>®</sup>** (orlistat)- If patient achieves at least a 10-lb weight loss, an additional 6-month prior authorization may be granted. Maximum length of continuous drug therapy = 24 months (waiting period of 6 months before next request)
  - **Imcivree<sup>™</sup>** – If the member has experienced  $\geq 5\%$  reduction in body weight (or  $\geq 5\%$  of baseline BMI in those with continued growth potential), an additional 1-year prior authorization may be granted
  - **GLP-1 Receptor Agonists** – If the member achieves a weight loss of  $\geq 5\%$  reduction in body weight compared to the most recent authorization, an additional 6-month SA may be granted

**Current measurements: BMI (Adult) or % of 95<sup>th</sup> percentile weight (12-17 y/o):**

**Height:** \_\_\_\_\_ **Weight:** \_\_\_\_\_ **BMI:** \_\_\_\_\_ **DATE:** \_\_\_\_\_ (attach chart notes)

**Previous authorization measurements: BMI (Adult) or % of 95<sup>th</sup> percentile weight (12-17 y/o):**

**Height:** \_\_\_\_\_ **Weight:** \_\_\_\_\_ **BMI:** \_\_\_\_\_ **DATE:** \_\_\_\_\_ (attach chart notes)

**All approvals are subject to the criteria on this form. Existing authorizations will be honored until renewal.**

***\*\*Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.\*\****

***\*Previous therapies will be verified through pharmacy paid claims or submitted chart notes.\****