# SENTARA COMMUNITY PLAN (MEDICAID)

#### MEDICAL PRIOR AUTHORIZATION/STEP-EDIT REQUEST\*

<u>Directions:</u> The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; <u>fax to 1-844-305-2331</u>. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. <u>If information provided is not complete, correct, or legible, authorization can be delayed</u>.

<u>Drug Requested</u>: Nucala® SQ (mepolizumab) Injection (J2182) (Medical) Severe Eosinophilic Asthma\* (SEA)

Date of Birth:
Date:
Fax Number:
be delayed if incomplete.
Length of Therapy:
ICD Code, if applicable:
Date weight obtained:

#### **Recommended Dosage for Severe Asthma\*:**

- Adults and adolescents ≥ 12 years: 100 mg/mL SubQ, single-dose prefilled auto-injector or single dose prefilled syringe, once every 4 weeks
- Children ≥ 6 years to 11 years: 40 mg/mL SubQ, single-dose prefilled syringe, once every 4 weeks

### Quantity Limit: 100 mg per 28 days

- Nucala® 100mg/ml single pre-filled syringe, auto-injector and vial= 100 billable units
- Nucala® 40mg/0.4ml prefilled syringe= 40 billable units

(Continued on next page)

\*The Health Plan considers the use of concomitant therapy with Cinqair®, Dupixent®, Fasenra®, Tezspire™ and Xolair® to be experimental and investigational. Safety and efficacy of these combinations have NOT been established and will NOT be permitted. In the event a member has an active Cinqair®, Dupixent®, Fasenra®, Tezspire™ or Xolair® authorization on file, all subsequent requests for Nucala® will NOT be approved.

supp	<b>INICAL CRITERIA:</b> Check below all that apply. All criteria must be port each line checked, all documentation, including lab results, diagnostics, rided or request may be denied.				
Init	ial Authorization: 6 months				
1.	Has the member been approved for Nucala® previously through the Sentar	a ph	armacy Yes	_	oartment? No
2.	Is the member 6 years of age or older?		Yes		No
3.	Does the member have a diagnosis of severe* asthma?		Yes		No
4.	Does the member have asthma with an eosinophilic phenotype defined as cells/ $\mu$ L?				
5.	Will coadministration with another monoclonal antibody be avoided (e.g., benralizumab, dupilumab, tezepelumab-ekko)?		Yes alizuma		No eslizumab,
6.	Will this be used for add-on maintenance treatment in members regularly otherwise contraindicated) of the following:		Yes iving <b>b</b>		No unless
	<ul> <li>Medium- to high-dose inhaled corticosteroids; AND</li> <li>An additional controller medication (e.g., long-acting beta agonist, leu</li> </ul>		iene mo Yes		ers)? No
7.	Has the member had two or more exacerbations in the previous year required corticosteroid treatment (in addition to the regular maintenance therapy de exacerbation resulting in a hospitalization?	_		-	
			Yes		No
8.	<ul> <li>Does the member have at least one of the following for assessment of clinic.</li> <li>Use of systemic corticosteroids.</li> <li>Use of inhaled corticosteroids.</li> <li>Number of hospitalizations, ER visits, or unscheduled visits to healther.</li> <li>Forced expiratory volume in 1 second (FEV1)?</li> </ul>			r due	e to condition
9.	Has the member tried and failed an adequate trial of the 2 different <b>prefer</b> : <b>Xolair</b> ®)?	red ]	•	ets (I	
			Yes		No

(Continued on next page)

(Continued from previous page)

**Reauthorization:** 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

1. Has the member been assessed for toxi
--

- □ Yes □ No
- 2. Has member had improvement in asthma symptoms or asthma exacerbations as evidenced by decrease in **ONE** or more of the following (check all that apply; chart notes must be submitted):
  - Use of systemic corticosteroids
  - Hospitalizations
  - ER visits
  - Unscheduled visits to healthcare provider
  - Improvement from baseline in forced expiratory volume in 1 second (FEV1)?

□ Yes □ No

## \*Components of severity for classifying asthma as *severe* may include any of the following (not all inclusive):

- Asthma that remains uncontrolled despite optimized treatment with high-dose ICS-LABA
- Asthma that requires high-dose ICS-LABA to prevent it from being uncontrolled
- Symptoms throughout the day
- Nighttime awakenings, often 7 times per week
- SABA use for symptom control occurs several times per day
- Extremely limited normal activities
- Lung function (percent predicted FEV1) < 60%
- Exacerbations requiring oral systemic corticosteroids are generally more frequent and intense relative to moderate asthma.

Medication being provided by: Please check applicable box below.					
	Location/site of drug administration:				
	NPI or DEA # of administering location:				
	<u>OR</u>				
$\Box$	Chasialty Dhawnson, Duannium Dr				

Specialty Pharmacy – PropriumRx

For urgent reviews: Practitioner should call Sentara Health Pre-Authorization Department if they believe a standard review would subject the member to adverse health consequences. Sentara Health's definition of urgent is a lack of treatment that could seriously jeopardize the life or health of the member or the member's ability to regain maximum function.

\*\*Use of samples to initiate therapy does not meet step edit/preauthorization criteria.\*\*
\*Previous therapies will be verified through pharmacy paid claims or submitted chart notes.\*