

Surgical Assisted Liposuction for Lymphedema Post-mastectomy

Table of Content

[Purpose](#)
[Description & Definitions](#)
[Criteria](#)
[Coding](#)
[Document History](#)
[References](#)
[Special Notes](#)
[Keywords](#)

| | |
|----------------------------------|--------------|
| Effective Date | 8/2022 |
| Next Review Date | 8/15/2024 |
| Coverage Policy | Surgical 131 |
| Version | 2 |

Member-specific benefits take precedence over medical policy and benefits may vary across plans. Refer to the individual's benefit plan for details*.

Purpose:

This policy addresses the medical necessity of Surgical Assisted Liposuction for Lymphedema Post-mastectomy.

Description & Definitions:

Surgical Assisted Liposuction for Lymphedema Post-mastectomy is a surgery that uses a cannula inserted under the skin to remove excess fatty tissue and fat deposits from an area of the body.

Criteria:

Surgical assisted liposuction for lymphedema post-mastectomy is medically necessary for **all of the following**:

- Individual is adult (18 years and older)
- Individual has primary or secondary lymphedema
- Edema located on upper extremity
- Nonpitting edema
- Limitation or physical function impairment (i.e. difficult movement or performing activities of daily living)
- Deformity or disfigurement of a body part
- Pain
- Individual has history of at least three consecutive months of non-surgical treatment for lymphedema including **1 or more** of the following:
 - Drug therapy
 - Physical therapy
 - Complete Decongestive Therapy (CDT)
 - Combined Physical Therapy (CPT)
 - Complex Decongestive Physiotherapy (CDP)
 - Compression garments

- Massage/manual therapy
- Pneumatic compression
- Exercise program
- Kinesio taping
- Elevation
- Must continue wearing elastic compression garments and compression therapy

Surgical assisted liposuction for lymphedema post-mastectomy is considered **not medically necessary** for any use other than those indicated in clinical criteria, to include but not limited to:

- Lymphangiosarcoma of the affected arm
- Open wounds in the lymphedematous arm
- To improve the patient's appearance and self-esteem

Coding:

Medically necessary with criteria:

| Coding | Description |
|--------|---|
| 15878 | Suction assisted lipectomy, upper extremity |

Considered Not Medically Necessary:

| Coding | Description |
|--------|-------------|
| | None |

U.S. Food and Drug Administration (FDA) - approved only products only.

Document History:

Revised Dates:

Reviewed Dates:

- 2023: August

Effective Date:

- August 2022

References:

Specialty Association Guidelines; Government Regulations; Winifred S. Hayes, Inc; UpToDate; Literature Review; Specialty Advisors; National Coverage Determination (NCD); Local Coverage Determination (LCD).

(2023). Retrieved July 19, 2023, from MCG 26th Edition: <https://careweb.careguidelines.com/ed26/index.html>

(2023). Retrieved Jul 20, 2023, from National Comprehensive Cancer Network: <https://www.nccn.org/search-result?indexCatalogue=nccn-search-index&searchQuery=liposuction>

Liposuction for the Reductive Surgical Treatment of Lymphedema - Annual Review: Dec 8, 2022. (n.d.). Retrieved July 20, 2023, from Hayes: <https://evidence.hayesinc.com/report/dir.liposuction4915>

Local Coverage Determination (LCD) Cosmetic and Reconstructive Surgery L33428. (2021, Jul 29). Retrieved July 20, 2023, from Centers for Medicare and Medicaid Services LCD: <https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=33428&ver=53&bc=0>

Procedure Fee Files & CPT Codes. (2023). Retrieved July 20, 2023, from Department of Medical Assistance Services: <https://www.dmas.virginia.gov/for-providers/rates-and-rate-setting/procedure-fee-files-cpt-codes/> & <https://www.dmas.virginia.gov/for-providers/cardinal-care-transition/>

Surgical treatment of primary and secondary lymphedema. (2023, June). Retrieved July 20, 2023, from UpToDate: https://www.uptodate.com/contents/surgical-treatment-of-primary-and-secondary-lymphedema?search=Liposuction%20lyphedema&source=search_result&selectedTitle=2~150&usage_type=default&display_rank=2

THE DIAGNOSIS AND TREATMENT OF PERIPHERAL LYMPHEDEMA: 2020 CONSENSUS DOCUMENT OF THE INTERNATIONAL SOCIETY OF LYMPHOLOGY. (2020). Retrieved July 20, 2023, from INTERNATIONAL SOCIETY OF LYMPHOLOGY (ISL): <https://journals.uair.arizona.edu/index.php/lymph/article/view/23775/22411>

Special Notes: *

Medical policies can be highly technical and complex and are provided here for informational purposes. These medical policies are intended for use by health care professionals. The medical policies do not constitute medical advice or medical care. Treating health care professionals are solely responsible for diagnosis, treatment, and medical advice. Sentara Health Plan members should discuss the information in the medical policies with their treating health care professionals. Medical technology is constantly evolving, and these medical policies are subject to change without notice, although Sentara Health Plan will notify providers as required in advance of changes that could have a negative impact on benefits.

Services mean both medical and behavioral health (mental health) services and supplies unless We specifically tell You otherwise. We do not cover any services that are not listed in the Covered Services section unless required to be covered under state or federal laws and regulations. We do not cover any services that are not Medically Necessary. We sometimes give examples of specific services that are not covered but that does not mean that other similar services are covered. Some services are covered only if We authorize them. When We say You or Your We mean You and any of Your family members covered under the Plan. Call Member Services if You have questions.

Keywords:

SHP Surgical Assisted Liposuction for Lymphedema Post-mastectomy, SHP Surgical 131, suction-assisted lipectomy, SAPL, Lymphatic Liposuction