## SENTARA HEALTH PLAN PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST\*

<u>Directions</u>: <u>The prescribing physician must sign and clearly print name (preprinted stamps not valid)</u> on this request. All other information may be filled in by office staff; <u>1-800-750-9692</u>. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. <u>If the information provided is not complete, correct, or legible, the authorization process can be delayed.</u>

**Drug Requested:** Orencia<sup>®</sup> SQ (abatacept) (Pharmacy)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.				
Member Name:				
Member Sentara #:	Date of Birth:			
Prescriber Name:				
Prescriber Signature:	Date:			
Office Contact Name:				
Phone Number:	Fax Number:			
DEA OR NPI #:				
DRUG INFORMATION: Authoriza	ation may be delayed if incomplete.			
Drug Form/Strength:				
Dosing Schedule:	Length of Therapy:			
Diagnosis:	ICD Code:			
Weight:	Date:			
immunomodulator (e.g., Dupixent, Entyvio,	of concomitant therapy with more than one biologic Humira, Rinvoq, Stelara) prescribed for the same or different tional. Safety and efficacy of these combinations has <u>NOT</u> been			
	ow all that apply. All criteria must be met for approval. To on, including lab results, diagnostics, and/or chart notes, must be			
☐ Diagnosis: Moderate-to-Severe Dosing: SubQ: 125 mg once weekly	Rheumatoid Arthritis			
☐ Member has a diagnosis of <b>moderat</b>	e-to-severe rheumatoid arthritis			
☐ Prescribed by or in consultation with	a Rheumatologist			

(Continued on next page)

(Continued from previous page)

	lember has tried and failed at least <b>ONE</b> of the following <b>DMARD</b> therapies for at least <b>three (3)</b>						
	hydroxychloroquine						
□ leflunomide							
	□ methotrexate						
	sulfasalazine						
Me	ember meets <b>ONE</b> of the following:						
	Member tried and failed, has a contraindication, or intolerance to <u>TWO</u> of the <u>PREFERRED</u> biologics below (verified by chart notes or pharmacy paid claims):						
	□ Actemra® SC	□ adalimumab	product: Humira®, Cyl	tezo <sup>®</sup> or Hyrimoz <sup>®</sup>	□ Enbrel <sup>®</sup>		
	□ Rinvoq®	□ Xeljanz <sup>®</sup> /XF	<b>(</b> ®				
	*NOTE: Humira NDC's starting with 83457 are not approved, NDC's starting with 00074 (MFG: Abbvie) are preferred; Hyrimoz NDC's starting with 83457 are not approved, NDC's starting with 61314 (MFG: Sandoz) are preferred						
	Member has been established on Orencia <sup>®</sup> for at least 90 days <u>AND</u> prescription claims history indicates <u>at least a 90-day supply of Orencia was dispensed within the past 130 days</u> (verified by chart notes or pharmacy paid claims)						
Diagnosis: Active Psoriatic Arthritis Dosing: SubQ: 125 mg once weekly							
Me	Member has a diagnosis of active <b>psoriatic arthritis</b>						
	inoci nas a diagnosis (	rescribed by or in consultation with a <b>Rheumatologist</b>					
	9	ltation with a <b>Rh</b> e	eumatologist				
Pre	scribed by or in consu		eumatologist of the following DMAI	RD therapies for at le	east <u>three (3)</u>		
Pre Me mo	escribed by or in consumber has tried and fair		S	RD therapies for at le	east three (3)		
Pre Me mo	escribed by or in consumber has tried and fair  onths  cyclosporine		S	RD therapies for at le	east three (3)		
Pre Me mo	escribed by or in consumber has tried and fail on the cyclosporine leflunomide		S	RD therapies for at le	east <u>three (3)</u>		
Pre Me mo	escribed by or in consumber has tried and fair onths cyclosporine leflunomide methotrexate		S	RD therapies for at le	east <u>three (3)</u>		
Pre Me mo	escribed by or in consumber has tried and fair onths cyclosporine leflunomide methotrexate sulfasalazine	led at least <u>ONE</u>	S	RD therapies for at le	east <u>three (3)</u>		
Pre Me mo	escribed by or in consumber has tried and fair onths cyclosporine leflunomide methotrexate sulfasalazine ember meets ONE of the	hed at least <b>ONE</b> he following: ed, has a contrain	S	to <u>TWO</u> of the <u>PR</u> I			
Pre Me mo	escribed by or in consumber has tried and fail on ths cyclosporine leflunomide methotrexate sulfasalazine ember meets ONE of the Member tried and fail biologics below (veri	ne following: ed, has a contrair fied by chart not	of the following <b>DMAI</b>	to <u>TWO</u> of the <u>PR</u> claims):			
Pre Me mo	escribed by or in consumber has tried and fail onths cyclosporine leflunomide methotrexate sulfasalazine ember meets ONE of the Member tried and fail biologics below (veri	he following: ed, has a contrain fied by chart not	of the following <b>DMAI</b> Indication, or intolerance tes or pharmacy paid of	to <b>TWO</b> of the <b>PR</b> Iclaims):	EFERRED		
Pre Me mo	escribed by or in consumber has tried and fail on ths cyclosporine leflunomide methotrexate sulfasalazine ember meets ONE of the Member tried and fail biologics below (veri	he following: ed, has a contrain fied by chart not	of the following <b>DMAI</b> adication, or intolerance tes or pharmacy paid of  Enbrel®	to <u>TWO</u> of the <u>PR</u> claims):	<b>EFERRED</b> □ Rinvoq <sup>®</sup>		

\*NOTE: Humira NDC's starting with 83457 are not approved, NDC's starting with 00074 (MFG: Abbvie) are preferred; Hyrimoz NDC's starting with 83457 are not approved, NDC's starting with 61314 (MFG: Sandoz) are preferred

	indicates at least a 90-day supply of Orencia was dispensed within the past 130 days (verified by chart notes or pharmacy paid claims)					
1	<b>Diagnosis:</b> Moderate-to-Severe Polyarticular Juvenile Idiopathic Arthritis <b>Dosing:</b> SubQ: 10 to < 25 kg- 50 mg once weekly; > 25 to < 50 kg- 87.5 mg once weekly; > 50 kg- 125 mg once weekly					
	Me	Member has a diagnosis of moderate-to-severe polyarticular juvenile idiopathic arthritis				
	Pre	Prescribed by or in consultation with a <b>Rheumatologist</b>				
		aber has tried and failed at least ONE of the following DMARD therapies for at least three (3)  ths  yclosporine ydroxychloroquine eflunomide nethotrexate Non-steroidal anti-inflammatory drugs (NSAIDs) oral corticosteroids ulfasalazine acrolimus aber meets ONE of the following: Member tried and failed, has a contraindication, or intolerance to TWO of the following				
		PREFERRED biologics:  ☐ Actemra® SC	☐ adalimumab product: Humira <sup>®</sup> , Cyltezo <sup>®</sup> or Hyrimoz <sup>®</sup>			
		□ Enbrel <sup>®</sup>	□ Xeljanz <sup>®</sup> /XR <sup>®</sup>			
	*NOTE: Humira NDC's starting with 83457 are not approved, NDC's starting with 00074 (MF Abbvie) are preferred; Hyrimoz NDC's starting with 83457 are not approved, NDC's starting w 61314 (MFG: Sandoz) are preferred					
		☐ Member has been established on Orencia® for at least 90 days AND prescription claims history indicates at least a 90-day supply of Orencia was dispensed within the past 130 days (verified by chart notes or pharmacy paid claims)				
Лe	Iedication being provided by Specialty Pharmacy – Proprium Rx					

☐ Member has been established on Orencia® for at least 90 days AND prescription claims history

\*\*Use of samples to initiate therapy does not meet step edit/preauthorization criteria.\*\*

\*Previous therapies will be verified through pharmacy paid claims or submitted chart notes.\*