SENTARA HEALTH PLANS

MEDICAL PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions:</u> The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; <u>fax to 1-844-668-1550</u>. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. <u>If information provided is not complete, correct, or legible, authorization can be delayed</u>.

<u>For Medicare Members:</u> Medicare Coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD) and Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. They can be found at: https://www.cms.gov/medicare-coverage-database/overview-and-quick-search.aspx. Additional indications may be covered at the discretion of the health plan.

Alpha Proteinase Inhibitor

<u>Drug Requested</u> : (Select ONE drug below	w)			
□ ARALAST NP® (J0256)	□ GLASSIA® (J0257)			
□ PROLASTIN-C® (J0256)	□ ZEMAIRA® (J0256)			
MEMBER & PRESCRIBER INFO	RMATION: Authorization may be delayed if incomplete.			
Member Name:				
	Sentara #: Date of Birth:			
Prescriber Name:				
Prescriber Signature:	re: Date:			
Office Contact Name:				
Phone Number:				
DEA OR NPI #:				
DRUG INFORMATION: Authorization	on may be delayed if incomplete.			
Drug Form/Strength:				
	Length of Therapy:			
Diagnosis:	ICD Code, if applicable:			
Weight:	Date:			
Quantity Requested per 30 days:				
	ne timeframe does not jeopardize the life or health of the member in function and would not subject the member to severe pain.			

(Continued on next page)

Quantity Limit (max daily dose) [NDC/HCPCS Unit]:

- Aralast NP: 1000 mg (1 vial) = 100 billable units; NDC: 00944-2815-01
- Aralast NP: 500 mg (1 vial) = 50 billable units; NDC: 00944-2814-01
- Glassia: 1,000 mg/50 mL (1 vial) = 100 billable units; NDC: 00944-2884-XX
- Prolastin-C: 1,000 mg/20 mL (1 vial) = 100 billable units; NDC: 13533-0705-XX
- Prolastin-C: 1,000 mg (1 vial) = 100 billable units; NDC: 13533-0700-02; 13533-0703-10
- Zemaira: 1,000 mg (1 vial) = 100 billable units; NDC: 00053-7201-02

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Initial Authorization: 12 months

Member has a diagnosis of congenital alpha-antitrypsin deficiency with emphysema						
Provider must specify the member's AAT phenotype deficiency:						
□ PiZ	۵	PiZ (null)	□ Pi (null, null)	□ PiMZ	□ PIMS	
Member has clinical evidence of progressive panacinar emphysema						
Member is a current non smoker						
Member's clinical record documents a rate of decline in forced expiratory volume (FEV ₁) value between 30 and 65% (submit pulmonary function test results)						
Serum AAT level must be submitted (specify result & date obtained): mg/dL, μmol /L						
Date:	/	/	_			
Serum AAT	level must	t meet ONE of the	following:			
e		•				
	Provider must PiZ Member has Member is a Member's cla 30 and 65% (Serum AAT Date: Serum AAT < 11 \mumol/L < 80 mg.	Provider must specify PiZ Member has clinical ex Member is a current not Member's clinical reco 30 and 65% (submit put Serum AAT level must Serum AAT level must < 11 µmol/L < 80 mg/dL if mea	Provider must specify the member's AAT PiZ PiZ (null) Member has clinical evidence of progres Member is a current non smoker Member's clinical record documents a ra 30 and 65% (submit pulmonary function) Serum AAT level must be submitted (specific points) Serum AAT level must meet ONE of the 11 µmol/L < 80 mg/dL if measured by radial impactions.	Provider must specify the member's AAT phenotype deficiency: PiZ PiZ (null) Pi (null, null) Member has clinical evidence of progressive panacinar emphyse Member is a current non smoker Member's clinical record documents a rate of decline in forced 30 and 65% (submit pulmonary function test results) Serum AAT level must be submitted (specify result & date obto Date:/	Provider must specify the member's AAT phenotype deficiency: PiZ PiZ (null) Pi (null, null) PiMZ Member has clinical evidence of progressive panacinar emphysema Member is a current non smoker Member's clinical record documents a rate of decline in forced expiratory volume (30 and 65% (submit pulmonary function test results) Serum AAT level must be submitted (specify result & date obtained): Date:/ Serum AAT level must meet ONE of the following: < 11 \(\mu\text{mol/L} \) \(\text{0 mg/dL if measured by radial immunodiffusion} \)	

<u>Continuation of therapy</u>: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

☐ For continuation of therapy from another plan, please fill out the information in the initial authorization section above and submit along with required labs and chart notes

(Continued on next page)

PA Alpha Proteinase Inhibitor IV (Medical) (CORE)

(Continued from previous page)

☐ For conti	inuation of therapy while insured with Sentara Health Plans, <u>ALL</u> the following must be met:
	ber has been compliant with medication
□ Mem	ber has demonstrated a clinical improvement in the past 3 months
□ Serur	m AAT level must be submitted (specify result & date obtained): mg/dL, μmol /L
Date	: /
Medication	being provided by: Please check applicable box below.
□ Location/s	site of drug administration:
NPI or DE	EA # of administering location:
<u>C</u>	<u>OR</u>
□ Specialty l	Pharmacy – Proprium Rx
	•
standard review urgent is a lack of	ws: Practitioner should call Sentara Health Plans Pre-Authorization Department if they believe a would subject the member to adverse health consequences. Sentara Health Plan's definition of of treatment that could seriously jeopardize the life or health of the member or the member's maximum function.
Use of s	samples to initiate therapy does not meet step edit/ preauthorization criteria.

*Previous therapies will be verified through pharmacy paid claims or submitted chart notes. *