SENTARA COMMUNITY PLAN (MEDICAID)

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; <u>fax to 1-800-750-9692</u>. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. If the information provided is not complete, correct, or legible, the authorization process can be delayed.

The Sentara Health Plans Oncology Program is administered by OncoHealth

For any oncology indications, the most efficient way to submit a prior authorization request is through the OncoHealth OneUM Provider Portal at https://oneum.oncohealth.us. Fax to 1-800-264-6128. OncoHealth can also be contacted at Phone: 1-888-916-2616

COLONY STIMULATING FACTORS

Drug Requested: (check box below that applies)

PREFERRED		
Short-acting Granulocyte Colony- Stimulating Factor	Long-acting Granulocyte Colony- Stimulating Factor	
□ Neupogen [®] (filgrastim) disp syringe, vial	□ Fulphila [™] (pegfilgrastim-jmdb)	
NON-PREFERRED		
Short-acting Granulocyte Colony- Stimulating Factor	Long-acting Granulocyte Colony- Stimulating Factor	
Granix [®] (tbo-filgrastim) vial, syringe	□ Fylnetra [™] (pegfilgrastim-pbbk)	
□ Nivestym [™] (filgrastim-aafi) syringe, vial	□ Neulasta [®] (pegfilgrastim) syringe, kit	
□ Nypozi [™] (filgrastim-txid)	□ Nyvepria [™] (pegfilgrastim-apgf)	
Releuko [®] (filgrastim-ayow) vial, syringe	□ Rolvedon [™] (eflapegrastim-xnst) syringe	
□ Zarxio [®] (filgrastim-sndz)	□ Ryzneuta [®] (efbemalenograstim alfa-vuxw)	
	□ Stimufend [®] (pegfilgrastim-fpgk)	
	Udenyca [®] (pegfilgrastim-cbqv) syringe, autoinjector	
	□ Udenyca [®] (pegfilgrastim-cbqv) Onbody	
	□ Ziextenzo [™] (pegfilgrastim-bmez)	
Granulocyte-macrophage Colony-Stimulating Factor (GM-CSF)		
□ Leukine [®] (sargramostim)		

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.		
Member Name:		
Member Sentara #:	Date of Birth:	
Prescriber Name:		
Prescriber Signature:		
Office Contact Name:		
Phone Number:		
NPI #:		
DRUG INFORMATION: Authorization may be	e delayed if incomplete.	
Drug Name/Form/Strength:		
Dosing Schedule:		
Diagnosis:	ICD Code, if applicable:	
Weight (if applicable):	Date weight obtained:	
Maximum Daily Dose:		
Fulphila 6 mg prefilled syringe: 1 syringe/14 days	Nypozi 300 mcg prefilled syringe: 3 syringes/1 day	
Fylnetra 6 mg prefilled syringe: 1 syringe/14 days	Nypozi 480 mcg prefilled syringe: 3 syringes/1 day	
Granix 300 mcg prefilled syringe: 3 syringes/1 day	Releuko 300 mcg vial: 3 vials/1 day	
Granix 300 mcg single-dose vial: 3 vials/1 day	Releuko 300 mcg prefilled syringe: 3 syringes/1 day	
Granix 480 mcg prefilled syringe: 3 syringes/1 day	Releuko 480 mcg vial: 3 vials/1 day	
Granix 480 mcg single-dose vial: 3 vials/1 day	Releuko 480 mcg prefilled syringe: 3 syringes/1 day	
Leukine 250 mcg vial: 28 vials/14 days	Rolvedon 13.2 mg prefilled syringe: 1 syringe/14 days	
Neulasta 6 mg prefilled syringe: 1 syringe/14 days	Ryzneuta 20 mg prefilled syringe: 1 syringe/14 days	
Neulasta 6 mg prefilled syringe kit: 1 kit/14 days	Stimufend 6 mg prefilled syringe: 1 syringe/14 days	
Neupogen 300 mcg vial: 3 vials/1 day	Udenyca 6 mg prefilled syringe: 1 syringe/14 days	
Neupogen 300 mcg SingleJect: 3 syringes/1 day	Udenyca 6 mg auto-injector: 1 injection/14 days	
Neupogen 480 mcg vial: 3 vials/1 day	Udenyca 6 mg onbody (syringe, with wearable injector): 1 syringe/14 days	
Nivestym 300 mcg prefilled syringe: 3 syringes/1 day	Zarxio 300 mcg prefilled syringe: 3 syringes/1 day	
Nivestym 480 mcg vial: 3 vials/1 day	Zarxio 480 mcg prefilled syringe: 3 syringes/1 day	
Nivestym 480 mcg prefilled syringe: 3 syringes/1 day	Ziextenzo 6 mg prefilled syringe: 1 syringe/14 days	
Nyvepria 6 mg prefilled syringe: 1 syringe/14 days		

CLIN	ICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To
	each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be d or request may be denied.
	Authorization: 12 months
Initial	Request for a non-preferred colony stimulating factor (CSF):
1.	If the member has an FDA approved indication, ONE of the following:
a.	Is the members age within FDA labeling for the requested indication for the requested agent?
	🗆 Yes 🗖 No
b.	Has the provider included information in support of using the requested agent for the member's age for the requested indication?
	□ Yes □ No
2.	Member has tried and failed the preferred medications
supp	uthorization: 12 months. Check below all that apply. All criteria must be met for approval. To ort each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be ided or request may be denied.
1.	Does the member continue to meet the initial criteria?
2.	☐ Yes ☐ No Does the member have an absence of unacceptable toxicity to the drug?
	□ Yes □ No
3.	Is the member being appropriately monitored for a beneficial response to therapy?
	The Yes The No

Medication being provided by Specialty Pharmacy – Proprium Rx

Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. *<u>Previous therapies will be verified through pharmacy paid claims or submitted chart notes.</u>*