

AvMed

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; **fax to 1-305-671-0200**. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. **If the information provided is not complete, correct, or legible, the authorization process can be delayed.**

Drug Requested: Alyftrek™ (vanzacaftor/tezacaftor/deutivacaftor)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member AvMed #: _____ Date of Birth: _____

Prescriber Name: _____

Prescriber Signature: _____ Date: _____

Office Contact Name: _____

Phone Number: _____ Fax Number: _____

NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Name/Form/Strength: _____

Dosing Schedule: _____ Length of Therapy: _____

Diagnosis: _____ ICD Code, if applicable: _____

Weight (if applicable): _____ Date weight obtained: _____

Recommended Dosing:

- **Children ≥ 6 years to < 12 years weighing < 40 kg:** Oral: Three tablets of vanzacaftor 4 mg/tezacaftor 20 mg/deutivacaftor 50 mg once daily
- **Children ≥ 6 years to < 12 years weighing ≥ 40 kg:** Oral: Two tablets of vanzacaftor 10 mg/tezacaftor 50 mg/deutivacaftor 125 mg once daily
- **12 years and older:** Oral: Two tablets of vanzacaftor 10 mg/tezacaftor 50 mg/deutivacaftor 125 mg once daily

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Initial Authorization: 6 months

- ☐ Member is **6 years of age or older** with a diagnosis of Cystic Fibrosis

(Continued on next page)

- ☐ Member has **at least one** variant in the cystic fibrosis transmembrane conductance regulator (CFTR) gene that is responsive based on clinical and/or in vitro data, results in production of CFTR protein, or is confirmed by an FDA-cleared test to be responsive to vanzacaftor/tezacaftor/deutivacaftor (**Test results must be attached**)
- ☐ Prescribing physician is a pulmonologist or has consulted with a pulmonologist who specializes in the treatment of Cystic Fibrosis
- ☐ Baseline FEV1 within the last 30 days must be submitted, unless the member is unable to perform a pulmonary function test (**Test results must be attached**)
- ☐ Number of pulmonary exacerbations or hospitalizations in the preceding 6 months must be noted:

- ☐ Baseline body mass index must be noted: _____
- ☐ Baseline liver function tests have been completed prior to initiating therapy and will be completed annually (**Labs must be attached**)
- ☐ Provider attests that baseline ophthalmic examination to monitor lens opacities/cataracts has been completed for pediatric members
- ☐ Member does **NOT** have severe hepatic impairment (Child-Pugh Class C)
- ☐ Member will **NOT** be taking Alyftrek™ in combination with any other CFTR modulator therapy (i.e., Trikafta®, Symdeko®, Orkambi®, or Kalydeco®) **NOTE:** Concurrent therapy with these agents will **NOT** be approved
- ☐ Member will avoid concomitant use of strong CYP3A inducers (e.g., rifampin, carbamazepine, phenytoin, phenobarbital, St. John's wort) and strong or moderate CYP3A inhibitors (e.g., fluconazole, itraconazole)

Reauthorization: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

- ☐ Member continues to meet initial criteria
- ☐ Member has demonstrated disease response as indicated by **one or more** of the following (**must submit current labs and chart notes**):
 - ☐ Decreased pulmonary exacerbations or hospitalizations compared to pretreatment baseline
 - ☐ Stabilization of lung function as measured by FEV1 within the last year compared to baseline
 - ☐ Improvement in quality of life, weight gain, or growth
- ☐ Member has **NOT** received a lung transplant
- ☐ Member has experienced an absence of unacceptable toxicity from therapy (i.e. elevated transaminases (ALT or AST), development of cataracts or lens opacities)

(Continued on next page)

Date of initiation of Alyftrek™ therapy: _____	Reauthorization Date: _____
Baseline FEV1 (last FEV1 prior to starting Alyftrek™): _____	Current FEV1 (FEV1 <u>AFTER</u> last dose of Alyftrek™): _____
Baseline Weight: _____	Current weight: _____
Baseline BMI: _____	Current BMI: _____
Number of hospitalizations since last approval of Alyftrek™ must be noted _____	

Medication being provided by Specialty Pharmacy – Proprium Rx

*****Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*****

****Previous therapies will be verified through pharmacy paid claims or submitted chart notes.****