

Sentara Medicare Rx (PDP)

2025 Formulary

(List of Covered Drugs or “Drug List”)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN.**

Formulary ID: **25518**, Version: **22**

This formulary was updated on **07/22/2025**. For more recent information or other questions, please contact Sentara Medicare Member Services at 1-800-543-3359 (TTY users should call 711), 24 hours per day, 7 days per week, or visit sentarahealthplans.com/cos.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Sentara Medicare. When it refers to “plan” or “our plan,” it means Sentara Medicare Rx (PDP).

This document includes a Drug List (formulary), for our plan which is current as of **08/01/2025**. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025, and from time to time during the year.

What is the Sentara Medicare Rx formulary?

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is a list of covered drugs selected by Sentara Medicare in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Sentara Medicare will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Sentara Medicare network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the formulary change?

Most changes in drug coverage happen on January 1, but Sentara Medicare may add or remove drugs on the formulary during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here: sentarahealthplans.com/cos.

Formulary ID: 25518, Version: 22
This formulary was updated on 07/22/2025

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug from our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or original biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled “How do I request an exception to the Sentara Medicare Rx Formulary?”

Some of these drug types may be new to you. For more information, see the section below titled “What are original biological products and how are they related to biosimilars?”

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product, or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines.

If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change.

If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Sentara Medicare Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2025 formulary that was covered at the beginning of the year, we will not discontinue or

reduce coverage of the drug during the 2025 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

The enclosed formulary is current as of **08/01/2025**. To get updated information about the drugs covered by Sentara Medicare please contact us. Our contact information appears on the front and back cover pages. In the event of any CMS-approved, mid-year non-maintenance formulary changes a revised printable Comprehensive formulary document will be posted on our website at sentarahealthplans.com/cos. If you are impacted by the change, you will also be mailed a Negative Change letter 60 days prior to the change.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page **8**. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, **CARDIOVASCULAR AGENTS**. If you know what your drug is used for, look for the category name in the list that begins on page **8**. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page **130**. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Sentara Medicare covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

What are original biological products and how are they related to biosimilars?

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, “The ‘Drug List’ tells which Part D drugs are covered.”

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Sentara Medicare requires you or your prescriber to get prior authorization for certain drugs. This means that you will need to get approval from Sentara Medicare before you fill your prescriptions. If you don't get approval, Sentara Medicare may not cover the drug.
- **Quantity Limits:** For certain drugs, Sentara Medicare limits the amount of the drug that Sentara Medicare will cover. For example, Sentara Medicare provides 90 capsules per prescription for *pregabalin oral capsule 100 mg*. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Sentara Medicare requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Sentara Medicare may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Sentara Medicare will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 8. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online a document that explains our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Sentara Medicare to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Sentara Medicare formulary?" on page 4 for information about how to request an exception.

What are over-the-counter (OTC) drugs?

OTC drugs are non-prescription drugs that are not normally covered by a Medicare Prescription Drug Plan. Sentara Medicare pays for certain OTC drugs. Sentara Medicare will provide these OTC drugs at no cost to you. The cost to Sentara Medicare of these OTC drugs will not count toward your total Part D drug costs.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that Sentara Medicare does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Sentara Medicare. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Sentara Medicare.
- You can ask Sentara Medicare to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Sentara Medicare Rx Formulary?

You can ask Sentara Medicare to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.

- You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, Sentara Medicare limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier.

Generally, Sentara Medicare will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug, or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for a formulary exception, including an exception to a coverage restriction. **When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber's supporting statement.

What can I do if my drug is not on the formulary or has a restriction?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

For more information

For more detailed information about your Sentara Medicare Rx prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Sentara Medicare Rx, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Sentara Medicare Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by Sentara Medicare. If you have trouble finding your drug in the list, turn to the Index that begins on page 130.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., EMGALITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE) and generic drugs are listed in lower-case italics (e.g., *atorvastatin calcium oral tablet*).

The information in the Requirements/Limits column tells you if Sentara Medicare has any special requirements for coverage of your drug. Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage for your drug.

List of Abbreviations

B/D PA: This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

EX: Excluded Drug. This prescription drug is not normally covered in a Medicare prescription drug plan. The amount you pay when you fill a prescription for this drug does not count toward your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug.

LA: Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

MO: Mail-Order Drug. This prescription drug is available through our mail-order service, as well as through our retail network pharmacies. Consider using mail order for your long-term (maintenance) medications (such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

NEDS: Non-Extended Day Supply Medication. This drug is only available as a 30-day supply or less.

PA: Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

QL: Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

ST: Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

V: Vaccines

Drug Name	Drug Tier	Requirements/Limits
ANTI - INFECTIVES		
ANTIFUNGAL AGENTS		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	B/D PA
<i>amphotericin b injection recon soln 50 mg</i>	4	B/D PA; MO
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i>	4	B/D PA
<i>caspofungin intravenous recon soln 50 mg, 70 mg</i>	4	
<i>clotrimazole mucous membrane troche 10 mg</i>	3	MO
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i>	4	PA; MO
<i>fluconazole in nacl (iso-osm) intravenous piggyback 400 mg/200 ml</i>	4	PA
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	3	MO
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	2	MO
<i>flucytosine oral capsule 250 mg, 500 mg</i>	5	MO; NEDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	4	MO
<i>griseofulvin microsize oral tablet 500 mg</i>	4	MO
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	4	MO
<i>itraconazole oral capsule 100 mg</i>	4	MO; QL (120 per 30 days)
<i>ketoconazole oral tablet 200 mg</i>	2	MO
<i>micafungin intravenous recon soln 100 mg, 50 mg</i>	4	MO
<i>nystatin oral suspension 100,000 unit/ml</i>	2	MO
<i>nystatin oral tablet 500,000 unit</i>	2	MO
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i>	5	PA; MO; NEDS; QL (96 per 30 days)
<i>terbinafine hcl oral tablet 250 mg</i>	2	MO
<i>voriconazole intravenous recon soln 200 mg</i>	5	PA; MO; NEDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	5	PA; MO; NEDS
<i>voriconazole oral tablet 200 mg</i>	4	PA; MO; QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>voriconazole oral tablet 50 mg</i>	4	PA; MO; QL (480 per 30 days)
ANTIVIRALS		
<i>abacavir oral solution 20 mg/ml</i>	3	MO
<i>abacavir oral tablet 300 mg</i>	3	MO
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	4	MO
<i>acyclovir oral capsule 200 mg</i>	2	MO
<i>acyclovir oral suspension 200 mg/5 ml</i>	4	MO
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	MO
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	4	B/D PA; MO
<i>adefovir oral tablet 10 mg</i>	4	MO
<i>amantadine hcl oral capsule 100 mg</i>	2	MO
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	MO
<i>amantadine hcl oral tablet 100 mg</i>	4	MO
APTIVUS ORAL CAPSULE 250 MG	5	MO; NEDS
<i>atazanavir oral capsule 150 mg, 200 mg</i>	4	MO; QL (60 per 30 days)
<i>atazanavir oral capsule 300 mg</i>	4	MO; QL (30 per 30 days)
BARACLUDE ORAL SOLUTION 0.05 MG/ML	5	MO; NEDS
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	MO; NEDS
CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	MO; NEDS
<i>cidofovir intravenous solution 75 mg/ml</i>	5	MO; NEDS
CIMDUO ORAL TABLET 300-300 MG	5	MO; NEDS
COMPLERA ORAL TABLET 200-25-300 MG	5	MO; NEDS
<i>darunavir oral tablet 600 mg</i>	5	MO; NEDS; QL (60 per 30 days)
<i>darunavir oral tablet 800 mg</i>	5	MO; NEDS; QL (30 per 30 days)
DELSTRIGO ORAL TABLET 100-300-300 MG	5	MO; NEDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	MO; NEDS
DOVATO ORAL TABLET 50-300 MG	5	MO; NEDS
EDURANT ORAL TABLET 25 MG	5	MO; NEDS
<i>efavirenz oral tablet 600 mg</i>	4	MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i>	5	MO; NEDS
<i>efavirenz-lamivu-tenofov disop oral tablet 400-300-300 mg, 600-300-300 mg</i>	5	MO; NEDS
<i>emtricitabine oral capsule 200 mg</i>	4	MO
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i>	5	MO; NEDS; QL (30 per 30 days)
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i>	4	MO; QL (30 per 30 days)
EMTRIVA ORAL SOLUTION 10 MG/ML	4	MO
<i>entecavir oral tablet 0.5 mg, 1 mg</i>	4	MO
<i>etravirine oral tablet 100 mg, 200 mg</i>	5	MO; NEDS
EVOTAZ ORAL TABLET 300-150 MG	5	MO; NEDS
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	MO
<i>fosamprenavir oral tablet 700 mg</i>	5	MO; NEDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NEDS
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	2	MO
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	2	
GENVOYA ORAL TABLET 150-150-200-10 MG	5	MO; NEDS
INTELENCE ORAL TABLET 25 MG	4	MO
ISENTRESS HD ORAL TABLET 600 MG	5	MO; NEDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	5	MO; NEDS
ISENTRESS ORAL TABLET 400 MG	5	MO; NEDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	MO; NEDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	MO
JULUCA ORAL TABLET 50-25 MG	5	MO; NEDS
KALETRA ORAL SOLUTION 400-100 MG/5 ML	4	MO
LAGEVRIO (EUA) ORAL CAPSULE 200 MG	3	QL (40 per 180 days)
<i>lamivudine oral solution 10 mg/ml</i>	3	MO
<i>lamivudine oral tablet 100 mg, 150 mg, 300 mg</i>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	3	MO
LEDIPASVIR-SOFOSBUVIR ORAL TABLET 90-400 MG	5	PA; MO; NEDS; QL (28 per 28 days)
LIVTENCITY ORAL TABLET 200 MG	5	PA; LA; NEDS; QL (336 per 28 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg, 200-50 mg</i>	4	MO
<i>maraviroc oral tablet 150 mg, 300 mg</i>	5	MO; NEDS
MAVYRET ORAL PELLETS IN PACKET 50-20 MG	5	PA; MO; NEDS; QL (168 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; MO; NEDS; QL (84 per 28 days)
<i>nevirapine oral suspension 50 mg/5 ml</i>	4	
<i>nevirapine oral tablet 200 mg</i>	3	MO
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	4	MO
NORVIR ORAL POWDER IN PACKET 100 MG	4	MO
ODEFSEY ORAL TABLET 200-25-25 MG	5	MO; NEDS
<i>oseltamivir oral capsule 30 mg, 45 mg, 75 mg</i>	3	MO
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i>	3	MO
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10), 150 MG (6)- 100 MG (5)	3	QL (20 per 5 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	3	QL (30 per 5 days)
PIFELTRO ORAL TABLET 100 MG	5	MO; NEDS
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML, 480 MG/24 ML	5	NEDS
PREVYMIS ORAL PELLETS IN PACKET 120 MG, 20 MG	5	PA; NEDS; QL (120 per 30 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; MO; NEDS; QL (30 per 30 days)
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	MO; NEDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	MO; NEDS
PREZISTA ORAL TABLET 150 MG, 75 MG	4	MO
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	MO
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NEDS
<i>ribavirin oral capsule 200 mg</i>	3	MO
<i>ribavirin oral tablet 200 mg</i>	3	MO
<i>rimantadine oral tablet 100 mg</i>	4	MO
<i>ritonavir oral tablet 100 mg</i>	3	MO
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	MO; NEDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	MO; NEDS
SOFOSBUVIR-VELPATASVIR ORAL TABLET 400-100 MG	5	PA; MO; NEDS; QL (28 per 28 days)
STRIBILD ORAL TABLET 150-150-200-300 MG	5	MO; NEDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK), 300 MG (5-TABLET PACK)	5	NEDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	MO; NEDS
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	MO; NEDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i>	4	MO
TIVICAY ORAL TABLET 50 MG	5	MO; NEDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	MO; NEDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	MO; NEDS
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	4	MO
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	MO; NEDS
<i>valacyclovir oral tablet 1 gram</i>	2	MO; QL (120 per 30 days)
<i>valacyclovir oral tablet 500 mg</i>	2	MO; QL (60 per 30 days)
<i>valganciclovir oral recon soln 50 mg/ml</i>	5	MO; NEDS; QL (1080 per 30 days)
<i>valganciclovir oral tablet 450 mg</i>	3	MO; QL (120 per 30 days)
VEKLURY INTRAVENOUS RECON SOLN 100 MG	5	NEDS
VEMLIDY ORAL TABLET 25 MG	5	PA; MO; NEDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	MO; NEDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	MO; NEDS
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; MO; NEDS; QL (28 per 28 days)
<i>zidovudine oral capsule 100 mg</i>	3	MO
<i>zidovudine oral syrup 10 mg/ml</i>	3	MO
<i>zidovudine oral tablet 300 mg</i>	2	MO
CEPHALOSPORINS		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	3	MO
<i>cefaclor oral suspension for reconstitution 250 mg/5 ml</i>	4	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	4	MO
<i>cefadroxil oral capsule 500 mg</i>	2	MO
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml</i>	2	MO
<i>cefadroxil oral suspension for reconstitution 500 mg/5 ml</i>	3	MO
<i>cefazolin in dextrose (iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	4	MO
<i>cefazolin injection recon soln 1 gram, 500 mg</i>	4	MO
<i>cefazolin injection recon soln 10 gram, 100 gram, 300 gram</i>	4	
<i>cefazolin intravenous recon soln 1 gram</i>	4	
<i>cefdinir oral capsule 300 mg</i>	2	MO
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	3	MO
CEFEPIME IN DEXTROSE 5 % INTRAVENOUS PIGGYBACK 1 GRAM/50 ML, 2 GRAM/50 ML	4	MO
<i>cefepime in dextrose, iso-osm intravenous piggyback 1 gram/50 ml, 2 gram/100 ml</i>	4	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	4	MO
<i>cefixime oral capsule 400 mg</i>	4	MO
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>cefoxitin in dextrose, iso-osm intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	4	
<i>cefoxitin intravenous recon soln 1 gram, 2 gram</i>	4	MO
<i>cefoxitin intravenous recon soln 10 gram</i>	4	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	4	MO
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	4	MO
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	MO
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	MO
<i>ceftazidime injection recon soln 1 gram, 2 gram</i>	4	MO
<i>ceftazidime injection recon soln 6 gram</i>	4	
<i>ceftriaxone in dextrose,iso-os intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	4	MO
<i>ceftriaxone injection recon soln 1 gram, 2 gram, 250 mg, 500 mg</i>	4	MO
<i>ceftriaxone injection recon soln 10 gram</i>	4	
CEFTRIAXONE INJECTION RECON SOLN 100 GRAM	4	
<i>ceftriaxone intravenous recon soln 1 gram, 2 gram</i>	4	MO
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	MO
<i>cefuroxime sodium injection recon soln 750 mg</i>	4	MO
<i>cefuroxime sodium intravenous recon soln 1.5 gram</i>	4	MO
<i>cefuroxime sodium intravenous recon soln 7.5 gram</i>	4	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	2	MO
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	MO
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i>	4	MO
<i>tazicef intravenous recon soln 1 gram, 2 gram</i>	4	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	MO; NEDS
ERYTHROMYCINS / OTHER MACROLIDES		
<i>azithromycin intravenous recon soln 500 mg</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>azithromycin oral packet 1 gram</i>	3	MO
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	3	MO
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	2	
<i>azithromycin oral tablet 250 mg, 500 mg</i>	2	MO
<i>azithromycin oral tablet 600 mg</i>	4	MO
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	3	MO
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	MO
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	4	MO
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	PA; NEDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	PA; MO; NEDS; QL (20 per 10 days)
<i>e.e.s. 400 oral tablet 400 mg</i>	4	MO
<i>ery-tab oral tablet,delayed release (dr/ec) 250 mg, 333 mg</i>	4	MO
<i>erythrocin (as stearate) oral tablet 250 mg</i>	4	
<i>erythromycin ethylsuccinate oral tablet 400 mg</i>	4	
<i>erythromycin oral capsule,delayed release(dr/ec) 250 mg</i>	4	MO
<i>erythromycin oral tablet 250 mg, 500 mg</i>	4	MO
<i>erythromycin oral tablet,delayed release (dr/ec) 250 mg, 333 mg, 500 mg</i>	4	MO
MISCELLANEOUS ANTIINFECTIVES		
<i>albendazole oral tablet 200 mg</i>	5	MO; NEDS
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	4	MO
ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML	5	PA; LA; NEDS
<i>atovaquone oral suspension 750 mg/5 ml</i>	4	MO
<i>atovaquone-proguanil oral tablet 250-100 mg, 62.5-25 mg</i>	4	MO
<i>aztreonam injection recon soln 1 gram</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
AZTREONAM INJECTION RECON SOLN 2 GRAM	4	MO
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; MO; LA; NEDS; QL (84 per 56 days)
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	4	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	MO
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>	2	MO
CLINDAMYCIN IN 0.9 % SOD CHLOR INTRAVENOUS PIGGYBACK 300 MG/50 ML, 600 MG/50 ML, 900 MG/50 ML	4	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	4	MO
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i>	4	
<i>clindamycin phosphate injection solution 150 (mg/ml) (4 ml), 150 (mg/ml) (6 ml), 150 mg/ml</i>	4	MO
COARTEM ORAL TABLET 20-120 MG	4	MO
<i>colistin (colistimethate na) injection recon soln 150 mg</i>	4	MO; QL (30 per 10 days)
<i>dapsone oral tablet 100 mg, 25 mg</i>	3	MO
DAPTO MYCIN INTRAVENOUS RECON SOLN 350 MG	5	MO; NEDS
<i>daptomycin intravenous recon soln 500 mg</i>	5	MO; NEDS
EMVERM ORAL TABLET,CHEWABLE 100 MG	5	MO; NEDS
<i>ertapenem injection recon soln 1 gram</i>	4	MO; QL (14 per 14 days)
<i>ethambutol oral tablet 100 mg, 400 mg</i>	2	MO
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 60 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml</i>	4	MO
<i>gentamicin injection solution 40 mg/ml</i>	4	MO
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	4	MO
<i>hydroxychloroquine oral tablet 200 mg</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>imipenem-cilastatin intravenous recon soln 250 mg, 500 mg</i>	4	MO
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; MO; NEDS; QL (84 per 28 days)
<i>isoniazid injection solution 100 mg/ml</i>	4	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	MO
<i>isoniazid oral tablet 100 mg, 300 mg</i>	2	MO
<i>ivermectin oral tablet 3 mg</i>	2	PA; MO; QL (20 per 30 days)
<i>lincomycin injection solution 300 mg/ml</i>	4	
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	4	MO
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	5	MO; NEDS; QL (1800 per 30 days)
<i>linezolid oral tablet 600 mg</i>	4	MO; QL (60 per 30 days)
<i>linezolid-0.9% sodium chloride intravenous parenteral solution 600 mg/300 ml</i>	4	
<i>mefloquine oral tablet 250 mg</i>	2	
<i>meropenem intravenous recon soln 1 gram</i>	3	QL (30 per 10 days)
<i>meropenem intravenous recon soln 2 gram</i>	4	
<i>meropenem intravenous recon soln 500 mg</i>	4	QL (10 per 10 days)
<i>MEROPENEM-0.9% SODIUM CHLORIDE INTRAVENOUS PIGGYBACK 1 GRAM/50 ML</i>	3	QL (30 per 10 days)
<i>MEROPENEM-0.9% SODIUM CHLORIDE INTRAVENOUS PIGGYBACK 500 MG/50 ML</i>	4	QL (10 per 10 days)
<i>metro i.v. intravenous piggyback 500 mg/100 ml</i>	4	MO
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	4	MO
<i>metronidazole oral tablet 250 mg, 500 mg</i>	2	MO
<i>neomycin oral tablet 500 mg</i>	2	MO
<i>nitazoxanide oral tablet 500 mg</i>	5	MO; NEDS
<i>pentamidine inhalation recon soln 300 mg</i>	4	B/D PA; MO; QL (1 per 28 days)
<i>pentamidine injection recon soln 300 mg</i>	4	MO
<i>praziquantel oral tablet 600 mg</i>	4	MO
<i>PRIFTIN ORAL TABLET 150 MG</i>	4	MO
<i>PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)</i>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>pyrazinamide oral tablet 500 mg</i>	4	MO
<i>pyrimethamine oral tablet 25 mg</i>	5	PA; MO; NEDS
<i>quinine sulfate oral capsule 324 mg</i>	4	MO
<i>rifabutin oral capsule 150 mg</i>	4	MO
<i>rifampin intravenous recon soln 600 mg</i>	4	MO
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	MO
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; LA; NEDS
STREPTOMYCIN INTRAMUSCULAR RECON SOLN 1 GRAM	5	MO; NEDS
<i>tigecycline intravenous recon soln 50 mg</i>	5	MO; NEDS
<i>tinidazole oral tablet 250 mg, 500 mg</i>	3	MO
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	MO; NEDS; QL (224 per 56 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i>	5	PA; MO; NEDS; QL (280 per 56 days)
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i>	5	PA; MO; NEDS; QL (224 per 28 days)
<i>tobramycin sulfate injection recon soln 1.2 gram</i>	4	
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	4	MO
TRECATOR ORAL TABLET 250 MG	4	MO
VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML	3	QL (4000 per 10 days)
VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 500 MG/100 ML	3	QL (1000 per 10 days)
VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 750 MG/150 ML	3	QL (3000 per 10 days)
VANCOMYCIN INJECTION RECON SOLN 100 GRAM	4	QL (2 per 10 days)
<i>vancomycin intravenous recon soln 1,000 mg</i>	4	MO; QL (20 per 10 days)
<i>vancomycin intravenous recon soln 10 gram, 5 gram</i>	4	QL (2 per 10 days)
<i>vancomycin intravenous recon soln 500 mg</i>	4	MO; QL (10 per 10 days)
<i>vancomycin intravenous recon soln 750 mg</i>	4	MO
<i>vancomycin oral capsule 125 mg, 250 mg</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
XIFAXAN ORAL TABLET 200 MG	3	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; MO; NEDS; QL (60 per 30 days)
PENICILLINS		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	MO
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	2	MO
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	MO
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	MO
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 600-42.9 mg/5 ml</i>	2	MO
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i>	4	MO
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 400-57 mg/5 ml</i>	3	MO
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	3	MO
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>	2	MO
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i>	4	MO
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 500 mg</i>	2	MO
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	4	MO
<i>ampicillin sodium intravenous recon soln 1 gram, 2 gram</i>	4	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram</i>	4	MO
<i>ampicillin-sulbactam injection recon soln 15 gram</i>	4	
<i>ampicillin-sulbactam intravenous recon soln 1.5 gram, 3 gram</i>	4	
AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 125-31.25 MG/5 ML	3	MO
BICILLIN C-R INTRAMUSCULAR SYRINGE 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K)	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML	4	MO
BICILLIN L-A INTRAMUSCULAR SYRINGE 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	MO
<i>nafcillin in dextrose iso-osm intravenous piggyback 2 gram/100 ml</i>	4	
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	4	MO
<i>nafcillin injection recon soln 10 gram</i>	5	NEDS
<i>oxacillin in dextrose(iso-osm) intravenous piggyback 2 gram/50 ml</i>	4	
<i>oxacillin injection recon soln 1 gram, 10 gram</i>	4	
<i>oxacillin injection recon soln 2 gram</i>	4	MO
PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 2 MILLION UNIT/50 ML, 3 MILLION UNIT/50 ML	4	
<i>penicillin g potassium injection recon soln 20 million unit, 5 million unit</i>	4	MO
<i>penicillin g sodium injection recon soln 5 million unit</i>	4	MO
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	MO
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	MO
<i>pizerpen-g injection recon soln 20 million unit, 5 million unit</i>	4	
PIPERACILLIN-TAZOBACTAM INTRAVENOUS RECON SOLN 13.5 GRAM	4	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram</i>	4	MO
<i>piperacillin-tazobactam intravenous recon soln 40.5 gram</i>	4	
QUINOLONES		
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i>	1	MO
<i>ciprofloxacin hcl oral tablet 750 mg</i>	2	MO
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml</i>	4	
<i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i>	4	MO
<i>levofloxacin oral solution 250 mg/10 ml</i>	4	MO
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	2	MO
<i>moxifloxacin oral tablet 400 mg</i>	3	MO
MOXIFLOXACIN-SOD.ACE,SUL-WATER INTRAVENOUS PIGGYBACK 400 MG/250 ML	4	
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i>	4	MO
SULFA'S / RELATED AGENTS		
<i>sulfadiazine oral tablet 500 mg</i>	4	MO
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	4	MO
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i>	2	MO
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i>	1	MO
TETRACYCLINES		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	4	MO
<i>doxy-100 intravenous recon soln 100 mg</i>	4	MO
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>	2	MO
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	MO
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>	2	MO
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	4	MO
<i>doxycycline monohydrate oral tablet 100 mg, 75 mg</i>	2	MO
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	MO
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	4	MO
<i>monodoxine nl oral capsule 100 mg</i>	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	4	MO
URINARY TRACT AGENTS		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>methenamine hippurate oral tablet 1 gram</i>	3	MO
<i>methenamine mandelate oral tablet 0.5 gram, 1 gram</i>	3	MO
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	3	MO
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	2	MO
<i>trimethoprim oral tablet 100 mg</i>	2	MO

ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS

ADJUNCTIVE AGENTS

<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i>	5	B/D PA; MO; NEDS
<i>ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG</i>	5	MO; NEDS
<i>KEPIVANCE INTRAVENOUS RECON SOLN 5.16 MG</i>	5	NEDS
<i>KHAPZORY INTRAVENOUS RECON SOLN 175 MG</i>	5	B/D PA; NEDS
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	3	MO
<i>levoleucovorin calcium intravenous recon soln 50 mg</i>	5	B/D PA; MO; NEDS
<i>levoleucovorin calcium intravenous solution 10 mg/ml</i>	5	B/D PA; NEDS
<i>mesna intravenous solution 100 mg/ml</i>	2	B/D PA; MO
<i>mesna oral tablet 400 mg</i>	5	MO; NEDS
<i>XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)</i>	5	B/D PA; MO; NEDS

ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS

<i>abiraterone oral tablet 250 mg</i>	5	PA; MO; NEDS; QL (120 per 30 days)
<i>abiraterone oral tablet 500 mg</i>	5	PA; MO; NEDS; QL (60 per 30 days)
<i>abirtega oral tablet 250 mg</i>	4	PA; QL (120 per 30 days)
<i>ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG</i>	5	B/D PA; MO; NEDS
<i>ADCETRIS INTRAVENOUS RECON SOLN 50 MG</i>	5	B/D PA; MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	5	PA; LA; NEDS; QL (60 per 30 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA; MO; NEDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	B/D PA; MO; NEDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	B/D PA; NEDS
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA; NEDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA; NEDS; QL (60 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA; NEDS; QL (30 per 180 days)
<i>anastrozole oral tablet 1 mg</i>	1	MO
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	B/D PA; NEDS
<i>arsenic trioxide intravenous solution 2 mg/ml</i>	5	B/D PA; MO; NEDS
ASPARLAS INTRAVENOUS SOLUTION 750 UNIT/ML	5	B/D PA; NEDS
AUGTYRO ORAL CAPSULE 160 MG	5	PA; MO; NEDS; QL (60 per 30 days)
AUGTYRO ORAL CAPSULE 40 MG	5	PA; MO; NEDS; QL (240 per 30 days)
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA; LA; NEDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i>	5	B/D PA; MO; NEDS
<i>azathioprine oral tablet 50 mg</i>	2	B/D PA; MO
<i>azathioprine sodium injection recon soln 100 mg</i>	2	B/D PA; MO
BALVERSA ORAL TABLET 3 MG	5	PA; LA; NEDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA; LA; NEDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA; LA; NEDS; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	B/D PA; NEDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	B/D PA; NEDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	B/D PA; MO; NEDS
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	B/D PA; MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>bexarotene oral capsule 75 mg</i>	5	PA; MO; NEDS
<i>bexarotene topical gel 1 %</i>	5	PA; MO; NEDS; QL (60 per 30 days)
<i>bicalutamide oral tablet 50 mg</i>	2	MO
BLINCYTO INTRAVENOUS KIT 35 MCG	5	NEDS
BORTEZOMIB INJECTION RECON SOLN 1 MG, 2.5 MG	5	B/D PA; NEDS
<i>bortezomib injection recon soln 3.5 mg</i>	5	B/D PA; MO; NEDS
BOSULIF ORAL CAPSULE 100 MG	5	PA; MO; NEDS; QL (180 per 30 days)
BOSULIF ORAL CAPSULE 50 MG	5	PA; MO; NEDS; QL (360 per 30 days)
BOSULIF ORAL TABLET 100 MG	5	PA; MO; NEDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA; MO; NEDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA; MO; LA; NEDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA; LA; NEDS; QL (120 per 30 days)
<i>busulfan intravenous solution 60 mg/10 ml</i>	5	B/D PA; NEDS
CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG	5	PA; MO; LA; NEDS; QL (30 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA; LA; NEDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA; LA; NEDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA; LA; NEDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA; LA; NEDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i>	2	B/D PA; MO
<i>carmustine intravenous recon soln 100 mg</i>	5	B/D PA; MO; NEDS
<i>cisplatin intravenous solution 1 mg/ml</i>	2	B/D PA; MO
<i>cladribine intravenous solution 10 mg/10 ml</i>	5	MO; NEDS
<i>clofarabine intravenous solution 1 mg/ml</i>	5	B/D PA; NEDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1)	5	PA; MO; NEDS; QL (56 per 28 days)
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA; MO; NEDS; QL (112 per 28 days)
COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)	5	PA; MO; NEDS; QL (84 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA; LA; NEDS; QL (60 per 30 days)
COTELLIC ORAL TABLET 20 MG	5	PA; MO; LA; NEDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	2	B/D PA; MO
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	3	B/D PA; MO
CYCLOPHOSPHAMIDE ORAL TABLET 25 MG, 50 MG	3	B/D PA
<i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i>	3	B/D PA; MO
<i>cyclosporine modified oral solution 100 mg/ml</i>	3	B/D PA
<i>cyclosporine oral capsule 100 mg, 25 mg</i>	4	B/D PA; MO
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	MO; NEDS
<i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>	2	MO
<i>cytarabine (pf) injection solution 20 mg/ml</i>	2	
<i>cytarabine injection solution 20 mg/ml</i>	2	MO
<i>dacarbazine intravenous recon soln 100 mg, 200 mg</i>	2	B/D PA; MO
<i>dactinomycin intravenous recon soln 0.5 mg</i>	2	B/D PA; MO
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	B/D PA; NEDS
DANZITEN ORAL TABLET 71 MG, 95 MG	5	PA; NEDS; QL (120 per 30 days)
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	B/D PA; MO; NEDS
<i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 80 mg</i>	5	PA; MO; NEDS; QL (30 per 30 days)
<i>dasatinib oral tablet 20 mg, 70 mg</i>	5	PA; MO; NEDS; QL (60 per 30 days)
<i>daunorubicin intravenous solution 5 mg/ml</i>	2	B/D PA
DAURISMO ORAL TABLET 100 MG	5	PA; MO; NEDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA; MO; NEDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i>	5	B/D PA; MO; NEDS
<i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 80 mg/8 ml (10 mg/ml)</i>	5	B/D PA; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml)</i>	5	B/D PA; MO; NEDS
<i>doxorubicin intravenous recon soln 10 mg</i>	2	B/D PA
<i>doxorubicin intravenous recon soln 50 mg</i>	2	B/D PA; MO
<i>doxorubicin intravenous solution 10 mg/5 ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	B/D PA; MO
<i>doxorubicin intravenous solution 2 mg/ml</i>	2	B/D PA
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i>	5	B/D PA; MO; NEDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	3	MO
ELZONRIS INTRAVENOUS SOLUTION 1,000 MCG/ML	5	B/D PA; NEDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	MO; NEDS
ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG	4	B/D PA; MO
ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 4 MG	5	B/D PA; MO; NEDS
<i>epirubicin intravenous solution 200 mg/100 ml</i>	2	B/D PA
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	B/D PA; MO; NEDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA; MO; NEDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 240 MG	5	PA; MO; NEDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA; MO; NEDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 150 mg</i>	5	PA; MO; NEDS; QL (30 per 30 days)
<i>erlotinib oral tablet 25 mg</i>	5	PA; MO; NEDS; QL (60 per 30 days)
ERWINASE INJECTION RECON SOLN 10,000 UNIT	5	B/D PA; NEDS
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	B/D PA; MO
<i>etoposide intravenous solution 20 mg/ml</i>	2	B/D PA; MO
EULEXIN ORAL CAPSULE 125 MG	5	PA; NEDS; QL (90 per 30 days)
<i>everolimus (antineoplastic) oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg</i>	5	PA; MO; NEDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i>	5	PA; MO; NEDS
<i>everolimus (immunosuppressive) oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i>	5	B/D PA; MO; NEDS
<i>exemestane oral tablet 25 mg</i>	3	MO
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	B/D PA; MO; NEDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	4	B/D PA; MO
<i>flouxuridine injection recon soln 0.5 gram</i>	2	
<i>fludarabine intravenous recon soln 50 mg</i>	2	B/D PA; MO
<i>fludarabine intravenous solution 50 mg/2 ml</i>	2	B/D PA
<i>fluorouracil intravenous solution 1 gram/20 ml, 500 mg/10 ml</i>	2	MO
<i>fluorouracil intravenous solution 2.5 gram/50 ml, 5 gram/100 ml</i>	2	
FOLOTYN INTRAVENOUS SOLUTION 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML)	5	B/D PA; MO; NEDS
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA; LA; NEDS; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG	5	PA; NEDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG	5	PA; NEDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i>	5	B/D PA; MO; NEDS
GAVRETO ORAL CAPSULE 100 MG	5	PA; LA; NEDS; QL (120 per 30 days)
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	B/D PA; MO; NEDS
GEFITINIB ORAL TABLET 250 MG	5	PA; MO; NEDS; QL (30 per 30 days)
<i>gemcitabine intravenous recon soln 1 gram, 200 mg</i>	2	B/D PA; MO
<i>gemcitabine intravenous recon soln 2 gram</i>	2	B/D PA
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	2	B/D PA; MO
GEMCITABINE INTRAVENOUS SOLUTION 100 MG/ML	3	B/D PA
<i>gengra oral capsule 100 mg, 25 mg</i>	3	B/D PA; MO
<i>gengra oral solution 100 mg/ml</i>	3	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
GILOTrif ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA; MO; NEDS; QL (30 per 30 days)
<i>gleostine oral capsule 10 mg, 100 mg, 40 mg</i>	4	MO
GOMEKLI ORAL CAPSULE 1 MG	5	PA; NEDS; QL (126 per 28 days)
GOMEKLI ORAL CAPSULE 2 MG	5	PA; NEDS; QL (84 per 28 days)
GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG	5	PA; NEDS; QL (168 per 28 days)
HALAVEN INTRAVENOUS SOLUTION 1 MG/2 ML (0.5 MG/ML)	5	B/D PA; MO; NEDS
<i>hydroxyurea oral capsule 500 mg</i>	2	MO
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA; MO; NEDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA; MO; NEDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA; NEDS; QL (30 per 30 days)
<i>idarubicin intravenous solution 1 mg/ml</i>	2	B/D PA; MO
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA; MO; LA; NEDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram, 3 gram</i>	2	B/D PA; MO
<i>ifosfamide intravenous solution 1 gram/20 ml</i>	2	B/D PA; MO
<i>ifosfamide intravenous solution 3 gram/60 ml</i>	2	B/D PA
<i>imatinib oral tablet 100 mg</i>	3	PA; MO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i>	3	PA; MO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA; NEDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA; NEDS; QL (30 per 30 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA; NEDS; QL (324 per 30 days)
IMBRUVICA ORAL TABLET 280 MG, 420 MG	5	PA; NEDS; QL (30 per 30 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	B/D PA; MO; NEDS
IMKELDI ORAL SOLUTION 80 MG/ML	5	PA; MO; NEDS; QL (280 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA; MO; NEDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA; MO; NEDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
INQOVI ORAL TABLET 35-100 MG	5	PA; MO; NEDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA; MO; LA; NEDS; QL (120 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml</i>	2	B/D PA; MO
<i>irinotecan intravenous solution 300 mg/15 ml, 500 mg/25 ml</i>	5	B/D PA; NEDS
<i>irinotecan intravenous solution 40 mg/2 ml</i>	5	B/D PA; MO; NEDS
ISTODAX INTRAVENOUS RECON SOLN 10 MG/2 ML	5	B/D PA; MO; NEDS
ITOVEBI ORAL TABLET 3 MG	5	PA; MO; NEDS; QL (56 per 28 days)
ITOVEBI ORAL TABLET 9 MG	5	PA; MO; NEDS; QL (28 per 28 days)
IWILFIN ORAL TABLET 192 MG	5	PA; LA; NEDS; QL (240 per 30 days)
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	B/D PA; MO; NEDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA; MO; NEDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG	5	PA; MO; NEDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA; MO; NEDS; QL (30 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	B/D PA; MO; NEDS
JEVTANA INTRAVENOUS SOLUTION 10 MG/ML (FIRST DILUTION)	5	B/D PA; MO; NEDS
JYLAMVO ORAL SOLUTION 2 MG/ML	5	B/D PA; MO; NEDS
KADCYLA INTRAVENOUS RECON SOLN 100 MG, 160 MG	5	B/D PA; MO; NEDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	B/D PA; MO; NEDS
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	B/D PA; NEDS
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA; NEDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA; NEDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA; MO; NEDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA; MO; NEDS; QL (42 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA; MO; NEDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG, 25 MG	5	PA; NEDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA; NEDS; QL (180 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	B/D PA; NEDS
<i>lapatinib oral tablet 250 mg</i>	5	PA; MO; NEDS; QL (180 per 30 days)
LAZCLUZE ORAL TABLET 240 MG	5	PA; LA; NEDS; QL (30 per 30 days)
LAZCLUZE ORAL TABLET 80 MG	5	PA; LA; NEDS; QL (60 per 30 days)
LENALIDOMIDE ORAL CAPSULE 10 MG, 15 MG, 25 MG, 5 MG	5	PA; MO; NEDS; QL (28 per 28 days)
<i>lenalidomide oral capsule 2.5 mg, 20 mg</i>	5	PA; NEDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA; MO; NEDS
<i>letrozole oral tablet 2.5 mg</i>	2	MO
LEUKERAN ORAL TABLET 2 MG	5	PA; MO; NEDS; QL (150 per 30 days)
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	4	PA; MO
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	B/D PA; NEDS
LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG	5	PA; MO; NEDS
LORBRENA ORAL TABLET 100 MG	5	PA; MO; NEDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA; MO; NEDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA; MO; NEDS; QL (120 per 30 days)
LUMAKRAS ORAL TABLET 240 MG	5	PA; MO; NEDS; QL (60 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA; MO; NEDS; QL (90 per 30 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 22.5 MG	5	PA; MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA; MO; NEDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA; MO; NEDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	PA; MO; NEDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	5	PA; MO; NEDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG (PED)	5	PA; MO; NEDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA; MO; NEDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA; MO; NEDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NEDS
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA; LA; NEDS
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	B/D PA; NEDS
MATULANE ORAL CAPSULE 50 MG	5	NEDS
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	3	PA; MO
<i>megestrol oral suspension 625 mg/5 ml (125 mg/ml)</i>	4	PA; MO
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	PA; MO
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA; MO; NEDS; QL (1200 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA; MO; NEDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA; MO; NEDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA; MO; LA; NEDS; QL (180 per 30 days)
<i>melphalan hcl intravenous recon soln 50 mg</i>	5	B/D PA; NEDS
<i>mercaptopurine oral suspension 20 mg/ml</i>	5	MO; NEDS
<i>mercaptopurine oral tablet 50 mg</i>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	B/D PA
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	B/D PA; MO
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	B/D PA; MO
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	B/D PA; MO
<i>mitomycin intravenous recon soln 20 mg, 5 mg</i>	2	B/D PA; MO
<i>mitomycin intravenous recon soln 40 mg</i>	5	B/D PA; MO; NEDS
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	B/D PA; MO
MONJUVI INTRAVENOUS RECON SOLN 200 MG	5	B/D PA; NEDS
MYCAPSSA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 20 MG	5	PA; LA; NEDS; QL (120 per 30 days)
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i>	4	B/D PA; MO
<i>mycophenolate mofetil oral capsule 250 mg</i>	3	B/D PA; MO
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	5	B/D PA; MO; NEDS
<i>mycophenolate mofetil oral tablet 500 mg</i>	3	B/D PA; MO
<i>mycophenolate sodium oral tablet,delayed release (dr/ec) 180 mg, 360 mg</i>	4	B/D PA; MO
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	B/D PA; MO; NEDS
<i>nelarabine intravenous solution 250 mg/50 ml</i>	5	B/D PA; MO; NEDS
NERLYNX ORAL TABLET 40 MG	5	PA; MO; LA; NEDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i>	5	PA; MO; NEDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA; MO; NEDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA; MO; LA; NEDS; QL (120 per 30 days)
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	B/D PA; MO; NEDS
<i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i>	5	PA; MO; NEDS
<i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i>	4	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i>	4	PA; MO
<i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i>	5	PA; MO; NEDS
<i>octreotide,microspheres intramuscular suspension,extended rel recon 10 mg, 20 mg, 30 mg</i>	5	PA; NEDS
ODOMZO ORAL CAPSULE 200 MG	5	PA; MO; LA; NEDS; QL (30 per 30 days)
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA; NEDS; QL (56 per 28 days)
OGSIVEO ORAL TABLET 50 MG	5	PA; NEDS; QL (180 per 30 days)
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	5	PA; NEDS; QL (96 per 28 days)
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4)	5	PA; NEDS; QL (16 per 28 days)
OJEMDA ORAL TABLET 500 MG/WEEK (100 MG X 5)	5	PA; NEDS; QL (20 per 28 days)
OJEMDA ORAL TABLET 600 MG/WEEK (100 MG X 6)	5	PA; NEDS; QL (24 per 28 days)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA; NEDS; QL (30 per 30 days)
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	B/D PA; NEDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	B/D PA; NEDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA; MO; NEDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	B/D PA; MO; NEDS
ORGOVYX ORAL TABLET 120 MG	5	PA; LA; NEDS; QL (30 per 28 days)
ORSERDU ORAL TABLET 345 MG	5	PA; NEDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA; NEDS; QL (90 per 90 days)
<i>oxaliplatin intravenous recon soln 100 mg</i>	2	B/D PA
<i>oxaliplatin intravenous recon soln 50 mg</i>	2	B/D PA; MO
<i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i>	2	B/D PA; MO
<i>oxaliplatin intravenous solution 200 mg/40 ml</i>	2	B/D PA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	B/D PA; MO
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	5	B/D PA; MO; NEDS
<i>paraplatin intravenous solution 10 mg/ml</i>	2	B/D PA
<i>pazopanib oral tablet 200 mg</i>	5	PA; MO; NEDS; QL (120 per 30 days)
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA; LA; NEDS; QL (14 per 21 days)
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	5	B/D PA; MO; NEDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA; NEDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA; NEDS; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	5	B/D PA; MO; NEDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA; MO; LA; NEDS; QL (21 per 28 days)
POTELIGEO INTRAVENOUS SOLUTION 4 MG/ML	5	B/D PA; NEDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	3	B/D PA; MO
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	B/D PA; MO
QINLOCK ORAL TABLET 50 MG	5	PA; LA; NEDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA; MO; LA; NEDS; QL (180 per 30 days)
RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG	5	PA; MO; NEDS; QL (60 per 30 days)
RETEVMO ORAL TABLET 40 MG	5	PA; MO; NEDS; QL (90 per 30 days)
REVUFORJ ORAL TABLET 110 MG	5	PA; NEDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 160 MG	5	PA; NEDS; QL (60 per 30 days)
REVUFORJ ORAL TABLET 25 MG	5	PA; NEDS; QL (240 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA; NEDS; QL (60 per 30 days)
REZUROCK ORAL TABLET 200 MG	5	PA; LA; NEDS; QL (30 per 30 days)
<i>romidepsin intravenous recon soln 10 mg/2 ml</i>	5	B/D PA; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG	5	PA; NEDS; QL (8 per 28 days)
ROZLYTREK ORAL CAPSULE 100 MG	5	PA; MO; NEDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA; MO; NEDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA; MO; NEDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA; MO; LA; NEDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	B/D PA; MO; NEDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	B/D PA; MO; NEDS
RYDAPT ORAL CAPSULE 25 MG	5	PA; MO; NEDS; QL (224 per 28 days)
RYLAZE INTRAMUSCULAR SOLUTION 10 MG/0.5 ML	5	B/D PA; NEDS
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	5	B/D PA; NEDS
SCEMBLIX ORAL TABLET 100 MG	5	PA; NEDS; QL (120 per 30 days)
SCEMBLIX ORAL TABLET 20 MG	5	PA; NEDS; QL (600 per 30 days)
SCEMBLIX ORAL TABLET 40 MG	5	PA; NEDS; QL (300 per 30 days)
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NEDS
SIMULECT INTRAVENOUS RECON SOLN 10 MG, 20 MG	3	B/D PA; MO
<i>sirolimus oral solution 1 mg/ml</i>	5	B/D PA; MO; NEDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	4	B/D PA; MO
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	MO; NEDS
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML	5	PA; MO; NEDS
<i>sorafenib oral tablet 200 mg</i>	5	PA; MO; NEDS; QL (120 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA; MO; NEDS; QL (84 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i>	5	PA; MO; NEDS; QL (30 per 30 days)
TABLOID ORAL TABLET 40 MG	5	PA; MO; NEDS
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA; MO; NEDS; QL (112 per 28 days)
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i>	3	B/D PA; MO
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA; MO; NEDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA; MO; NEDS; QL (840 per 28 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA; MO; LA; NEDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.1 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA; MO; NEDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA; MO; NEDS; QL (90 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	MO
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA; MO; NEDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA; MO; NEDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA; LA; NEDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	B/D PA; MO; NEDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	B/D PA; MO; NEDS
<i>temsirolimus intravenous recon soln 30 mg/3 ml (10 mg/ml) (first)</i>	5	B/D PA; MO; NEDS
TEPMETKO ORAL TABLET 225 MG	5	PA; LA; NEDS; QL (60 per 30 days)
THALOMID ORAL CAPSULE 100 MG, 50 MG	5	PA; MO; NEDS; QL (28 per 28 days)
<i>thiotepa injection recon soln 100 mg</i>	5	B/D PA; NEDS
<i>thiotepa injection recon soln 15 mg</i>	5	B/D PA; MO; NEDS
TIBSOVO ORAL TABLET 250 MG	5	PA; NEDS
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	B/D PA; MO; NEDS
<i>topotecan intravenous recon soln 4 mg</i>	5	B/D PA; MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	5	B/D PA; MO; NEDS
<i>toremifene oral tablet 60 mg</i>	5	MO; NEDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	B/D PA; MO; NEDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	B/D PA; MO; NEDS
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	MO; NEDS
TRODELVY INTRAVENOUS RECON SOLN 180 MG	5	B/D PA; NEDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA; NEDS; QL (64 per 28 days)
TUKYSA ORAL TABLET 150 MG	5	PA; LA; NEDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA; LA; NEDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG	5	PA; LA; NEDS; QL (120 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	B/D PA; NEDS
<i>valrubicin intravesical solution 40 mg/ml</i>	5	B/D PA; MO; NEDS
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA; NEDS; QL (56 per 28 days)
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	5	MO; NEDS
VENCLEXTA ORAL TABLET 10 MG	4	PA; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA; LA; NEDS; QL (120 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA; LA; NEDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA; LA; NEDS; QL (42 per 180 days)
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA; MO; LA; NEDS; QL (60 per 30 days)
VIJOICE ORAL GRANULES IN PACKET 50 MG	5	PA; NEDS; QL (28 per 28 days)
VIJOICE ORAL TABLET 125 MG, 50 MG	5	PA; NEDS; QL (28 per 28 days)
VIJOICE ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1)	5	PA; NEDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	2	MO
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml	2	B/D PA; MO
VITRAKVI ORAL CAPSULE 100 MG	5	PA; MO; LA; NEDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA; MO; LA; NEDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA; MO; LA; NEDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA; MO; NEDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA; NEDS; QL (120 per 30 days)
VORANIGO ORAL TABLET 10 MG	5	PA; NEDS; QL (60 per 30 days)
VORANIGO ORAL TABLET 40 MG	5	PA; NEDS; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA; MO; NEDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	NEDS
WELIREG ORAL TABLET 40 MG	5	PA; LA; NEDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA; MO; NEDS; QL (60 per 30 days)
XALKORI ORAL PELLET 150 MG	5	PA; MO; NEDS; QL (180 per 30 days)
XALKORI ORAL PELLET 20 MG, 50 MG	5	PA; MO; NEDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	B/D PA; MO
XERMELO ORAL TABLET 250 MG	5	PA; LA; NEDS; QL (90 per 30 days)
XOSPATA ORAL TABLET 40 MG	5	PA; LA; NEDS
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA; LA; NEDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4), 40 MG/WEEK (40 MG X 1)	5	PA; LA; NEDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (60 MG X 1)	5	PA; LA; NEDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA; LA; NEDS; QL (24 per 30 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA; LA; NEDS; QL (32 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
XTANDI ORAL CAPSULE 40 MG	5	PA; MO; NEDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA; MO; NEDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA; MO; NEDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	B/D PA; MO; NEDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	B/D PA; NEDS
YONSA ORAL TABLET 125 MG	5	PA; MO; NEDS; QL (120 per 30 days)
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	5	B/D PA; MO; NEDS
ZANOSAR INTRAVENOUS RECON SOLN 1 GRAM	4	B/D PA; MO
ZEJULA ORAL TABLET 100 MG	5	PA; MO; LA; NEDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 200 MG, 300 MG	5	PA; MO; LA; NEDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA; MO; NEDS; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	5	B/D PA; NEDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	B/D PA; MO; NEDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	B/D PA; MO
ZOLINZA ORAL CAPSULE 100 MG	5	PA; MO; NEDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA; MO; NEDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA; MO; NEDS; QL (90 per 30 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	B/D PA; NEDS

AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH

ANTICONVULSANTS

BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	4	MO; QL (600 per 28 days)
--	---	--------------------------

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
BRIVIACT ORAL SOLUTION 10 MG/ML	5	PA; MO; NEDS; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	5	PA; MO; NEDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	4	MO
<i>carbamazepine oral suspension 100 mg/5 ml</i>	2	MO
<i>carbamazepine oral tablet 200 mg</i>	2	MO
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	4	MO
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	MO
<i>clobazam oral suspension 2.5 mg/ml</i>	4	PA; MO; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i>	4	PA; MO; QL (60 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	2	MO; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i>	2	MO; QL (300 per 30 days)
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	4	MO; QL (90 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i>	4	MO; QL (300 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA; LA; NEDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA; LA; NEDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA; LA; NEDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA; LA; NEDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	MO
DILANTIN 30 MG ORAL CAPSULE 30 MG	3	MO
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i>	2	MO
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	2	MO
<i>divalproex oral tablet,delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i>	2	MO
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA; MO; LA; NEDS
<i>epitol oral tablet 200 mg</i>	2	MO
EPRONTIA ORAL SOLUTION 25 MG/ML	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>eslicarbazepine oral tablet 200 mg</i>	4	MO; QL (180 per 30 days)
<i>eslicarbazepine oral tablet 400 mg</i>	4	MO; QL (90 per 30 days)
<i>eslicarbazepine oral tablet 600 mg, 800 mg</i>	4	MO; QL (60 per 30 days)
<i>ethosuximide oral capsule 250 mg</i>	3	MO
<i>ethosuximide oral solution 250 mg/5 ml</i>	3	MO
<i>felbamate oral suspension 600 mg/5 ml</i>	5	MO; NEDS
<i>felbamate oral tablet 400 mg, 600 mg</i>	4	MO
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA; LA; NEDS; QL (360 per 30 days)
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i>	2	MO
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	MO; NEDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	MO; NEDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	MO; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	MO; NEDS; QL (60 per 30 days)
<i> gabapentin oral capsule 100 mg, 400 mg</i>	2	MO; QL (270 per 30 days)
<i> gabapentin oral capsule 300 mg</i>	2	MO; QL (360 per 30 days)
<i> gabapentin oral solution 250 mg/5 ml</i>	3	MO; QL (2160 per 30 days)
<i> gabapentin oral tablet 600 mg</i>	2	MO; QL (180 per 30 days)
<i> gabapentin oral tablet 800 mg</i>	2	MO; QL (120 per 30 days)
<i> lacosamide intravenous solution 200 mg/20 ml</i>	3	MO; QL (1200 per 28 days)
<i> lacosamide oral solution 10 mg/ml</i>	4	MO; QL (1200 per 30 days)
LACOSAMIDE ORAL TABLET 100 MG, 150 MG, 200 MG	4	MO; QL (60 per 30 days)
LACOSAMIDE ORAL TABLET 50 MG	3	MO; QL (120 per 30 days)
<i> lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	MO
<i> lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i>	4	MO
<i> lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	2	MO
<i> lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i>	4	MO
<i> levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 500 mg/100 ml</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
levetiracetam in nacl (iso-os) intravenous piggyback 1,500 mg/100 ml	2	
levetiracetam intravenous solution 500 mg/5 ml	2	MO
levetiracetam oral solution 100 mg/ml	2	MO
levetiracetam oral solution 500 mg/5 ml (5 ml)	2	
levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg	2	MO
levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg	2	MO
methsuximide oral capsule 300 mg	4	MO
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	PA; MO; QL (10 per 30 days)
oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)	4	MO
oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg	2	MO
phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)	4	MO
phenobarbital oral tablet 100 mg, 15 mg, 30 mg, 60 mg	3	
phenobarbital oral tablet 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg	3	MO
phenobarbital sodium injection solution 130 mg/ml	2	MO
phenobarbital sodium injection solution 65 mg/ml	2	
phenytoin oral suspension 125 mg/5 ml	2	MO
phenytoin oral tablet, chewable 50 mg	2	MO
phenytoin sodium extended oral capsule 100 mg	2	MO
phenytoin sodium extended oral capsule 200 mg, 300 mg	2	
phenytoin sodium intravenous solution 50 mg/ml	2	
pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg	2	MO; QL (90 per 30 days)
pregabalin oral capsule 225 mg, 300 mg	2	MO; QL (60 per 30 days)
pregabalin oral solution 20 mg/ml	4	MO; QL (900 per 30 days)
primidone oral tablet 125 mg	4	MO
primidone oral tablet 250 mg, 50 mg	2	MO
roweepra oral tablet 500 mg	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
rufinamide oral suspension 40 mg/ml	5	PA; MO; NEDS; QL (2400 per 30 days)
rufinamide oral tablet 200 mg	5	PA; MO; NEDS; QL (480 per 30 days)
rufinamide oral tablet 400 mg	5	PA; MO; NEDS; QL (240 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	MO; QL (90 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG	4	MO; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 500 MG	4	MO; QL (30 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 750 MG	4	MO; QL (120 per 30 days)
subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg	1	MO
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA; MO; NEDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA; MO; QL (60 per 30 days)
tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg	4	MO
topiramate oral capsule, sprinkle 15 mg, 25 mg	2	MO
topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg	2	MO
valproic acid (as sodium salt) oral solution 250 mg/5 ml	2	MO
valproic acid oral capsule 250 mg	2	MO
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	5	PA; MO; NEDS; QL (10 per 30 days)
vigabatrin oral powder in packet 500 mg	5	PA; MO; LA; NEDS; QL (180 per 30 days)
vigabatrin oral tablet 500 mg	5	PA; MO; LA; NEDS; QL (180 per 30 days)
vigadronе oral powder in packet 500 mg	5	PA; LA; NEDS; QL (180 per 30 days)
vigadronе oral tablet 500 mg	5	PA; LA; NEDS; QL (180 per 30 days)
vigpoder oral powder in packet 500 mg	5	PA; LA; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	5	PA; MO; NEDS; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG	5	PA; MO; NEDS; QL (120 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	5	PA; MO; NEDS; QL (60 per 30 days)
XCOPRI ORAL TABLET 25 MG, 50 MG	5	PA; MO; NEDS; QL (30 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14)	4	PA; MO; QL (28 per 180 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	5	PA; MO; NEDS; QL (28 per 180 days)
ZONISADE ORAL SUSPENSION 100 MG/5 ML	5	MO; NEDS; QL (900 per 30 days)
<i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i>	2	MO
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA; LA; NEDS; QL (1100 per 30 days)
ANTIPARKINSONISM AGENTS		
<i>benztropine injection solution 1 mg/ml</i>	2	MO
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	MO
<i>bromocriptine oral capsule 5 mg</i>	4	MO
<i>bromocriptine oral tablet 2.5 mg</i>	4	MO
<i>carbidopa oral tablet 25 mg</i>	4	MO
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>	2	MO
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	MO
<i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	4	MO
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	4	MO
<i>entacapone oral tablet 200 mg</i>	4	MO
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	2	MO
<i>rasagiline oral tablet 0.5 mg, 1 mg</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	MO
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	4	MO
<i>selegiline hcl oral capsule 5 mg</i>	3	MO
<i>selegiline hcl oral tablet 5 mg</i>	3	MO
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	2	MO
MIGRAINE / CLUSTER HEADACHE THERAPY		
<i>AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML</i>	3	PA; MO; QL (1 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	5	NEDS
<i>dihydroergotamine nasal spray,non-aerosol 0.5 mg/pump act. (4 mg/ml)</i>	5	PA; NEDS; QL (8 per 28 days)
<i>eletriptan oral tablet 20 mg, 40 mg</i>	4	MO; QL (18 per 28 days)
<i>EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML</i>	3	PA; MO; QL (2 per 30 days)
<i>EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML</i>	3	PA; MO; QL (2 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	3	MO; QL (18 per 28 days)
<i>NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG</i>	3	PA; QL (16 per 30 days)
<i>QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG</i>	3	PA; MO; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i>	2	QL (36 per 28 days)
<i>rizatriptan oral tablet 5 mg</i>	2	MO; QL (36 per 28 days)
<i>rizatriptan oral tablet,disintegrating 10 mg, 5 mg</i>	3	MO; QL (36 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i>	4	MO; QL (18 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i>	4	MO; QL (36 per 28 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i>	2	MO; QL (18 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i>	4	QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i>	4	QL (8 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml	4	MO; QL (8 per 28 days)
sumatriptan succinate subcutaneous solution 6 mg/0.5 ml	4	MO; QL (8 per 28 days)
zolmitriptan oral tablet 2.5 mg, 5 mg	4	MO; QL (18 per 28 days)
zolmitriptan oral tablet,disintegrating 2.5 mg, 5 mg	4	MO; QL (18 per 28 days)
MISCELLANEOUS NEUROLOGICAL THERAPY		
AUSTEDO ORAL TABLET 12 MG	5	PA; MO; NEDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; MO; NEDS; QL (150 per 30 days)
AUSTEDO ORAL TABLET 9 MG	5	PA; MO; NEDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 24 MG	5	PA; MO; NEDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 30 MG, 36 MG, 42 MG, 48 MG	5	PA; MO; NEDS; QL (30 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; MO; NEDS; QL (90 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG	5	PA; MO; NEDS; QL (28 per 180 days)
dalfampridine oral tablet extended release 12 hr 10 mg	3	PA; MO; QL (60 per 30 days)
dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg	5	PA; MO; NEDS; QL (14 per 30 days)
dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)	5	PA; MO; NEDS; QL (120 per 180 days)
dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg	5	PA; MO; NEDS; QL (60 per 30 days)
donepezil oral tablet 10 mg	1	MO; QL (60 per 30 days)
donepezil oral tablet 23 mg	4	MO; QL (30 per 30 days)
donepezil oral tablet 5 mg	1	MO; QL (30 per 30 days)
donepezil oral tablet,disintegrating 10 mg	1	MO; QL (60 per 30 days)
donepezil oral tablet,disintegrating 5 mg	1	MO; QL (30 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; MO; LA; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>fingolimod oral capsule 0.5 mg</i>	5	PA; MO; NEDS; QL (30 per 30 days)
FIRDAPSE ORAL TABLET 10 MG	5	PA; LA; NEDS
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	4	MO; QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	4	MO; QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	4	MO; QL (60 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	5	PA; NEDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	5	PA; NEDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; MO; NEDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	5	PA; MO; NEDS; QL (12 per 28 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; MO; NEDS; QL (1.2 per 28 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i>	4	PA; MO; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	3	PA; MO; QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	2	PA; MO; QL (60 per 30 days)
<i>memantine-donepezil oral capsule,sprinkle,er 24hr 14-10 mg, 21-10 mg, 28-10 mg</i>	3	PA; MO; QL (30 per 30 days)
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 7-10 MG	3	PA; MO; QL (30 per 30 days)
NUEDEXTA ORAL CAPSULE 20-10 MG	5	PA; MO; NEDS
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; MO; NEDS; QL (20 per 180 days)
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	5	PA; NEDS
RADICAVA ORS ORAL SUSPENSION 105 MG/5 ML	5	PA; MO; NEDS; QL (70 per 28 days)
RADICAVA ORS STARTER KIT SUSP ORAL SUSPENSION 105 MG/5 ML	5	PA; MO; NEDS; QL (70 per 28 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	3	MO; QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i>	4	MO; QL (30 per 30 days)
SKYCLARYS ORAL CAPSULE 50 MG	5	PA; LA; NEDS; QL (90 per 30 days)
TERIFLUNOMIDE ORAL TABLET 14 MG, 7 MG	5	PA; MO; NEDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
tetrabenazine oral tablet 12.5 mg	5	PA; MO; NEDS; QL (240 per 30 days)
tetrabenazine oral tablet 25 mg	5	PA; MO; NEDS; QL (120 per 30 days)
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; MO; NEDS; QL (15 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; MO; NEDS; QL (120 per 30 days)
ZEPOSIA ORAL CAPSULE 0.92 MG	5	PA; MO; NEDS; QL (30 per 30 days)
ZEPOSIA STARTER KIT (28-DAY) ORAL CAPSULE,DOSE PACK 0.23 MG-0.46 MG -0.92 MG (21)	5	PA; MO; NEDS; QL (28 per 180 days)
ZEPOSIA STARTER PACK (7-DAY) ORAL CAPSULE,DOSE PACK 0.23 MG (4)- 0.46 MG (3)	5	PA; MO; NEDS; QL (7 per 180 days)
MUSCLE RELAXANTS / ANTISPASMODIC THERAPY		
baclofen oral tablet 10 mg, 5 mg	3	MO; QL (90 per 30 days)
baclofen oral tablet 20 mg	3	MO; QL (120 per 30 days)
carisoprodol oral tablet 350 mg	4	MO; QL (120 per 30 days)
chlorzoxazone oral tablet 500 mg	4	MO
cyclobenzaprine oral tablet 10 mg, 5 mg	4	MO; QL (90 per 30 days)
dantrolene oral capsule 100 mg, 25 mg, 50 mg	4	MO
methocarbamol oral tablet 500 mg, 750 mg	4	MO
ORPHENADRINE CITRATE ORAL TABLET EXTENDED RELEASE 100 MG	4	MO
pyridostigmine bromide oral tablet 60 mg	3	MO
pyridostigmine bromide oral tablet extended release 180 mg	4	MO
tizanidine oral tablet 2 mg, 4 mg	2	MO
NARCOTIC ANALGESICS		
acetaminophen-codeine oral solution 120-12 mg/5 ml	2	MO; NEDS; QL (4500 per 30 days)
acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg	2	MO; NEDS; QL (360 per 30 days)
acetaminophen-codeine oral tablet 300-60 mg	2	MO; NEDS; QL (180 per 30 days)
buprenorphine hcl injection syringe 0.3 mg/ml	2	NEDS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
buprenorphine hcl sublingual tablet 2 mg, 8 mg	2	MO; QL (90 per 30 days)
buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour	4	PA; MO; NEDS; QL (4 per 28 days)
butalbital-acetaminophen-caff oral tablet 50-325-40 mg	2	MO; QL (180 per 30 days)
endocet oral tablet 10-325 mg, 2.5-325 mg, 7.5-325 mg	3	NEDS; QL (360 per 30 days)
endocet oral tablet 5-325 mg	3	MO; NEDS; QL (360 per 30 days)
fentanyl citrate buccal lozenge on a handle 1,200 mcg	5	PA; MO; NEDS; QL (120 per 30 days)
fentanyl citrate buccal lozenge on a handle 200 mcg	4	PA; MO; NEDS; QL (120 per 30 days)
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr	4	PA; MO; NEDS; QL (10 per 30 days)
hydrocodone-acetaminophen oral solution 10-300 mg/15 ml	4	NEDS
hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml	4	MO; NEDS; QL (5550 per 30 days)
hydrocodone-acetaminophen oral tablet 10-300 mg, 5-300 mg, 7.5-300 mg	4	MO; NEDS; QL (390 per 30 days)
hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg	2	MO; NEDS; QL (360 per 30 days)
hydrocodone-acetaminophen oral tablet 2.5-325 mg	4	NEDS; QL (360 per 30 days)
hydromorphone oral liquid 1 mg/ml	4	MO; NEDS; QL (2400 per 30 days)
hydromorphone oral tablet 2 mg, 4 mg	2	MO; NEDS; QL (180 per 30 days)
hydromorphone oral tablet 8 mg	4	MO; NEDS; QL (180 per 30 days)
methadone injection solution 10 mg/ml	3	NEDS
methadone intensol oral concentrate 10 mg/ml	3	PA; MO; NEDS; QL (90 per 30 days)
methadone oral concentrate 10 mg/ml	3	PA; NEDS; QL (90 per 30 days)
methadone oral solution 10 mg/5 ml	3	PA; MO; NEDS; QL (600 per 30 days)
methadone oral solution 5 mg/5 ml	3	PA; MO; NEDS; QL (1200 per 30 days)
methadone oral tablet 10 mg	2	PA; MO; NEDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>methadone oral tablet 5 mg</i>	2	PA; MO; NEDS; QL (240 per 30 days)
<i>methadose oral concentrate 10 mg/ml</i>	3	PA; MO; NEDS; QL (90 per 30 days)
<i>morphine injection syringe 4 mg/ml</i>	4	MO; NEDS
<i>morphine intravenous syringe 2 mg/ml, 4 mg/ml</i>	4	NEDS
<i>morphine oral tablet 15 mg, 30 mg</i>	2	MO; NEDS; QL (180 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg</i>	4	PA; MO; NEDS; QL (120 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg, 60 mg</i>	2	PA; MO; NEDS; QL (120 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	3	MO; NEDS; QL (360 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	4	MO; NEDS; QL (180 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	3	MO; NEDS; QL (1200 per 30 days)
<i>oxycodone oral tablet 10 mg, 15 mg</i>	2	MO; NEDS; QL (180 per 30 days)
<i>oxycodone oral tablet 20 mg, 30 mg</i>	3	MO; NEDS; QL (180 per 30 days)
<i>oxycodone oral tablet 5 mg</i>	2	MO; NEDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i>	3	MO; NEDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg</i>	3	NEDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 5-325 mg, 7.5-325 mg</i>	2	MO; NEDS; QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG	3	PA; MO; NEDS; QL (90 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 80 MG	5	PA; MO; NEDS; QL (60 per 30 days)
NON-NARCOTIC ANALGESICS		
<i>buprenorphine-naloxone sublingual film 12-3 mg</i>	4	MO; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg</i>	4	MO; QL (360 per 30 days)
<i>buprenorphine-naloxone sublingual film 4-1 mg, 8-2 mg</i>	4	MO; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg</i>	2	MO; QL (360 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 8-2 mg</i>	2	MO; QL (90 per 30 days)
<i>butorphanol nasal spray,non-aerosol 10 mg/ml</i>	4	MO; NEDS; QL (10 per 28 days)
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>diclofenac potassium oral tablet 50 mg</i>	3	MO
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	MO
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg</i>	3	MO
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 50 mg, 75 mg</i>	2	MO
<i>diclofenac sodium topical gel 1 %</i>	2	MO; QL (1000 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i>	5	MO; NEDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg, 75-200 mg-mcg</i>	4	MO
<i>diflunisal oral tablet 500 mg</i>	3	MO
<i>etodolac oral capsule 200 mg, 300 mg</i>	3	MO
<i>etodolac oral tablet 400 mg, 500 mg</i>	3	MO
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i>	4	MO
<i>flurbiprofen oral tablet 100 mg</i>	2	MO
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	MO
<i>ibuprofen oral suspension 100 mg/5 ml</i>	2	MO
<i>ibuprofen oral tablet 300 mg, 600 mg</i>	1	
<i>ibuprofen oral tablet 400 mg, 800 mg</i>	1	MO
<i>indomethacin oral capsule 25 mg, 50 mg</i>	2	MO
<i>ketorolac oral tablet 10 mg</i>	4	QL (20 per 30 days)
<i>meloxicam oral tablet 15 mg</i>	1	MO
<i>meloxicam oral tablet 7.5 mg</i>	1	MO; QL (30 per 30 days)
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	MO
<i>naloxone injection solution 0.4 mg/ml</i>	2	MO
<i>naloxone injection syringe 0.4 mg/ml (prefilled syringe)</i>	2	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	MO
<i>naloxone nasal spray,non-aerosol 4 mg/actuation</i>	2	MO
<i>naltrexone oral tablet 50 mg</i>	2	MO
<i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>naproxen oral tablet,delayed release (dr/ec) 375 mg</i>	2	MO
<i>naproxen sodium oral tablet 275 mg, 550 mg</i>	2	MO
OPVEE NASAL SPRAY,NON-AEROSOL 2.7 MG/ACTUATION	4	MO
<i>oxaprozin oral tablet 600 mg</i>	4	MO
<i>piroxicam oral capsule 10 mg, 20 mg</i>	3	MO
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	MO
<i>tramadol oral tablet 50 mg</i>	2	MO; NEDS; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	MO; NEDS; QL (240 per 30 days)
VIVITROL INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 380 MG	5	MO; NEDS
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	3	MO; QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	3	MO; QL (60 per 30 days)
PSYCHOTHERAPEUTIC DRUGS		
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	5	MO; NEDS; QL (2.4 per 56 days)
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	5	MO; NEDS; QL (3.2 per 56 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	MO; NEDS; QL (1 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	MO; NEDS; QL (1 per 28 days)
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i>	2	MO; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i>	2	MO; QL (150 per 30 days)
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	MO
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	4	MO
<i>ariPIPRAZOLE oral solution 1 mg/ml</i>	4	MO; QL (900 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg	2	MO; QL (30 per 30 days)
aripiprazole oral tablet,disintegrating 10 mg	5	MO; NEDS; QL (60 per 30 days)
aripiprazole oral tablet,disintegrating 15 mg	4	MO; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	MO; NEDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	MO; NEDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	MO; NEDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	MO; NEDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	MO; NEDS; QL (3.2 per 28 days)
armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg	4	PA; MO; QL (30 per 30 days)
asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg	4	MO; QL (60 per 30 days)
atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg	4	MO; QL (60 per 30 days)
atomoxetine oral capsule 100 mg, 60 mg, 80 mg	4	MO; QL (30 per 30 days)
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	PA; NEDS; QL (60 per 30 days)
bupropion hcl oral tablet 100 mg, 75 mg	2	MO
bupropion hcl oral tablet extended release 24 hr 150 mg	2	MO; QL (90 per 30 days)
bupropion hcl oral tablet extended release 24 hr 300 mg	2	MO; QL (30 per 30 days)
bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg	2	MO; QL (60 per 30 days)
buspirone oral tablet 10 mg, 15 mg, 5 mg	1	MO
buspirone oral tablet 30 mg, 7.5 mg	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	PA; MO; NEDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	4	MO
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	4	MO
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	4	MO
<i>citalopram oral solution 10 mg/5 ml</i>	3	MO
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i>	1	MO; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i>	4	MO
<i>clorazepate dipotassium oral tablet 15 mg</i>	4	MO; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 3.75 mg</i>	4	MO; QL (90 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i>	4	MO; QL (360 per 30 days)
<i>clozapine oral tablet 100 mg, 25 mg</i>	2	
<i>clozapine oral tablet 200 mg</i>	4	
<i>clozapine oral tablet 50 mg</i>	3	
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 150 mg, 200 mg, 25 mg</i>	4	
COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG	5	PA; MO; NEDS; QL (60 per 30 days)
COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG	5	PA; MO; NEDS; QL (56 per 180 days)
<i>desipramine oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	3	MO
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i>	3	MO; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i>	4	MO
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	3	MO
<i>diazepam injection solution 5 mg/ml</i>	2	
<i>diazepam injection syringe 5 mg/ml</i>	2	
<i>diazepam intensol oral concentrate 5 mg/ml</i>	4	MO; QL (240 per 30 days)
<i>diazepam oral concentrate 5 mg/ml</i>	4	QL (240 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
diazepam oral solution 5 mg/5 ml (1 mg/ml)	4	MO; QL (1200 per 30 days)
diazepam oral tablet 10 mg, 2 mg, 5 mg	2	MO; QL (120 per 30 days)
doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	3	MO
doxepin oral concentrate 10 mg/ml	3	MO
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	PA; MO; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	PA; MO; QL (90 per 30 days)
duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg	2	MO; QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	MO; NEDS; QL (30 per 30 days)
escitalopram oxalate oral solution 5 mg/5 ml	3	MO
escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg	1	MO; QL (30 per 30 days)
eszopiclone oral tablet 1 mg, 2 mg, 3 mg	4	MO; QL (30 per 30 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	PA; MO; NEDS; QL (60 per 30 days)
FANAPT TITRATION PACK A ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)-4MG(2)-6MG(2)	3	PA; MO; QL (8 per 180 days)
FANAPT TITRATION PACK B ORAL TABLETS,DOSE PACK 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2)	5	PA; NEDS
FANAPT TITRATION PACK C ORAL TABLETS,DOSE PACK 1 MG(4)-2 MG(2) -6 MG (2)	5	PA; NEDS
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	PA; QL (28 per 180 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	PA; QL (30 per 30 days)
flumazenil intravenous solution 0.1 mg/ml	2	
fluoxetine (pmdd) oral tablet 10 mg	2	QL (240 per 30 days)
fluoxetine (pmdd) oral tablet 20 mg	2	QL (120 per 30 days)
fluoxetine oral capsule 10 mg	1	MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
fluoxetine oral capsule 20 mg	1	MO; QL (90 per 30 days)
fluoxetine oral capsule 40 mg	1	MO; QL (60 per 30 days)
fluoxetine oral solution 20 mg/5 ml (4 mg/ml)	2	MO
fluoxetine oral tablet 10 mg	2	MO; QL (240 per 30 days)
fluoxetine oral tablet 20 mg	2	MO; QL (120 per 30 days)
fluphenazine decanoate injection solution 25 mg/ml	4	MO
fluphenazine hcl injection solution 2.5 mg/ml	4	MO
fluphenazine hcl oral concentrate 5 mg/ml	4	MO
fluphenazine hcl oral elixir 2.5 mg/5 ml	4	MO
fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg	4	MO
fluvoxamine oral capsule,extended release 24hr 100 mg, 150 mg	4	PA; MO; QL (60 per 30 days)
fluvoxamine oral tablet 100 mg	2	MO; QL (90 per 30 days)
fluvoxamine oral tablet 25 mg	2	MO; QL (30 per 30 days)
fluvoxamine oral tablet 50 mg	2	MO; QL (60 per 30 days)
guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg	3	MO
haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)	4	
haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml	4	MO
haloperidol lactate injection solution 5 mg/ml	4	MO
haloperidol lactate intramuscular syringe 5 mg/ml	2	
haloperidol lactate oral concentrate 2 mg/ml	4	MO
haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg	2	MO
imipramine hcl oral tablet 10 mg, 25 mg, 50 mg	2	MO
imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg	4	MO
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	MO; NEDS; QL (3.5 per 180 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	MO; NEDS; QL (5 per 180 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	MO; NEDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	MO; NEDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	MO; NEDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	MO; QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	MO; NEDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	MO; NEDS; QL (0.88 per 90 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	MO; NEDS; QL (1.32 per 90 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	MO; NEDS; QL (1.75 per 90 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	MO; NEDS; QL (2.63 per 90 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	MO
<i>lithium carbonate oral tablet 300 mg</i>	1	MO
<i>lithium carbonate oral tablet extended release 300 mg, 450 mg</i>	1	MO
<i>lithium citrate oral solution 8 meq/5 ml</i>	4	
<i>lorazepam intensol oral concentrate 2 mg/ml</i>	2	QL (150 per 30 days)
<i>lorazepam oral concentrate 2 mg/ml</i>	2	MO; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i>	2	MO; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i>	2	MO; QL (150 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	MO
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i>	3	MO; QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg</i>	3	MO; QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA; MO; NEDS; QL (30 per 30 days)
MARPLAN ORAL TABLET 10 MG	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 30 mg, 40 mg, 60 mg	4	MO
methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml	4	MO
methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg	2	MO
methylphenidate hcl oral tablet extended release 10 mg, 20 mg	4	MO
methylphenidate hcl oral tablet, chewable 10 mg, 2.5 mg, 5 mg	4	MO
mirtazapine oral tablet 15 mg, 30 mg, 45 mg	2	MO
mirtazapine oral tablet 7.5 mg	4	MO
mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg	3	MO
modafinil oral tablet 100 mg	3	PA; MO; QL (30 per 30 days)
modafinil oral tablet 200 mg	3	PA; MO; QL (60 per 30 days)
molindone oral tablet 10 mg, 25 mg	4	
molindone oral tablet 5 mg	4	MO
nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg	4	MO
nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg	2	MO
nortriptyline oral solution 10 mg/5 ml	4	MO
NUPLAZID ORAL CAPSULE 34 MG	5	PA; MO; NEDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA; MO; NEDS; QL (30 per 30 days)
olanzapine intramuscular recon soln 10 mg	4	MO
olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg	1	MO; QL (30 per 30 days)
olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg	4	MO; QL (30 per 30 days)
OPIPZA ORAL FILM 10 MG	5	PA; MO; NEDS; QL (90 per 30 days)
OPIPZA ORAL FILM 2 MG, 5 MG	5	PA; MO; NEDS; QL (30 per 30 days)
paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg	4	MO; QL (30 per 30 days)
paliperidone oral tablet extended release 24hr 6 mg	4	MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>paroxetine hcl oral suspension 10 mg/5 ml</i>	4	MO
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 40 mg</i>	1	MO; QL (30 per 30 days)
<i>paroxetine hcl oral tablet 30 mg</i>	1	MO; QL (60 per 30 days)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i>	4	MO; QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	4	MO
<i>phenelzine oral tablet 15 mg</i>	3	MO
<i>pimozide oral tablet 1 mg, 2 mg</i>	4	MO
<i>protriptyline oral tablet 10 mg, 5 mg</i>	4	MO
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	1	MO; QL (90 per 30 days)
<i>quetiapine oral tablet 150 mg</i>	4	MO; QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i>	1	MO; QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg</i>	2	MO; QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg, 50 mg</i>	2	MO; QL (60 per 30 days)
RALDESY ORAL SOLUTION 10 MG/ML	5	PA; MO; NEDS; QL (1800 per 30 days)
<i>ramelteon oral tablet 8 mg</i>	4	MO; QL (30 per 30 days)
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	5	PA; MO; NEDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	3	MO; QL (2 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	MO; NEDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i>	2	MO
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	1	MO; QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i>	1	MO; QL (120 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	4	MO; QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 4 mg</i>	4	MO; QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	MO; NEDS; QL (30 per 30 days)
<i>sertraline oral concentrate 20 mg/ml</i>	4	MO
<i>sertraline oral tablet 100 mg, 50 mg</i>	1	MO; QL (60 per 30 days)
<i>sertraline oral tablet 25 mg</i>	1	MO; QL (30 per 30 days)
SODIUM OXYBATE ORAL SOLUTION 500 MG/ML	5	PA; LA; NEDS; QL (540 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
<i>tasimelteon oral capsule 20 mg</i>	5	PA; MO; NEDS; QL (30 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i>	2	MO; QL (60 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	3	MO
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	4	MO
<i>tranylcypromine oral tablet 10 mg</i>	4	MO
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	MO
<i>trazodone oral tablet 300 mg</i>	4	MO
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	4	MO
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	4	MO
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	4	PA; QL (30 per 30 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	5	MO; NEDS; QL (0.28 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	5	MO; NEDS; QL (0.35 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	5	MO; NEDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	5	MO; NEDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	5	MO; NEDS; QL (0.7 per 56 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	MO; NEDS; QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	MO; NEDS; QL (0.21 per 28 days)
<i>venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg</i>	2	MO; QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 75 mg</i>	2	MO; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	MO; QL (90 per 30 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	NEDS
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i>	4	MO; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	PA; MO; NEDS; QL (30 per 30 days)
WAKIX ORAL TABLET 17.8 MG, 4.45 MG	5	PA; MO; LA; NEDS; QL (60 per 30 days)
XYWAV ORAL SOLUTION 0.5 GRAM/ML	5	PA; LA; NEDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg</i>	4	MO; QL (60 per 30 days)
<i>zaleplon oral capsule 5 mg</i>	4	MO; QL (30 per 30 days)
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i>	3	MO; QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i>	4	MO
<i>zolpidem oral tablet 10 mg, 5 mg</i>	2	MO; QL (30 per 30 days)
<i>zolpidem oral tablet,ext release multiphase 12.5 mg, 6.25 mg</i>	4	MO; QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG	5	PA; MO; NEDS; QL (28 per 14 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	3	MO; QL (2 per 28 days)

CARDIOVASCULAR, HYPERTENSION / LIPIDS

ANTIARRHYTHMIC AGENTS

<i>amiodarone oral tablet 100 mg, 400 mg</i>	4	MO
<i>amiodarone oral tablet 200 mg</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>	4	MO
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	MO
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	3	MO
<i>pacerone oral tablet 100 mg, 400 mg</i>	4	MO
<i>pacerone oral tablet 200 mg</i>	2	MO
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	4	MO
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	MO
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	MO
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	2	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	MO
ANTIHYPERTENSIVE THERAPY		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	MO
<i>aliskiren oral tablet 150 mg, 300 mg</i>	4	MO
<i>amiloride oral tablet 5 mg</i>	2	MO
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	MO
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	MO
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i>	1	MO
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i>	2	MO
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>	6	MO
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>	1	MO
<i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i>	2	MO
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	6	MO
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i>	6	MO
<i>betaxolol oral tablet 10 mg, 20 mg</i>	3	MO
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	MO
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	MO
<i>bumetanide injection solution 0.25 mg/ml</i>	4	MO
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg	2	MO
candesartan-hydrochlorothiazide oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg	2	MO
captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg	2	MO
cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg	2	MO
carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg	1	MO
chlorothiazide sodium intravenous recon soln 500 mg	2	MO
chlorthalidone oral tablet 25 mg, 50 mg	2	MO
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg	1	MO
clonidine transdermal patch weekly 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr	4	MO; QL (4 per 28 days)
diltiazem hcl intravenous recon soln 100 mg	2	
diltiazem hcl intravenous solution 5 mg/ml	2	
diltiazem hcl oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg	2	MO
diltiazem hcl oral capsule,extended release 12 hr 120 mg	4	MO; QL (90 per 30 days)
diltiazem hcl oral capsule,extended release 12 hr 60 mg, 90 mg	4	MO; QL (180 per 30 days)
diltiazem hcl oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg	2	MO
diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg	2	MO
diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg	2	MO
diltiazem hcl oral tablet extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg	4	MO
dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg	2	MO
doxazosin oral tablet 1 mg, 2 mg, 4 mg	2	MO; QL (30 per 30 days)
doxazosin oral tablet 8 mg	2	MO; QL (60 per 30 days)
enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg	6	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	6	MO
<i>eplerenone oral tablet 25 mg, 50 mg</i>	3	MO
<i>esmolol intravenous solution 100 mg/10 ml (10 mg/ml)</i>	2	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	MO
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	MO
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	2	MO
<i>furosemide injection solution 10 mg/ml</i>	4	MO
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	MO
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i>	1	MO
<i>guanfacine oral tablet 1 mg, 2 mg</i>	3	MO
<i>hydralazine injection solution 20 mg/ml</i>	2	MO
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	MO
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	MO
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	MO
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	MO
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>	6	MO
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>	6	MO
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	4	
KERENDIA ORAL TABLET 10 MG, 20 MG	4	PA; QL (30 per 30 days)
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	MO
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>	6	MO
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	6	MO
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i>	6	MO
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>	6	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>mannitol 20 % intravenous parenteral solution 20 %</i>	4	
<i>mannitol 25 % intravenous solution 25 %</i>	2	MO
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	4	MO
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	MO
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	1	MO
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	MO
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	
<i>metoprolol tartrate oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	MO
<i>metyrosine oral capsule 250 mg</i>	5	PA; MO; NEDS
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	MO
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	2	MO
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>	4	MO
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	2	MO
<i>nicardipine oral capsule 20 mg, 30 mg</i>	4	MO
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i>	2	MO
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	2	MO
<i>nimodipine oral capsule 30 mg</i>	4	MO
<i>nisoldipine oral tablet extended release 24 hr 17 mg, 25.5 mg, 34 mg, 8.5 mg</i>	4	MO
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i>	6	MO
<i>olmesartanamlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i>	2	MO
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	6	MO
<i>ORENITRAM MONTH 1 TITRATION KT ORAL TABLET EXTENDED REL,DOSE PACK 0.125 MG (126)- 0.25 MG (42)</i>	5	PA; MO; NEDS; QL (168 per 180 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
ORENITRAM MONTH 2 TITRATION KT ORAL TABLET EXTENDED REL,DOSE PACK 0.125 MG (126)- 0.25 MG (210)	5	PA; MO; NEDS; QL (336 per 180 days)
ORENITRAM MONTH 3 TITRATION KT ORAL TABLET EXTENDED REL,DOSE PACK 0.125 MG (126)- 0.25 MG(42)-1MG	5	PA; MO; NEDS; QL (252 per 180 days)
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG	4	PA; MO
<i>orenitram oral tablet extended release 0.25 mg, 1 mg, 2.5 mg, 5 mg</i>	5	PA; MO; NEDS
<i>osmitrol 20 % intravenous parenteral solution 20 %</i>	4	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	6	MO
<i>phentolamine injection recon soln 5 mg</i>	2	
<i>pindolol oral tablet 10 mg, 5 mg</i>	3	MO
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	2	MO
<i>propranolol intravenous solution 1 mg/ml</i>	2	
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i>	2	MO
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	MO
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	MO
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	6	MO
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	2	MO
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>	6	MO
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>	1	MO
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	2	MO
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>	2	MO
<i>telmisartanamlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>	3	MO
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>	3	MO
<i>terazosin oral capsule 1 mg, 2 mg, 5 mg</i>	1	MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>terazosin oral capsule 10 mg</i>	1	MO; QL (60 per 30 days)
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	MO
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	4	MO
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	2	MO
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	6	MO
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i>	5	B/D PA; MO; NEDS
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	MO
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>	1	MO
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; MO; LA; NEDS
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; MO; LA; NEDS
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>	6	MO
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	6	MO
<i>verapamil intravenous solution 2.5 mg/ml</i>	2	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>	4	MO
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	MO
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>	4	MO
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	MO
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	2	MO
COAGULATION THERAPY		
ALVAIZ ORAL TABLET 18 MG, 9 MG	5	PA; MO; NEDS; QL (30 per 30 days)
ALVAIZ ORAL TABLET 36 MG, 54 MG	5	PA; MO; NEDS; QL (60 per 30 days)
<i>aminocaproic acid oral solution 250 mg/ml (25 %)</i>	5	MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>aminocaproic acid oral tablet 1,000 mg</i>	5	MO; NEDS
<i>aminocaproic acid oral tablet 500 mg</i>	4	MO
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	4	MO
BRILINTA ORAL TABLET 60 MG, 90 MG	3	MO
CABLIVI INJECTION KIT 11 MG	5	PA; LA; NEDS
CEPROTIN (BLUE BAR) INTRAVENOUS RECON SOLN 500 UNIT	3	PA; MO
CEPROTIN (GREEN BAR) INTRAVENOUS RECON SOLN 1,000 UNIT	3	PA; MO
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	MO
<i>clopidogrel oral tablet 75 mg</i>	1	MO; QL (30 per 30 days)
<i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i>	4	MO; QL (60 per 30 days)
<i>dipyridamole intravenous solution 5 mg/ml</i>	2	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	4	MO
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; MO; LA; NEDS
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; MO; LA; NEDS
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; MO; LA; NEDS
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	MO; QL (74 per 180 days)
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	3	MO; QL (60 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i>	4	MO; QL (30 per 28 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i>	4	MO; QL (28 per 28 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i>	4	MO; QL (22.4 per 28 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml, 60 mg/0.6 ml</i>	4	MO; QL (16.8 per 28 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i>	4	MO; QL (11.2 per 28 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i>	5	MO; NEDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	4	MO; QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i>	5	MO; NEDS; QL (12 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i>	5	MO; NEDS; QL (18 per 30 days)
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml)</i>	3	
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i>	3	MO
<i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml</i>	3	MO
<i>heparin (porcine) in nacl (pf) intravenous parenteral solution 2,000 unit/1,000 ml</i>	3	
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	3	
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	3	MO
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	3	MO
HEPARIN(PORCINE) IN 0.45% NACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML	3	
<i>heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml, 25,000 unit/500 ml</i>	3	MO
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	3	
<i>heparin, porcine (pf) injection solution 5,000 unit/0.5 ml</i>	3	MO
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	3	MO
HEPARIN, PORCINE (PF) INJECTION SYRINGE 5,000 UNIT/ML	3	
HEPARIN, PORCINE (PF) SUBCUTANEOUS SYRINGE 5,000 UNIT/0.5 ML	3	MO
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	MO
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	MO
<i>prasugrel hcl oral tablet 10 mg, 5 mg</i>	2	MO
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; MO; LA; NEDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; MO; LA; NEDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; MO; LA; NEDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG, 50 MG	5	PA; MO; LA; NEDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 75 MG	5	PA; MO; LA; NEDS; QL (60 per 30 days)
<i>protamine intravenous solution 10 mg/ml</i>	2	
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; LA; NEDS; QL (60 per 30 days)
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	MO
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	MO; QL (102 per 365 days)
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	3	MO; QL (775 per 28 days)
XARELTO ORAL TABLET 10 MG, 15 MG, 20 MG	3	MO; QL (30 per 30 days)
XARELTO ORAL TABLET 2.5 MG	3	MO; QL (60 per 30 days)
LIPID/CHOLESTEROL LOWERING AGENTS		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i>	2	MO; QL (30 per 30 days)
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	6	MO
<i>cholestyramine (with sugar) oral powder 4 gram</i>	3	MO
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	3	MO
<i>cholestyramine light oral powder 4 gram</i>	3	
<i>cholestyramine light oral powder in packet 4 gram</i>	3	MO
<i>colesevelam oral powder in packet 3.75 gram</i>	4	MO
<i>colesevelam oral tablet 625 mg</i>	4	MO
<i>colestipol oral granules 5 gram</i>	4	MO
<i>colestipol oral packet 5 gram</i>	4	
<i>colestipol oral tablet 1 gram</i>	4	MO
<i>ezetimibe oral tablet 10 mg</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>ezetimibe-simvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i>	2	MO; QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 43 mg, 67 mg</i>	2	MO
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	2	MO
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	MO
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i>	3	MO
<i>fenofibric acid oral tablet 35 mg</i>	2	
<i>gemfibrozil oral tablet 600 mg</i>	1	MO
<i>icosapent ethyl oral capsule 0.5 gram, 1 gram</i>	3	MO
JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 5 MG	5	PA; MO; LA; NEDS
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	6	MO
NEXLETOL ORAL TABLET 180 MG	3	PA; MO
NEXLIZET ORAL TABLET 180-10 MG	3	PA; MO
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	4	MO
<i>omega-3 acid ethyl esters oral capsule 1 gram</i>	2	MO
<i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i>	3	ST; MO; QL (30 per 30 days)
<i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	6	MO
<i>prevalite oral powder 4 gram</i>	3	MO
<i>prevalite oral powder in packet 4 gram</i>	3	MO
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	PA; QL (3.5 per 28 days)
REPATHA SUBCUTANEOUS SYRINGE 140 MG/ML	3	PA; QL (3 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	PA; QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	6	MO
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg, 80 mg</i>	6	MO
MISCELLANEOUS CARDIOVASCULAR AGENTS		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
ATTRUBY ORAL TABLET 356 MG	5	PA; NEDS; QL (112 per 28 days)
CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG	5	PA; MO; NEDS; QL (30 per 30 days)
CORLANOR ORAL SOLUTION 5 MG/5 ML	4	PA; QL (450 per 30 days)
<i>digoxin oral solution 50 mcg/ml (0.05 mg/ml)</i>	3	MO
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	MO
<i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i>	3	MO
<i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml)</i>	2	
<i>dobutamine intravenous solution 250 mg/20 ml (12.5 mg/ml)</i>	2	
<i>dopamine in 5 % dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)</i>	2	
<i>dopamine in 5 % dextrose intravenous solution 800 mg/250 ml (3,200 mcg/ml)</i>	2	MO
<i>dopamine intravenous solution 200 mg/5 ml (40 mg/ml)</i>	2	
<i>dopamine intravenous solution 400 mg/10 ml (40 mg/ml)</i>	2	MO
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
FILSPARI ORAL TABLET 200 MG, 400 MG	5	PA; NEDS; QL (30 per 30 days)
IVABRADINE ORAL TABLET 5 MG, 7.5 MG	4	PA; MO; QL (60 per 30 days)
LODOCOC ORAL TABLET 0.5 MG	4	PA; MO; QL (30 per 30 days)
<i>milrinone in 5 % dextrose intravenous piggyback 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml)</i>	2	
<i>milrinone intravenous solution 1 mg/ml</i>	2	
<i>norepinephrine bitartrate intravenous solution 1 mg/ml</i>	2	
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
sodium nitroprusside intravenous solution 25 mg/ml	2	
VECAMYL ORAL TABLET 2.5 MG	5	NEDS
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	3	MO; QL (30 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; MO; NEDS
NITRATES		
isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg	2	MO
isosorbide mononitrate oral tablet 10 mg, 20 mg	1	MO
isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg	1	MO
nitro-bid transdermal ointment 2 %	3	MO
nitroglycerin in 5 % dextrose intravenous solution 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml)	2	
nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)	2	
nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg	2	MO
nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr	2	MO
nitroglycerin translingual spray,non-aerosol 400 mcg/spray	4	MO
DERMATOLOGICALS/TOPICAL THERAPY		
ANTIPSORIATIC / ANTISEBORRHEIC		
acitretin oral capsule 10 mg, 17.5 mg, 25 mg	4	MO
calcipotriene scalp solution 0.005 %	3	MO; QL (120 per 30 days)
calcipotriene topical cream 0.005 %	4	MO; QL (120 per 30 days)
calcipotriene topical ointment 0.005 %	4	MO; QL (120 per 30 days)
calcitriol topical ointment 3 mcg/gram	4	
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; MO; NEDS; QL (10 per 28 days)
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; MO; NEDS; QL (10 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
COSENTYX PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; MO; NEDS; QL (10 per 28 days)
COSENTYX SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; MO; NEDS; QL (10 per 28 days)
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; MO; NEDS; QL (2.5 per 28 days)
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; MO; NEDS; QL (10 per 28 days)
<i>selenium sulfide topical lotion 2.5 %</i>	2	MO
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; MO; NEDS; QL (2 per 28 days)
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; MO; NEDS; QL (2 per 28 days)
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; MO; NEDS; QL (104 per 180 days)
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; MO; NEDS; QL (0.5 per 28 days)
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML	5	PA; MO; NEDS; QL (0.5 per 28 days)
STELARA SUBCUTANEOUS SYRINGE 90 MG/ML	5	PA; MO; NEDS; QL (1 per 28 days)
TREMFYA PEN INDUCTION PK-CROHN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; MO; NEDS; QL (12 per 180 days)
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 100 MG/ML	5	PA; MO; NEDS
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; MO; NEDS; QL (2 per 28 days)
TREMFYA SUBCUTANEOUS AUTO- INJECTOR 100 MG/ML	5	PA; MO; NEDS; QL (2 per 28 days)
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML	5	PA; MO; NEDS; QL (2 per 28 days)
MISCELLANEOUS DERMATOLOGICALS		
ADBRY SUBCUTANEOUS AUTO-INJECTOR 300 MG/2 ML	5	PA; MO; NEDS; QL (6 per 28 days)
ADBRY SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; MO; NEDS; QL (6 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>ammonium lactate topical cream 12 %</i>	2	MO
<i>ammonium lactate topical lotion 12 %</i>	2	MO
<i>chloroprocaine (pf) injection solution 20 mg/ml (2 %), 30 mg/ml (3 %)</i>	2	
<i>dermacinrx lidocan topical adhesive patch,medicated 5 %</i>	4	PA; QL (90 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	4	PA; MO; QL (100 per 28 days)
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML	5	PA; MO; NEDS; QL (4.56 per 28 days)
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; MO; NEDS; QL (8 per 28 days)
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML	5	PA; MO; NEDS; QL (4.56 per 28 days)
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 300 MG/2 ML	5	PA; MO; NEDS; QL (8 per 28 days)
<i>fluorouracil topical cream 5 %</i>	3	MO
<i>fluorouracil topical solution 2 %</i>	3	MO
<i>fluorouracil topical solution 5 %</i>	4	MO
<i>glydo mucous membrane jelly in applicator 2 %</i>	2	MO; QL (60 per 30 days)
<i>imiquimod topical cream in packet 5 %</i>	3	MO
<i>lidocaine hcl laryngotracheal solution 4 %</i>	3	
<i>lidocaine hcl mucous membrane jelly 2 %</i>	4	MO; QL (60 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	3	MO
<i>lidocaine topical adhesive patch,medicated 5 %</i>	4	PA; MO; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	4	MO; QL (36 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	3	MO; QL (30 per 30 days)
<i>lidocan iii topical adhesive patch,medicated 5 %</i>	4	PA; QL (90 per 30 days)
<i>lidocan iv topical adhesive patch,medicated 5 %</i>	4	PA; QL (90 per 30 days)
<i>lidocan v topical adhesive patch,medicated 5 %</i>	4	PA; QL (90 per 30 days)
<i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i>	5	MO; NEDS
PANRETIN TOPICAL GEL 0.1 %	5	PA; MO; NEDS
<i>pimecrolimus topical cream 1 %</i>	4	PA; MO; QL (100 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>podofilox topical solution 0.5 %</i>	3	MO
<i>polocaine injection solution 1 % (10 mg/ml)</i>	2	
<i>polocaine-mpf injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %)</i>	2	
REGRANEX TOPICAL GEL 0.01 %	5	NEDS
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	MO; QL (180 per 30 days)
<i>silver sulfadiazine topical cream 1 %</i>	2	MO
<i>ssd topical cream 1 %</i>	2	MO
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	4	PA; MO; QL (100 per 30 days)
<i>tridacaine ii topical adhesive patch, medicated 5 %</i>	4	PA; QL (90 per 30 days)
VALCHLOR TOPICAL GEL 0.016 %	5	PA; MO; NEDS
THERAPY FOR ACNE		
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	4	
<i>amnesteem oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	4	
<i>azelaic acid topical gel 15 %</i>	4	MO
<i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	4	
<i>clindacin etz topical swab 1 %</i>	2	MO
<i>clindacin p topical swab 1 %</i>	2	
<i>clindamycin phosphate topical gel 1 %</i>	3	MO; QL (120 per 30 days)
<i>clindamycin phosphate topical gel, once daily 1 %</i>	3	MO; QL (120 per 30 days)
<i>clindamycin phosphate topical lotion 1 %</i>	3	MO; QL (120 per 30 days)
<i>clindamycin phosphate topical solution 1 %</i>	2	MO; QL (120 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i>	2	MO
<i>ery pads topical swab 2 %</i>	3	MO
<i>erythromycin with ethanol topical solution 2 %</i>	2	MO
<i>isotretinoin oral capsule 10 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg</i>	4	
<i>metronidazole topical cream 0.75 %</i>	3	MO
<i>metronidazole topical gel 0.75 %</i>	3	MO
<i>metronidazole topical gel 1 %</i>	4	MO
<i>metronidazole topical gel with pump 1 %</i>	4	MO
<i>metronidazole topical lotion 0.75 %</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>tazarotene topical cream 0.1 %</i>	4	PA; MO
<i>tazarotene topical gel 0.05 %, 0.1 %</i>	4	PA; MO
<i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i>	4	PA; MO
<i>tretinoin topical gel 0.01 %, 0.025 %, 0.05 %</i>	4	PA; MO
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	4	
TOPICAL ANTIBACTERIALS		
<i>gentamicin topical cream 0.1 %</i>	3	MO; QL (60 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	3	MO; QL (60 per 30 days)
<i>mupirocin topical ointment 2 %</i>	2	MO; QL (44 per 30 days)
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	4	MO
TOPICAL ANTIFUNGALS		
<i>ciclopirox topical cream 0.77 %</i>	2	MO; QL (90 per 28 days)
<i>ciclopirox topical gel 0.77 %</i>	3	MO; QL (45 per 28 days)
<i>ciclopirox topical shampoo 1 %</i>	3	MO; QL (120 per 28 days)
<i>ciclopirox topical solution 8 %</i>	2	MO; QL (6.6 per 28 days)
<i>ciclopirox topical suspension 0.77 %</i>	3	MO; QL (60 per 28 days)
<i>clotrimazole topical cream 1 %</i>	2	MO; QL (45 per 28 days)
<i>clotrimazole topical solution 1 %</i>	2	MO; QL (30 per 28 days)
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	MO; QL (45 per 28 days)
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	4	MO; QL (60 per 28 days)
<i>econazole nitrate topical cream 1 %</i>	4	MO; QL (85 per 28 days)
<i>ketoconazole topical cream 2 %</i>	2	MO; QL (60 per 28 days)
<i>ketoconazole topical shampoo 2 %</i>	2	MO; QL (120 per 28 days)
<i>klayesta topical powder 100,000 unit/gram</i>	3	MO; QL (180 per 30 days)
<i>naftifine topical cream 1 %, 2 %</i>	4	MO; QL (60 per 28 days)
<i>nyamyc topical powder 100,000 unit/gram</i>	3	MO; QL (180 per 30 days)
<i>nystatin topical cream 100,000 unit/gram</i>	2	MO; QL (30 per 28 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	MO; QL (30 per 28 days)
<i>nystatin topical powder 100,000 unit/gram</i>	3	MO; QL (180 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	3	MO; QL (60 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	3	MO; QL (60 per 28 days)
<i>nystop topical powder 100,000 unit/gram</i>	3	MO; QL (180 per 30 days)
TOPICAL ANTIVIRALS		
<i>acyclovir topical ointment 5 %</i>	4	MO; QL (30 per 30 days)
<i>penciclovir topical cream 1 %</i>	4	MO; QL (5 per 30 days)
TOPICAL CORTICOSTEROIDS		
<i>ala-cort topical cream 1 %</i>	2	MO
<i>alclometasone topical cream 0.05 %</i>	3	MO
<i>alclometasone topical ointment 0.05 %</i>	3	
<i>betamethasone dipropionate topical cream 0.05 %</i>	4	MO; QL (180 per 30 days)
<i>betamethasone dipropionate topical lotion 0.05 %</i>	4	MO; QL (120 per 30 days)
<i>betamethasone dipropionate topical ointment 0.05 %</i>	4	MO; QL (180 per 30 days)
<i>betamethasone valerate topical cream 0.1 %</i>	2	MO; QL (120 per 30 days)
<i>betamethasone valerate topical lotion 0.1 %</i>	2	MO; QL (120 per 30 days)
<i>betamethasone valerate topical ointment 0.1 %</i>	2	MO; QL (180 per 30 days)
<i>betamethasone, augmented topical cream 0.05 %</i>	4	MO; QL (180 per 30 days)
<i>betamethasone, augmented topical gel 0.05 %</i>	4	MO; QL (120 per 30 days)
<i>betamethasone, augmented topical lotion 0.05 %</i>	4	MO; QL (120 per 30 days)
<i>betamethasone, augmented topical ointment 0.05 %</i>	4	MO; QL (180 per 30 days)
<i>clobetasol scalp solution 0.05 %</i>	4	MO; QL (100 per 28 days)
<i>clobetasol topical cream 0.05 %</i>	4	MO; QL (120 per 28 days)
<i>clobetasol topical ointment 0.05 %</i>	4	MO; QL (120 per 28 days)
<i>clobetasol topical shampoo 0.05 %</i>	4	MO; QL (236 per 28 days)
<i>clodan topical shampoo 0.05 %</i>	4	MO; QL (236 per 28 days)
<i>desonide topical cream 0.05 %</i>	4	MO; QL (60 per 30 days)
<i>desonide topical ointment 0.05 %</i>	4	MO; QL (120 per 30 days)
<i>fluocinolone and shower cap scalp oil 0.01 %</i>	4	MO; QL (118.28 per 30 days)
<i>fluocinolone topical cream 0.01 %, 0.025 %</i>	4	MO; QL (120 per 30 days)
<i>fluocinolone topical oil 0.01 %</i>	4	MO; QL (118.28 per 30 days)
<i>fluocinolone topical ointment 0.025 %</i>	4	MO; QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>fluocinolone topical solution 0.01 %</i>	4	MO; QL (120 per 30 days)
<i>fluocinonide topical cream 0.05 %</i>	4	MO; QL (120 per 30 days)
<i>fluocinonide topical ointment 0.05 %</i>	4	MO; QL (120 per 30 days)
<i>fluocinonide topical solution 0.05 %</i>	4	MO; QL (120 per 30 days)
<i>fluocinonide-emollient topical cream 0.05 %</i>	4	MO; QL (120 per 30 days)
<i>halobetasol propionate topical cream 0.05 %</i>	4	MO; QL (50 per 30 days)
<i>halobetasol propionate topical ointment 0.05 %</i>	4	MO; QL (50 per 30 days)
<i>hydrocortisone topical cream 1 %, 2.5 %</i>	2	MO
<i>hydrocortisone topical lotion 2.5 %</i>	2	MO
<i>hydrocortisone topical ointment 1 %, 2.5 %</i>	2	MO
<i>hydrocortisone valerate topical cream 0.2 %</i>	4	MO; QL (180 per 30 days)
<i>mometasone topical cream 0.1 %</i>	2	MO; QL (180 per 30 days)
<i>mometasone topical ointment 0.1 %</i>	2	MO; QL (180 per 30 days)
<i>mometasone topical solution 0.1 %</i>	2	MO; QL (180 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	2	MO; QL (454 per 30 days)
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i>	2	MO
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	MO
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	MO
<i>triderm topical cream 0.5 %</i>	2	QL (454 per 30 days)
TOPICAL SCABICIDES / PEDICULICIDES		
<i>CROTAN TOPICAL LOTION 10 %</i>	2	MO
<i>malathion topical lotion 0.5 %</i>	4	MO
<i>permethrin topical cream 5 %</i>	3	MO
DIAGNOSTICS / MISCELLANEOUS AGENTS		
ANTIDOTES		
<i>acetylcysteine intravenous solution 200 mg/ml (20 %)</i>	3	
MISCELLANEOUS AGENTS		
<i>acamprostate oral tablet, delayed release (dr/ec) 333 mg</i>	4	MO
<i>acetic acid irrigation solution 0.25 %</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>anagrelide oral capsule 0.5 mg, 1 mg</i>	3	MO
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i>	2	
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	MO
<i>carglumic acid oral tablet, dispersible 200 mg</i>	5	PA; MO; NEDS
<i>cevimeline oral capsule 30 mg</i>	4	MO
CHEMET ORAL CAPSULE 100 MG	3	PA
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	B/D PA
CUVRIOR ORAL TABLET 300 MG	5	PA; LA; NEDS; QL (300 per 30 days)
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	
<i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	4	MO
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	MO
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i>	5	PA; MO; NEDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i>	3	PA; MO
<i>deferasirox oral tablet, dispersible 125 mg</i>	3	PA; MO
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i>	5	PA; MO; NEDS
DEFERIPRONE ORAL TABLET 1,000 MG	5	PA; MO; NEDS
<i>deferiprone oral tablet 500 mg</i>	5	PA; MO; NEDS
<i>deferoxamine injection recon soln 2 gram, 500 mg</i>	2	B/D PA; MO
<i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i>	4	
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	4	
<i>dextrose 25 % in water (d25w) intravenous syringe</i>	4	
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
dextrose 5 % in water (d5w) intravenous piggyback 5 %	4	MO
dextrose 5 %-lactated ringers intravenous parenteral solution	4	MO
dextrose 5%-0.2 % sod chloride intravenous parenteral solution	4	
dextrose 5%-0.3 % sod.chloride intravenous parenteral solution	4	
dextrose 50 % in water (d50w) intravenous parenteral solution	4	
dextrose 50 % in water (d50w) intravenous syringe	4	
dextrose 70 % in water (d70w) intravenous parenteral solution	4	
disulfiram oral tablet 250 mg	2	MO
disulfiram oral tablet 500 mg	2	
droxidopa oral capsule 100 mg, 200 mg, 300 mg	5	PA; MO; NEDS
FABHALTA ORAL CAPSULE 200 MG	5	PA; NEDS; QL (60 per 30 days)
glutamine (sickle cell) oral powder in packet 5 gram	5	PA; MO; NEDS; QL (900 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	PA; LA; NEDS
JOENJA ORAL TABLET 70 MG	5	PA; LA; NEDS; QL (60 per 30 days)
levocarnitine (with sugar) oral solution 100 mg/ml	4	MO
levocarnitine oral solution 100 mg/ml	4	MO
levocarnitine oral tablet 330 mg	4	MO
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	MO
midodrine oral tablet 10 mg, 2.5 mg, 5 mg	3	MO
nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg	5	PA; MO; NEDS
OLPRUVA ORAL PELLETS IN PACKET 2 GRAM, 3 GRAM, 4 GRAM, 5 GRAM, 6 GRAM, 6.67 GRAM	5	PA; LA; NEDS
PHEBURANE ORAL GRANULES 483 MG/GRAM	5	PA; MO; NEDS
pilocarpine hcl oral tablet 5 mg, 7.5 mg	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+/-)20 ML	5	PA; MO; LA; NEDS
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; MO; NEDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; LA; NEDS
<i>riluzole oral tablet 50 mg</i>	3	PA; MO
<i>risedronate oral tablet 30 mg</i>	3	MO; QL (30 per 30 days)
<i>sodium benzoate-sod phenylacet intravenous solution 10-10 %</i>	5	NEDS
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	4	MO
<i>sodium chloride 0.9 % intravenous piggyback</i>	4	MO
<i>sodium chloride irrigation solution 0.9 %</i>	4	MO
<i>sodium phenylbutyrate oral powder 0.94 gram/gram</i>	5	PA; MO; NEDS
<i>sodium phenylbutyrate oral tablet 500 mg</i>	5	PA; NEDS
<i>sodium polystyrene sulfonate oral powder</i>	3	MO
SOHONOS ORAL CAPSULE 1 MG, 1.5 MG, 10 MG	5	PA; LA; NEDS; QL (60 per 30 days)
SOHONOS ORAL CAPSULE 2.5 MG, 5 MG	5	PA; LA; NEDS; QL (30 per 30 days)
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	3	MO
<i>sps (with sorbitol) rectal enema 30-40 gram/120 ml</i>	3	
TAVNEOS ORAL CAPSULE 10 MG	5	PA; LA; NEDS; QL (180 per 30 days)
<i>trientine oral capsule 250 mg</i>	5	PA; MO; NEDS
VELTASSA ORAL POWDER IN PACKET 1 GRAM, 25.2 GRAM	3	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 8.4 GRAM	3	MO
XIAFLEX INJECTION RECON SOLN 0.9 MG	5	PA; NEDS
MISCELLANEOUS CARDIOVASCULAR AGENTS		
WEGOVY SUBCUTANEOUS PEN INJECTOR 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML	5	PA; NEDS; QL (2 per 28 days)
WEGOVY SUBCUTANEOUS PEN INJECTOR 1.7 MG/0.75 ML, 2.4 MG/0.75 ML	5	PA; NEDS; QL (3 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
MISCELLANEOUS NEUROLOGICAL THERAPY		
ZEPBOUND SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	5	PA; NEDS; QL (2 per 28 days)
SMOKING DETERRENTS		
bupropion hcl (smoking deterrent) oral tablet extended release 12 hr 150 mg	2	MO
NICOTROL NS NASAL SPRAY, NON- AEROSOL 10 MG/ML	4	MO
varenicline tartrate oral tablet 0.5 mg, 1 mg	4	MO
varenicline tartrate oral tablet 1 mg (56 pack)	4	
EAR, NOSE / THROAT MEDICATIONS		
MISCELLANEOUS AGENTS		
azelastine nasal spray, non-aerosol 137 mcg (0.1 %)	2	MO; QL (60 per 30 days)
chlorhexidine gluconate mucous membrane mouthwash 0.12 %	1	MO
denta 5000 plus dental cream 1.1 %	2	MO
dentagel dental gel 1.1 %	2	MO
fluoride (sodium) dental cream 1.1 %	2	
fluoride (sodium) dental gel 1.1 %	2	
fluoride (sodium) dental paste 1.1 %	2	MO
ipratropium bromide nasal spray, non-aerosol 21 mcg (0.03 %), 42 mcg (0.06 %)	2	MO; QL (30 per 30 days)
kourzeq dental paste 0.1 %	2	
olopatadine nasal spray, non-aerosol 0.6 %	4	MO
periogard mucous membrane mouthwash 0.12 %	1	MO
PREVIDENT 5000 BOOSTER PLUS DENTAL PASTE 1.1 %	4	MO
PREVIDENT 5000 DRY MOUTH DENTAL PASTE 1.1 %	4	MO
sf 5000 plus dental cream 1.1 %	2	MO
sf dental gel 1.1 %	2	MO
sodium fluoride 5000 dry mouth dental paste 1.1 %	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
sodium fluoride 5000 plus dental cream 1.1 %	2	
sodium fluoride-pot nitrate dental paste 1.1-5 %	2	MO
triamcinolone acetonide dental paste 0.1 %	2	MO
MISCELLANEOUS OTIC PREPARATIONS		
acetic acid otic (ear) solution 2 %	2	MO
flac otic oil otic (ear) drops 0.01 %	4	
fluocinolone acetonide oil otic (ear) drops 0.01 %	4	MO
hydrocortisone-acetic acid otic (ear) drops 1-2 %	3	MO
ofloxacin otic (ear) drops 0.3 %	3	MO
OTIC STEROID / ANTIBIOTIC		
ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %	3	MO
neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%	3	MO
neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%	3	MO
ENDOCRINE/DIABETES		
ADRENAL HORMONES		
cortrophin gel injection gel 80 unit/ml	5	PA; MO; NEDS; QL (35 per 28 days)
dexamethasone intensol oral drops 1 mg/ml	2	MO
dexamethasone oral elixir 0.5 mg/5 ml	2	MO
dexamethasone oral solution 0.5 mg/5 ml	2	
dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg	2	MO
dexamethasone sodium phos (pf) injection solution 10 mg/ml	2	MO
dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml	2	MO
dexamethasone sodium phosphate injection syringe 4 mg/ml	2	MO
fludrocortisone oral tablet 0.1 mg	2	MO
hydrocortisone oral tablet 10 mg, 20 mg, 5 mg	2	MO
hydrocortisone sod succinate injection recon soln 100 mg	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>methylprednisolone acetate injection suspension 40 mg/ml</i>	2	MO
<i>methylprednisolone acetate injection suspension 80 mg/ml</i>	4	MO
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	2	B/D PA; MO
<i>methylprednisolone oral tablets,dose pack 4 mg</i>	2	MO
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	4	MO
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg, 500 mg</i>	4	MO
<i>prednisolone oral solution 15 mg/5 ml</i>	2	MO
<i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 25 mg/5 ml (5 mg/ml)</i>	2	MO
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i>	4	MO
<i>prednisone intensol oral concentrate 5 mg/ml</i>	4	MO
<i>prednisone oral solution 5 mg/5 ml</i>	4	MO
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	MO
<i>prednisone oral tablets,dose pack 10 mg</i>	2	MO
<i>prednisone oral tablets,dose pack 10 mg (48 pack)</i>	2	
<i>prednisone oral tablets,dose pack 5 mg</i>	1	MO
<i>prednisone oral tablets,dose pack 5 mg (48 pack)</i>	1	
<i>triamicinolone acetonide injection suspension 40 mg/ml</i>	4	MO
ANTITHYROID AGENTS		
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	MO
<i>propylthiouracil oral tablet 50 mg</i>	2	MO
DIABETES THERAPY		
<i>acarbose oral tablet 100 mg</i>	2	MO; QL (90 per 30 days)
<i>acarbose oral tablet 25 mg</i>	2	MO; QL (360 per 30 days)
<i>acarbose oral tablet 50 mg</i>	2	MO; QL (180 per 30 days)
<i>alcohol pads topical pads, medicated</i>	3	PA; MO
<i>BAQSIMI NASAL SPRAY,NON-AEROSOL 3 MG/ACTUATION</i>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
diazoxide oral suspension 50 mg/ml	4	MO
FARXIGA ORAL TABLET 10 MG	3	MO; QL (30 per 30 days)
FARXIGA ORAL TABLET 5 MG	3	MO; QL (60 per 30 days)
glimepiride oral tablet 1 mg	6	MO; QL (240 per 30 days)
glimepiride oral tablet 2 mg	6	MO; QL (120 per 30 days)
glimepiride oral tablet 4 mg	6	MO; QL (60 per 30 days)
glipizide oral tablet 10 mg	6	MO; QL (120 per 30 days)
glipizide oral tablet 5 mg	6	MO; QL (240 per 30 days)
glipizide oral tablet extended release 24hr 10 mg	6	MO; QL (60 per 30 days)
glipizide oral tablet extended release 24hr 2.5 mg	6	MO; QL (240 per 30 days)
glipizide oral tablet extended release 24hr 5 mg	6	MO; QL (120 per 30 days)
glipizide-metformin oral tablet 2.5-250 mg	6	MO; QL (240 per 30 days)
glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg	6	MO; QL (120 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	MO; QL (30 per 30 days)
GVOKE HYPOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML	3	
GVOKE HYPOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 1 MG/0.2 ML	3	MO
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	MO
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	MO
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	MO
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	MO
HUMALOG JUNIOR KWIKPEN U-100 SUBCUTANEOUS INSULIN PEN, HALF-UNIT 100 UNIT/ML	3	MO
HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML, 200 UNIT/ML (3 ML)	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (50-50)	3	MO
HUMALOG MIX 75-25 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (75-25)	3	MO
HUMALOG MIX 75-25(U-100)INSULN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (75-25)	3	MO
HUMALOG U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	3	MO
HUMALOG U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	MO
HUMULIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	MO
HUMULIN 70/30 U-100 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	MO
HUMULIN N NPH INSULIN KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	MO
HUMULIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	MO
HUMULIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	3	MO
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	MO
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	MO
INSULIN ASP PRT-INSULIN ASPART SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	MO
INSULIN ASP PRT-INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	3	MO
INSULIN ASPART U-100 SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
INSULIN ASPART U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	MO
INSULIN ASPART U-100 SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	MO
INSULIN LISPRO PROTAMIN-LISPRO SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (75-25)	3	MO
INSULIN LISPRO SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	3	MO
INSULIN LISPRO SUBCUTANEOUS PEN, HALF-UNIT 100 UNIT/ML	3	MO
INSULIN LISPRO SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	MO
JANUMET ORAL TABLET 50-1,000 MG, 50- 500 MG	3	MO; QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	MO; QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	MO; QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	MO; QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	MO; QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG	3	MO; QL (60 per 30 days)
JENTADUETO ORAL TABLET 2.5-850 MG	3	MO
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG	3	MO; QL (60 per 30 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	MO
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	MO
LYUMJEV KWIKPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	3	MO
LYUMJEV KWIKPEN U-200 INSULIN SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
LYUMJEV U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	MO
<i>metformin oral tablet 1,000 mg</i>	6	MO; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	6	MO; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	6	MO; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	6	MO; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	6	MO; QL (60 per 30 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg</i>	2	MO; QL (90 per 30 days)
<i>nateglinide oral tablet 60 mg</i>	2	MO; QL (180 per 30 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	MO
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	MO
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	MO
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	MO
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	MO
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	MO
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	MO
NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	3	MO
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	3	MO
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	MO
OZEMPI SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i>	6	MO; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	2	MO; QL (960 per 30 days)
<i>repaglinide oral tablet 1 mg</i>	2	MO; QL (480 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	2	MO; QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	PA; MO; QL (30 per 30 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (90 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; MO; NEDS; QL (10.8 per 30 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; MO; NEDS; QL (6 per 30 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	MO; QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	MO; QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	MO; QL (60 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	MO
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	MO
TRADJENTA ORAL TABLET 5 MG	3	MO; QL (30 per 30 days)
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	MO
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	MO
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	MO; QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	MO; QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	3	MO; QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	3	MO; QL (60 per 30 days)
MISCELLANEOUS HORMONES		
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	PA; MO; NEDS
<i>cabergoline oral tablet 0.5 mg</i>	3	MO
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	3	MO; QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	2	MO
<i>calcitriol oral solution 1 mcg/ml</i>	4	
<i>cinacalcet oral tablet 30 mg, 60 mg</i>	4	MO; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i>	5	MO; NEDS; QL (120 per 30 days)
CRYSVITA SUBCUTANEOUS SOLUTION 10 MG/ML, 20 MG/ML, 30 MG/ML	5	PA; MO; NEDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	4	MO
<i>desmopressin injection solution 4 mcg/ml</i>	2	MO
<i>desmopressin nasal spray with pump 10 mcg/spray (0.1 ml)</i>	3	MO
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	3	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i>	3	MO
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	4	MO
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	PA; MO; NEDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; MO; NEDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; MO; LA; NEDS
ISTURISA ORAL TABLET 1 MG	5	PA; LA; NEDS; QL (240 per 30 days)
ISTURISA ORAL TABLET 5 MG	5	PA; LA; NEDS; QL (360 per 30 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; MO; NEDS
LUMIZYME INTRAVENOUS RECON SOLN 50 MG	5	PA; MO; NEDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; MO; NEDS
<i>mifepristone oral tablet 300 mg</i>	5	PA; MO; NEDS; QL (120 per 30 days)
MYALEPT SUBCUTANEOUS RECON SOLN 5 MG/ML (FINAL CONC.)	5	PA; MO; LA; NEDS
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	PA; MO; NEDS
ORILISSA ORAL TABLET 150 MG	5	PA; MO; NEDS; QL (730 per 730 days)
ORILISSA ORAL TABLET 200 MG	5	PA; MO; NEDS; QL (360 per 180 days)
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	2	MO
<i>paricalcitol intravenous solution 2 mcg/ml, 5 mcg/ml</i>	2	
<i>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</i>	4	MO
<i>sapropterin oral powder in packet 100 mg, 500 mg</i>	5	PA; MO; NEDS
<i>sapropterin oral tablet, soluble 100 mg</i>	5	PA; MO; NEDS
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; MO; NEDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	PA; MO; NEDS
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i>	2	PA; MO
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	3	PA; MO
<i>testosterone transdermal gel 50 mg/5 gram (1 %)</i>	3	PA; MO; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation</i>	3	PA; QL (120 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	3	PA; MO; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	3	PA; MO; QL (300 per 30 days)
<i>testosterone transdermal gel in packet 1.62 % (20.25 mg/1.25 gram)</i>	3	PA; MO; QL (37.5 per 30 days)
<i>testosterone transdermal gel in packet 1.62 % (40.5 mg/2.5 gram)</i>	3	PA; MO; QL (150 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	3	PA; MO; QL (180 per 30 days)
<i>tolvaptan oral tablet 15 mg, 30 mg</i>	5	PA; MO; NEDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; MO; NEDS
THYROID HORMONES		
<i>euthyrox oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	
<i>euthyrox oral tablet 200 mcg</i>	1	MO
<i>levo-t oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	MO
<i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i>	2	MO
SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	3	MO
<i>unithroid oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	MO
GASTROENTEROLOGY		
ANTIDIARRHEALS / ANTISPASMODICS		
<i>atropine injection solution 0.4 mg/ml</i>	2	
<i>atropine injection syringe 0.1 mg/ml</i>	2	
<i>atropine intravenous solution 0.4 mg/ml</i>	2	
<i>atropine intravenous syringe 0.25 mg/5 ml (0.05 mg/ml)</i>	2	
<i>dicyclomine oral capsule 10 mg</i>	2	MO
<i>dicyclomine oral solution 10 mg/5 ml</i>	4	MO
<i>dicyclomine oral tablet 20 mg</i>	2	MO
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	4	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	3	MO
<i>glycopyrrolate (pf) in water intravenous syringe 0.4 mg/2 ml (0.2 mg/ml)</i>	2	
<i>glycopyrrolate (pf) injection syringe 0.4 mg/2 ml (0.2 mg/ml)</i>	2	MO
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	2	MO
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	3	MO
GLYCOPYRROLATE ORAL TABLET 1.5 MG	3	
<i>loperamide oral capsule 2 mg</i>	2	MO
<i>opium tincture oral tincture 10 mg/ml (morphine)</i>	2	MO
MISCELLANEOUS GASTROINTESTINAL AGENTS		
<i>alosetron oral tablet 0.5 mg</i>	4	PA; MO
<i>alosetron oral tablet 1 mg</i>	5	PA; MO; NEDS
<i>aprepitant oral capsule 125 mg, 40 mg</i>	4	B/D PA; MO; QL (2 per 28 days)
<i>aprepitant oral capsule 80 mg</i>	4	B/D PA; MO; QL (4 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i>	4	B/D PA; MO; QL (6 per 28 days)
<i>balsalazide oral capsule 750 mg</i>	3	MO
BETAINE ORAL POWDER 1 GRAM/SCOOP	5	MO; NEDS
<i>budesonide oral capsule, delayed, extend.release 3 mg</i>	4	MO
<i>budesonide oral tablet, delayed and ext.release 9 mg</i>	5	MO; NEDS
BYLVAY ORAL CAPSULE 1,200 MCG	5	PA; MO; LA; NEDS; QL (180 per 30 days)
BYLVAY ORAL CAPSULE 400 MCG	5	PA; MO; LA; NEDS; QL (450 per 30 days)
BYLVAY ORAL PELLET 200 MCG	5	PA; MO; LA; NEDS; QL (240 per 30 days)
BYLVAY ORAL PELLET 600 MCG	5	PA; MO; LA; NEDS; QL (120 per 30 days)
CHOLBAM ORAL CAPSULE 250 MG	5	PA; NEDS
CHOLBAM ORAL CAPSULE 50 MG	5	PA; NEDS; QL (120 per 30 days)
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; MO; NEDS; QL (2 per 28 days)
CIMZIA STARTER KIT SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; MO; NEDS; QL (2 per 28 days)
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; MO; NEDS; QL (2 per 28 days)
CINVANTI INTRAVENOUS EMULSION 130 MG/18 ML (7.2 MG/ML)	3	MO
<i>compro rectal suppository 25 mg</i>	4	MO
<i>constulose oral solution 10 gram/15 ml</i>	2	MO
CORTIFOAM RECTAL FOAM 10 % (80 MG)	3	MO
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500-15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	MO
<i>cromolyn oral concentrate 100 mg/5 ml</i>	4	MO
<i>dronabinol oral capsule 10 mg, 5 mg</i>	4	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
dronabinol oral capsule 2.5 mg	4	B/D PA
droperidol injection solution 2.5 mg/ml	2	MO
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	B/D PA
ENTYVIO INTRAVENOUS RECON SOLN 300 MG	5	PA; MO; NEDS; QL (2 per 28 days)
enulose oral solution 10 gram/15 ml	2	MO
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; MO; NEDS
GATTEX ONE-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; MO; NEDS
gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram	2	MO
gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram	2	MO
gavilyte-n oral recon soln 420 gram	2	
generlac oral solution 10 gram/15 ml	2	MO
granisetron hcl oral tablet 1 mg	3	B/D PA; MO
hydrocortisone rectal enema 100 mg/60 ml	4	MO
hydrocortisone topical cream with perineal applicator 1 %, 2.5 %	2	MO
lactulose oral solution 10 gram/15 ml	2	MO
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	MO; QL (30 per 30 days)
LIVMARLI ORAL SOLUTION 19 MG/ML	5	PA; LA; NEDS; QL (60 per 30 days)
LIVMARLI ORAL SOLUTION 9.5 MG/ML	5	PA; LA; NEDS; QL (90 per 30 days)
LIVMARLI ORAL TABLET 10 MG, 15 MG, 20 MG, 30 MG	5	PA; LA; NEDS; QL (60 per 30 days)
lubiprostone oral capsule 24 mcg, 8 mcg	3	MO; QL (60 per 30 days)
meclizine oral tablet 12.5 mg, 25 mg	2	MO
mesalamine oral capsule (with del rel tablets) 400 mg	4	MO
mesalamine oral capsule, extended release 500 mg	4	
mesalamine oral capsule,extended release 24hr 0.375 gram	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
mesalamine oral tablet,delayed release (dr/ec) 1.2 gram, 800 mg	4	MO
mesalamine rectal enema 4 gram/60 ml	4	MO
mesalamine rectal suppository 1,000 mg	4	MO
mesalamine with cleansing wipe rectal enema kit 4 gram/60 ml	4	MO
metoclopramide hcl injection solution 5 mg/ml	2	MO
metoclopramide hcl injection syringe 5 mg/ml	2	
metoclopramide hcl oral solution 5 mg/5 ml	2	MO
metoclopramide hcl oral tablet 10 mg, 5 mg	1	MO
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	MO; QL (30 per 30 days)
nitroglycerin rectal ointment 0.4 % (w/w)	3	MO
OCALIVA ORAL TABLET 10 MG, 5 MG	4	PA; MO; LA; QL (30 per 30 days)
ondansetron hcl (pf) injection syringe 4 mg/2 ml	2	
ondansetron hcl oral solution 4 mg/5 ml	4	B/D PA; MO
ondansetron hcl oral tablet 4 mg, 8 mg	2	B/D PA; MO
ondansetron oral tablet,disintegrating 4 mg, 8 mg	2	B/D PA; MO
palonosetron intravenous syringe 0.25 mg/5 ml	2	
peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram	2	
peg-electrolyte oral recon soln 420 gram	2	MO
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG	4	MO
prochlorperazine maleate oral oral tablet 10 mg, 5 mg	2	MO
prochlorperazine rectal suppository 25 mg	4	MO
procto-med hc topical cream with perineal applicator 2.5 %	2	MO
proctosol hc topical cream with perineal applicator 2.5 %	2	MO
proctozone-hc topical cream with perineal applicator 2.5 %	2	MO
REMICADE INTRAVENOUS RECON SOLN 100 MG	5	PA; MO; NEDS; QL (20 per 28 days)
scopolamine base transdermal patch 3 day 1 mg over 3 days	4	MO; QL (10 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML)	5	PA; MO; NEDS; QL (1.2 per 56 days)
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML)	5	PA; MO; NEDS; QL (2.4 per 56 days)
SUCRAID ORAL SOLUTION 8,500 UNIT/ML	5	PA; NEDS
<i>sulfasalazine oral tablet 500 mg</i>	2	MO
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i>	2	MO
<i>ursodiol oral capsule 300 mg</i>	4	MO
<i>ursodiol oral tablet 250 mg, 500 mg</i>	3	MO
VARUBI ORAL TABLET 90 MG	3	B/D PA
VIBERZI ORAL TABLET 100 MG, 75 MG	5	PA; MO; NEDS; QL (60 per 30 days)
VIOKACE ORAL TABLET 10,440-39,150-39,150 UNIT, 20,880-78,300- 78,300 UNIT	3	MO
VOWST ORAL CAPSULE	5	PA; NEDS
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000-84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT	3	MO
ULCER THERAPY		
<i>cimetidine oral tablet 200 mg, 300 mg, 400 mg, 800 mg</i>	3	MO
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg</i>	2	MO; QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i>	2	MO
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	2	MO
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	MO
<i>famotidine intravenous solution 10 mg/ml</i>	2	MO
<i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i>	4	MO
<i>famotidine oral tablet 20 mg, 40 mg</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i>	2	MO; QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i>	2	MO
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	3	MO
<i>nizatidine oral capsule 150 mg, 300 mg</i>	3	MO
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg</i>	1	MO; QL (30 per 30 days)
<i>omeprazole oral capsule, delayed release(dr/ec) 40 mg</i>	1	MO
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i>	1	MO; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i>	1	MO
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i>	2	MO; QL (60 per 30 days)
<i>sucralfate oral suspension 100 mg/ml</i>	4	MO
<i>sucralfate oral tablet 1 gram</i>	2	MO

IMMUNOLOGY, VACCINES / BIOTECHNOLOGY

BIOTECHNOLOGY DRUGS

ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; MO; NEDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	PA; NEDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; MO; NEDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; MO; NEDS; QL (1 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA; LA; NEDS
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; MO; NEDS; QL (14 per 28 days)
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; MO; NEDS; QL (2 per 28 days)
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	B/D PA; MO; NEDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; MO; NEDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; MO; NEDS
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; MO; NEDS
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	5	PA; MO; NEDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	MO; NEDS; QL (4 per 28 days)
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	MO; NEDS; QL (2 per 28 days)
PLEGRIDY INTRAMUSCULAR SYRINGE 125 MCG/0.5 ML	5	PA; MO; NEDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; MO; NEDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; MO; NEDS; QL (1 per 180 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; MO; NEDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; MO; NEDS; QL (1 per 180 days)
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; MO
PROCRIT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML	5	PA; MO; NEDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; MO
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	5	PA; MO; NEDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; MO; NEDS
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; MO; NEDS

VACCINES / MISCELLANEOUS IMMUNOLOGICALS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	3	V
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5- 3-5 MCG)-5LF/0.5 ML	3	V
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	V
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	3	V
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	V
BEXSERO INTRAMUSCULAR SYRINGE 50- 50-50-25 MCG/0.5 ML	3	V
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	V
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	V
BOTOX INJECTION RECON SOLN 100 UNIT, 200 UNIT	3	PA; MO
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF- MCG-LF/0.5ML	3	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	B/D PA; V
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	B/D PA; V
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	B/D PA; V
<i>fomepizole intravenous solution 1 gram/ml</i>	2	
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	3	MO
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA; MO; NEDS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA; MO; NEDS
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	V
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	V
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	3	V
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	3	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	3	B/D PA; V
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
HIZENTRA SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	5	B/D PA; MO; NEDS
HIZENTRA SUBCUTANEOUS SYRINGE 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	5	B/D PA; MO; NEDS
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	B/D PA; MO; NEDS
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	V
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOP INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	V
IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	3	V
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	V
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	3	V
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	V
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	V
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR SOLUTION 10-5 MCG/0.5 ML	3	V
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	V
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	3	V
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA; MO; NEDS
PANZYGA INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML), 10 % (25 ML), 10 % (300 ML), 10 % (50 ML)	5	PA; MO; NEDS
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	3	V
PENTACEL (PF) INTRAMUSCULAR KIT 15LF-20MCG-5LF- 62 DU/0.5 ML	3	
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	3	V
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA; MO; NEDS
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	V

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	B/D PA; V
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	B/D PA; V
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	3	
ROTAQUE VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	V
STAMARIL (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,000 UNIT/0.5 ML	3	V
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	V
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	V
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	3	B/D PA
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	3	V
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	V
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	V
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	V
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	V
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	3	V
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	3	V
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	V
VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT	3	V
VIMKUNYA INTRAMUSCULAR SYRINGE 40 MCG/0.8 ML	3	V
VIVOTIF ORAL CAPSULE,DELAYED RELEASE(DR/EC) 2 BILLION UNIT	3	MO; V
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	3	V

MISCELLANEOUS SUPPLIES

MISCELLANEOUS SUPPLIES

GAUZE PADS 2 X 2	3	PA; MO
INSULIN PEN NEEDLE	3	PA; MO
INSULIN SYRINGE (DISP) U-100 0.3 ML, 1 ML, 1/2 ML	3	PA; MO
NEEDLES, INSULIN DISP.,SAFETY	3	PA; MO

MUSCULOSKELETAL / RHEUMATOLOGY

GOUT THERAPY

<i>allopurinol oral tablet 100 mg, 300 mg</i>	1	MO
<i>colchicine oral tablet 0.6 mg</i>	2	MO
<i>febuxostat oral tablet 40 mg, 80 mg</i>	3	MO
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	MO; NEDS
<i>probenecid oral tablet 500 mg</i>	2	MO
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	MO

OSTEOPOROSIS THERAPY

<i>alendronate oral solution 70 mg/75 ml</i>	2	MO; QL (300 per 28 days)
<i>alendronate oral tablet 10 mg</i>	1	MO; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg, 70 mg</i>	1	MO; QL (4 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>ibandronate oral tablet 150 mg</i>	2	MO; QL (1 per 30 days)
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	4	PA; MO; QL (1 per 180 days)
<i>raloxifene oral tablet 60 mg</i>	2	MO
<i>risedronate oral tablet 150 mg</i>	2	MO; QL (1 per 30 days)
<i>risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i>	2	MO; QL (4 per 28 days)
<i>risedronate oral tablet 5 mg</i>	3	MO; QL (30 per 30 days)
TERIPARATIDE SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (620MCG/2.48ML)	5	PA; NEDS; QL (2.48 per 28 days)
OTHER RHEUMATOLOGICALS		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; MO; NEDS; QL (3.6 per 28 days)
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; MO; NEDS; QL (160 per 28 days)
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; MO; NEDS; QL (3.6 per 28 days)
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; MO; NEDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; MO; NEDS
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; MO; NEDS
CYLTEZO(CF) PEN CROHN'S-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NEDS; QL (6 per 180 days)
CYLTEZO(CF) PEN PSORIASIS-UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NEDS; QL (4 per 180 days)
CYLTEZO(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; MO; NEDS; QL (4 per 28 days)
CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML	5	PA; MO; NEDS; QL (2 per 28 days)
CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; MO; NEDS; QL (4 per 28 days)
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; MO; NEDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; MO; NEDS; QL (8 per 28 days)
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; MO; NEDS; QL (8 per 28 days)
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; MO; NEDS; QL (8 per 28 days)
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; MO; NEDS; QL (4 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; NEDS; QL (4 per 28 days)
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; MO; NEDS; QL (3 per 180 days)
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; MO; NEDS; QL (3 per 180 days)
HUMIRA(CF) PEN SUBCUTANEOUS INJECTOR KIT 40 MG/0.4 ML	5	PA; MO; NEDS; QL (4 per 28 days)
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; MO; NEDS; QL (2 per 28 days)
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML	5	PA; MO; NEDS; QL (2 per 28 days)
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	5	PA; MO; NEDS; QL (4 per 28 days)
<i>leflunomide oral tablet 10 mg, 20 mg</i>	2	MO; QL (30 per 30 days)
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; MO; NEDS; QL (12 per 28 days)
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; MO; NEDS; QL (4 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML	5	PA; MO; NEDS; QL (4 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 50 MG/0.4 ML	5	PA; MO; NEDS; QL (1.6 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 87.5 MG/0.7 ML	5	PA; MO; NEDS; QL (2.8 per 28 days)
OTEZLA ORAL TABLET 20 MG, 30 MG	5	PA; MO; NEDS; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47)	5	PA; MO; NEDS; QL (55 per 180 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>penicillamine oral tablet 250 mg</i>	3	PA; MO
RIDAURA ORAL CAPSULE 3 MG	5	MO; NEDS
RINVOQ LQ ORAL SOLUTION 1 MG/ML	5	PA; MO; NEDS; QL (360 per 30 days)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG	5	PA; MO; NEDS; QL (30 per 30 days)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 45 MG	5	PA; MO; NEDS; QL (168 per 365 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	QL (55 per 180 days)
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; MO; NEDS; QL (300 per 30 days)
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; MO; NEDS; QL (60 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; MO; NEDS; QL (30 per 30 days)
YUFLYMA(CF) AI CROHN'S-UC-HS SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML	5	PA; MO; NEDS; QL (3 per 180 days)
YUFLYMA(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML	5	PA; MO; NEDS; QL (4 per 28 days)
YUFLYMA(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML	5	PA; MO; NEDS; QL (2 per 28 days)
YUFLYMA(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML	5	PA; MO; NEDS; QL (2 per 28 days)
YUFLYMA(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	5	PA; MO; NEDS; QL (4 per 28 days)

OBSTETRICS / GYNECOLOGY

ESTROGENS / PROGESTINS

<i>camila oral tablet 0.35 mg</i>	2	MO
<i>deblitane oral tablet 0.35 mg</i>	2	MO
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	3	MO; QL (8 per 28 days)
DUAVEE ORAL TABLET 0.45-20 MG	3	MO
<i>errin oral tablet 0.35 mg</i>	2	MO
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	MO
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	3	MO; QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	3	MO; QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	4	MO
<i>estradiol vaginal tablet 10 mcg</i>	4	MO
<i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i>	4	MO
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	3	MO
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	4	MO
<i>heather oral tablet 0.35 mg</i>	2	MO
<i>incassia oral tablet 0.35 mg</i>	2	MO
<i>jinteli oral tablet 1-5 mg-mcg</i>	4	MO
<i>lyleq oral tablet 0.35 mg</i>	2	MO
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	3	MO; QL (8 per 28 days)
<i>lyza oral tablet 0.35 mg</i>	2	
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i>	2	MO
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i>	2	MO
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	MO
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG	3	MO
<i>mimvey oral tablet 1-0.5 mg</i>	3	MO
<i>nora-be oral tablet 0.35 mg</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	2	
<i>norethindrone acetate oral tablet 5 mg</i>	2	MO
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	4	MO
<i>PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG</i>	3	MO
<i>PREMARIN VAGINAL CREAM 0.625 MG/GRAM</i>	3	MO
<i>PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)</i>	3	MO
<i>PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG</i>	3	MO
<i>progesterone intramuscular oil 50 mg/ml</i>	2	MO
<i>progesterone micronized oral capsule 100 mg, 200 mg</i>	2	MO
<i>sharobel oral tablet 0.35 mg</i>	2	MO
<i>yuvafem vaginal tablet 10 mcg</i>	4	
MISCELLANEOUS OB/GYN		
<i>clindamycin phosphate vaginal cream 2 %</i>	3	MO
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	4	MO
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	4	MO
<i>etonogestrel-ethynodiol dihydrogen phosphate vaginal ring 0.12-0.015 mg/24 hr</i>	3	
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	4	MO
<i>LILETTA INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG</i>	3	MO
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i>	3	MO
<i>NEXPLANON SUBDERMAL IMPLANT 68 MG</i>	3	
<i>norelgestromin-ethynodiol dihydrogen phosphate transdermal patch weekly 150-35 mcg/24 hr</i>	3	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	MO
<i>terconazole vaginal suppository 80 mg</i>	4	MO
<i>tranexamic acid oral tablet 650 mg</i>	3	MO
<i>vandazole vaginal gel 0.75 % (37.5mg/5 gram)</i>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
xulane transdermal patch weekly 150-35 mcg/24 hr	4	
zafemy transdermal patch weekly 150-35 mcg/24 hr	4	MO
ORAL CONTRACEPTIVES / RELATED AGENTS		
altavera (28) oral tablet 0.15-0.03 mg	2	MO
alyacen 1/35 (28) oral tablet 1-35 mg-mcg	2	MO
alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	MO
amethyst (28) oral tablet 90-20 mcg (28)	2	MO
apri oral tablet 0.15-0.03 mg	2	MO
aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg	2	MO
aubra eq oral tablet 0.1-20 mg-mcg	2	MO
aviane oral tablet 0.1-20 mg-mcg	2	MO
cryselle (28) oral tablet 0.3-30 mg-mcg	2	MO
cyred eq oral tablet 0.15-0.03 mg	2	MO
dasetta 1/35 (28) oral tablet 1-35 mg-mcg	2	MO
dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	MO
daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	2	MO
desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	
drospirenone-e.estradiol-lmfa oral tablet 3-0.03- 0.451 mg (21) (7)	2	MO
drospirenone-ethinyl estradiol oral tablet 3-0.02 mg	2	MO
drospirenone-ethinyl estradiol oral tablet 3-0.03 mg	2	
elinest oral tablet 0.3-30 mg-mcg	2	MO
enpresse oral tablet 50-30 (6)/75-40 (5)/125- 30(10)	2	
enskyce oral tablet 0.15-0.03 mg	2	MO
estarrylla oral tablet 0.25-0.035 mg	2	MO
ethynodiol diac-eth estradiol oral tablet 1-35 mg- mcg, 1-50 mg-mcg	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>falmina</i> (28) oral tablet 0.1-20 mg-mcg	2	MO
<i>feirza</i> oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	2	MO
<i>introvale</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	2	
<i>isibloom</i> oral tablet 0.15-0.03 mg	2	MO
<i>jaimiess</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	2	
<i>jasmiel</i> (28) oral tablet 3-0.02 mg	2	MO
<i>jolessa</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	2	MO
<i>juleber</i> oral tablet 0.15-0.03 mg	2	MO
<i>kalliga</i> oral tablet 0.15-0.03 mg	2	
<i>kariva</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	
<i>kelnor</i> 1/35 (28) oral tablet 1-35 mg-mcg	2	MO
<i>kelnor</i> 1/50 (28) oral tablet 1-50 mg-mcg	2	MO
<i>kurvelo</i> (28) oral tablet 0.15-0.03 mg	2	MO
<i>l norgest/e.estradiol-e.estrad</i> oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)	2	
<i>l norgest/e.estradiol-e.estrad</i> oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7)	2	MO
<i>larin</i> 1.5/30 (21) oral tablet 1.5-30 mg-mcg	2	MO
<i>larin</i> 1/20 (21) oral tablet 1-20 mg-mcg	2	MO
<i>larin</i> 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	MO
<i>larin</i> fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	2	MO
<i>larin</i> fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	2	MO
<i>lessina</i> oral tablet 0.1-20 mg-mcg	2	MO
<i>levonest</i> (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)	2	MO
<i>levonorgestrel-ethinyl estrad</i> oral tablet 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28)	2	
<i>levonorgestrel-ethinyl estrad</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	MO
<i>levora-28 oral tablet 0.15-0.03 mg</i>	2	
<i>lojaimiess oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	2	MO
<i>loryna (28) oral tablet 3-0.02 mg</i>	2	MO
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	2	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	2	MO
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	2	MO
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	MO
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	MO
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	MO
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	MO
<i>mili oral tablet 0.25-0.035 mg</i>	2	MO
<i>mono-linyah oral tablet 0.25-0.035 mg</i>	2	MO
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	MO
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>	2	MO
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7), 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg, 0.25-0.035 mg</i>	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	2	MO
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	MO
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	MO
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	MO
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	MO
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	MO
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>portia</i> 28 oral tablet 0.15-0.03 mg	2	MO
<i>reclipsen</i> (28) oral tablet 0.15-0.03 mg	2	MO
<i>setlakin</i> oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)	2	MO
<i>sprintec</i> (28) oral tablet 0.25-0.035 mg	2	MO
<i>sronyx</i> oral tablet 0.1-20 mg-mcg	2	
<i>syeda</i> oral tablet 3-0.03 mg	2	MO
<i>tarina</i> 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	MO
<i>tarina</i> fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	2	MO
<i>tilia</i> fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)	2	MO
<i>tri-estarrylla</i> oral tablet 0.18/0.215/0.25 mg-0.035mg (28)	2	MO
<i>tri-legest</i> fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)	2	MO
<i>tri-linyah</i> oral tablet 0.18/0.215/0.25 mg-0.035mg (28)	2	MO
<i>tri-lo-estarrylla</i> oral tablet 0.18/0.215/0.25 mg-0.025 mg	2	MO
<i>tri-lo-marzia</i> oral tablet 0.18/0.215/0.25 mg-0.025 mg	2	MO
<i>tri-lo-sprintec</i> oral tablet 0.18/0.215/0.25 mg-0.025 mg	2	
<i>tri-sprintec</i> (28) oral tablet 0.18/0.215/0.25 mg-0.035mg (28)	2	MO
<i>trivora</i> (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)	2	
<i>turqoz</i> (28) oral tablet 0.3-30 mg-mcg	2	MO
<i>valtya</i> oral tablet 1-50 mg-mcg	2	MO
<i>velivet triphasic regimen</i> (28) oral tablet 0.1/.125/.15-25 mg-mcg	2	MO
<i>vestura</i> (28) oral tablet 3-0.02 mg	2	MO
<i>vienna</i> oral tablet 0.1-20 mg-mcg	2	MO
<i>viorele</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	MO
<i>wera</i> (28) oral tablet 0.5-35 mg-mcg	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	2	MO
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	2	MO
OXYTOCICS		
<i>methylergonovine oral tablet 0.2 mg</i>	4	PA
OPHTHALMOLOGY		
ANTIBIOTICS		
<i>AZASITE OPHTHALMIC (EYE) DROPS 1 %</i>	4	MO
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	4	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	MO
<i>BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.6 %</i>	4	MO
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	2	MO
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	MO; QL (3.5 per 14 days)
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>	4	MO
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	2	MO; QL (70 per 30 days)
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	4	MO
<i>levofloxacin ophthalmic (eye) drops 1.5 %</i>	4	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i>	3	MO
<i>moxifloxacin ophthalmic (eye) drops, viscous 0.5 %</i>	3	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	3	MO
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	3	MO
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	3	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	2	MO
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	2	MO
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	2	MO; QL (10 per 14 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
ANTIVIRALS		
<i>trifluridine ophthalmic (eye) drops 1 %</i>	3	MO
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	MO
BETA-BLOCKERS		
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	3	MO
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	MO
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	MO
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	MO
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	4	MO
MISCELLANEOUS OPHTHALMOLOGICS		
<i>atropine ophthalmic (eye) drops 1 %</i>	2	MO
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	MO
<i>bepotastine besilate ophthalmic (eye) drops 1.5 %</i>	3	MO
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	MO
CYCLOSPORINE OPHTHALMIC (EYE) DROPPERETTE 0.05 %	3	MO; QL (60 per 30 days)
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	PA; NEDS
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	3	MO
OXERVATE OPHTHALMIC (EYE) DROPS 0.002 %	5	PA; MO; NEDS
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	3	MO
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	2	MO
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	3	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	MO
XDEMVY OPHTHALMIC (EYE) DROPS 0.25 %	5	PA; NEDS; QL (10 per 42 days)
IIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	MO; QL (60 per 30 days)
NON-STEROIDAL ANTI-INFLAMMATORY AGENTS		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>bromfenac ophthalmic (eye) drops 0.07 %</i>	3	MO
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	4	MO
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	MO
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	MO
<i>ketorolac ophthalmic (eye) drops 0.4 %</i>	3	MO
<i>ketorolac ophthalmic (eye) drops 0.5 %</i>	2	MO
ORAL DRUGS FOR GLAUCOMA		
<i>acetazolamide oral capsule, extended release 500 mg</i>	3	MO
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	3	MO
<i>methazolamide oral tablet 25 mg, 50 mg</i>	4	MO
OTHER GLAUCOMA DRUGS		
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i>	4	MO
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	2	MO
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i>	2	MO
<i>latanoprost ophthalmic (eye) drops 0.005 %</i>	1	MO
<i>LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %</i>	3	MO
<i>RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %</i>	4	
<i>ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %</i>	4	
<i>SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %</i>	4	MO
<i>travoprost ophthalmic (eye) drops 0.004 %</i>	4	MO
<i>VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %</i>	4	
STEROID-ANTIBIOTIC COMBINATIONS		
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	3	MO
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	2	MO
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	3	MO
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	3	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	3	MO; QL (10 per 14 days)
STEROIDS		
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	MO
<i>difluprednate ophthalmic (eye) drops 0.05 %</i>	4	MO
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i>	3	MO
<i>INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %</i>	3	MO
<i>LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %</i>	4	MO
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i>	4	MO
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i>	3	MO
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>	4	MO
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i>	2	MO
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	MO
SYMPATHOMIMETICS		
<i>ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %</i>	3	MO
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	3	MO
<i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i>	4	MO
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	MO
RESPIRATORY AND ALLERGY		
ANTIHISTAMINE / ANTIALLERGENIC AGENTS		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>adrenalin injection solution 1 mg/ml</i>	2	
<i>adrenalin injection solution 1 mg/ml (1 ml)</i>	2	MO
<i>benzonatate oral capsule 100 mg, 200 mg</i>	1	MO; EX; QL (90 per 30 days)
<i>cetirizine oral solution 1 mg/ml</i>	2	MO
<i>codeine-guaifenesin oral liquid 10-100 mg/5 ml</i>	1	MO; EX; QL (120 per 30 days)
<i>ciproheptadine oral tablet 4 mg</i>	4	MO
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	MO
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	MO
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml</i>	3	MO; QL (2 per 30 days)
<i>epinephrine injection solution 1 mg/ml, 1 mg/ml (1 ml)</i>	2	
<i>g tussin ac oral liquid 10-100 mg/5 ml</i>	1	EX; QL (120 per 30 days)
<i>guaifenesin ac oral liquid 10-100 mg/5 ml</i>	1	EX; QL (120 per 30 days)
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	4	MO
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	MO
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>	3	MO
<i>levocetirizine oral solution 2.5 mg/5 ml</i>	4	MO
<i>levocetirizine oral tablet 5 mg</i>	2	MO; QL (30 per 30 days)
<i>maxi-tuss ac oral liquid 10-100 mg/5 ml</i>	1	EX; QL (120 per 30 days)
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i>	4	MO
<i>promethazine oral syrup 6.25 mg/5 ml</i>	4	MO
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	2	MO
<i>virtussin ac oral liquid 10-100 mg/5 ml</i>	1	EX; QL (120 per 30 days)
PULMONARY AGENTS		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	3	B/D PA; MO
<i>ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG</i>	5	PA; MO; LA; NEDS
<i>ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION</i>	3	MO; QL (12 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i>	2	MO; QL (17 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)	2	QL (13.4 per 30 days)
albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml	2	B/D PA; MO
albuterol sulfate inhalation solution for nebulization 5 mg/ml	2	B/D PA
albuterol sulfate oral syrup 2 mg/5 ml	2	MO
albuterol sulfate oral tablet 2 mg, 4 mg	4	MO
alyq oral tablet 20 mg	5	PA; MO; NEDS; QL (60 per 30 days)
ambrisentan oral tablet 10 mg, 5 mg	5	PA; MO; LA; NEDS; QL (30 per 30 days)
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	MO; QL (60 per 30 days)
arformoterol inhalation solution for nebulization 15 mcg/2 ml	4	B/D PA; MO
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (14)	4	QL (2 per 28 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	MO; QL (25.8 per 30 days)
bosentan oral tablet 125 mg, 62.5 mg	5	PA; MO; LA; NEDS
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE, 50-25 MCG/DOSE	3	MO; QL (60 per 30 days)
breyna inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation	2	MO; QL (10.3 per 30 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	MO; QL (10.7 per 30 days)
budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml	4	B/D PA; MO; QL (120 per 30 days)
budesonide inhalation suspension for nebulization 1 mg/2 ml	4	B/D PA; MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	2	QL (10.2 per 30 days)
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; MO; NEDS
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	3	B/D PA; MO
DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION, 50-5 MCG/ACTUATION	3	MO; QL (13 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-Injector 30 MG/ML	5	PA; MO; NEDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML	5	PA; MO; NEDS; QL (0.5 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; MO; NEDS; QL (1 per 28 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	3	MO; QL (50 per 30 days)
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i>	2	MO; QL (16 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	2	MO; QL (60 per 30 days)
<i>formoterol fumarate inhalation solution for nebulization 20 mcg/2 ml</i>	4	B/D PA; MO
<i>icatibant subcutaneous syringe 30 mg/3 ml</i>	5	PA; MO; NEDS
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	3	MO
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	B/D PA; MO
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	B/D PA; MO
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; MO; NEDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; MO; NEDS; QL (60 per 30 days)
<i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml</i>	4	B/D PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i>	3	MO; QL (34 per 30 days)
<i>montelukast oral granules in packet 4 mg</i>	4	MO
<i>montelukast oral tablet 10 mg</i>	1	MO
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i>	2	MO
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; MO; LA; NEDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; MO; LA; NEDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; MO; LA; NEDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; MO; LA; NEDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; MO; NEDS; QL (60 per 30 days)
OPSUMIT ORAL TABLET 10 MG	5	PA; MO; LA; NEDS
OPSYNVI ORAL TABLET 10-20 MG, 10-40 MG	5	PA; MO; NEDS; QL (30 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	5	PA; MO; NEDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; MO; NEDS; QL (112 per 28 days)
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	5	PA; LA; NEDS
<i>pirfenidone oral capsule 267 mg</i>	5	PA; MO; NEDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i>	5	PA; MO; NEDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 801 mg</i>	5	PA; MO; NEDS; QL (90 per 30 days)
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION, 90 MCG/ACTUATION	3	MO
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	B/D PA; MO; NEDS
<i>roflumilast oral tablet 250 mcg, 500 mcg</i>	4	PA; MO; QL (30 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i>	5	PA; MO; NEDS
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
sildenafil (pulmonary arterial hypertension) intravenous solution 10 mg/12.5 ml	5	PA; NEDS
sildenafil (pulmonary arterial hypertension) oral tablet 20 mg	3	PA; MO; QL (90 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	MO; QL (4 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	MO; QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	MO; QL (4 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; MO; NEDS; QL (56 per 28 days)
tadalafil (pulmonary arterial hypertension) oral tablet 20 mg	5	PA; NEDS; QL (60 per 30 days)
terbutaline oral tablet 2.5 mg, 5 mg	4	MO
theophylline oral elixir 80 mg/15 ml	4	MO
theophylline oral solution 80 mg/15 ml	4	
theophylline oral tablet extended release 12 hr 100 mg, 200 mg	4	
theophylline oral tablet extended release 12 hr 300 mg, 450 mg	4	MO
theophylline oral tablet extended release 24 hr 400 mg, 600 mg	3	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	3	MO; QL (60 per 30 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; MO; NEDS; QL (84 per 28 days)
TYVASO DPI INHALATION CARTRIDGE WITH INHALER 16 MCG, 32 MCG, 48 MCG, 64 MCG	5	PA; MO; NEDS; QL (112 per 28 days)
TYVASO DPI INHALATION CARTRIDGE WITH INHALER 16(112)-32(112) -48(28) MCG	5	PA; MO; NEDS; QL (504 per 365 days)
WINREVAIR SUBCUTANEOUS KIT 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2)	5	PA; MO; NEDS; QL (1 per 21 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
wixela inhale inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose	2	QL (60 per 30 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML	5	PA; MO; LA; NEDS; QL (8 per 28 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 75 MG/0.5 ML	5	PA; MO; LA; NEDS; QL (1 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; MO; LA; NEDS; QL (8 per 28 days)
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML	5	PA; MO; LA; NEDS; QL (8 per 28 days)
XOLAIR SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; MO; LA; NEDS; QL (1 per 28 days)
YUPELRI INHALATION SOLUTION FOR NEBULIZATION 175 MCG/3 ML	5	B/D PA; MO; NEDS; QL (90 per 30 days)
zafirlukast oral tablet 10 mg, 20 mg	4	MO

UROLOGICALS

ANTICHOLINERGICS / ANTISPASMODICS

MYRBETRIQ ORAL SUSPENSION,EXTENDED REL RECON 8 MG/ML	3	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	MO
oxybutynin chloride oral syrup 5 mg/5 ml	2	MO
oxybutynin chloride oral tablet 5 mg	1	MO
oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg	2	MO
solifenacin oral tablet 10 mg, 5 mg	2	MO; QL (30 per 30 days)
tolterodine oral tablet 1 mg, 2 mg	3	MO
trospium oral capsule,extended release 24hr 60 mg	4	MO
trospium oral tablet 20 mg	2	MO

BENIGN PROSTATIC HYPERPLASIA(BPH) THERAPY

alfuzosin oral tablet extended release 24 hr 10 mg	2	MO
dutasteride oral capsule 0.5 mg	2	MO; QL (30 per 30 days)
dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
<i>finasteride oral tablet 5 mg</i>	1	MO
<i>tamsulosin oral capsule 0.4 mg</i>	1	MO
MISCELLANEOUS UROLOGICALS		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	MO
CYSTAGON ORAL CAPSULE 150 MG, 50 MG	4	PA; LA
ELMIRON ORAL CAPSULE 100 MG	3	MO
K-PHOS ORIGINAL ORAL TABLET,SOLUBLE 500 MG	3	MO
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg), 15 meq, 5 meq (540 mg)</i>	3	MO
RENACIDIN IRRIGATION SOLUTION 1980.6 MG-59.4 MG-980.4MG/30ML	3	MO
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i>	2	MO; EX; QL (6 per 30 days)
<i>tadalafil oral tablet 5 mg</i>	3	PA; MO; QL (30 per 30 days)
VITAMINS, HEMATINICS / ELECTROLYTES		
BLOOD DERIVATIVES		
<i>albumin, human 25 % intravenous parenteral solution 25 %</i>	4	
<i>alburx (human) 25 % intravenous parenteral solution 25 %</i>	4	
<i>alburx (human) 5 % intravenous parenteral solution 5 %</i>	4	
<i>albutein 25 % intravenous parenteral solution 25 %</i>	4	
<i>albutein 5 % intravenous parenteral solution 5 %</i>	4	
ELECTROLYTES		
<i>calcium chloride intravenous solution 100 mg/ml (10 %)</i>	2	
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	
<i>calcium gluconate intravenous solution 100 mg/ml (10%)</i>	2	
<i>effer-k oral tablet, effervescent 25 meq</i>	2	MO
<i>klor-con 10 oral tablet extended release 10 meq</i>	2	MO
<i>klor-con 8 oral tablet extended release 8 meq</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
klor-con m10 oral tablet,er particles/crystals 10 meq	2	MO
klor-con m15 oral tablet,er particles/crystals 15 meq	2	MO
klor-con m20 oral tablet,er particles/crystals 20 meq	2	MO
klor-con oral packet 20 meq	4	MO
klor-con/ef oral tablet, effervescent 25 meq	2	MO
lactated ringers intravenous parenteral solution	4	MO
magnesium chloride injection solution 200 mg/ml (20 %)	4	
MAGNESIUM SULFATE IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/100 ML	3	
magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)	4	
magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)	4	
magnesium sulfate injection solution 500 mg/ml (50 %)	4	MO
magnesium sulfate injection syringe 500 mg/ml (50 %)	4	
potassium acetate intravenous solution 2 meq/ml	4	
potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l	4	
potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l	4	
potassium chloride in 5 % dex intravenous parenteral solution 10 meq/l, 20 meq/l	4	
potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l	4	
potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 40 meq/100 ml	4	
potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	MO
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	4	MO
<i>potassium chloride oral packet 20 meq</i>	4	
<i>potassium chloride oral tablet extended release 10 meq, 8 meq</i>	2	MO
<i>potassium chloride oral tablet extended release 20 meq</i>	2	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i>	2	MO
<i>potassium chloride oral tablet,er particles/crystals 15 meq, 20 meq</i>	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	4	
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 20 meql/l</i>	4	
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	4	
<i>potassium phosphate m-/d-basic intravenous solution 3 mmol/ml</i>	4	
<i>ringer's intravenous parenteral solution</i>	4	
<i>sodium acetate intravenous solution 2 meq/ml, 4 meq/ml</i>	4	
<i>sodium bicarbonate intravenous solution 1 meq/ml (8.4 %), 4.2 %</i>	4	
<i>sodium bicarbonate intravenous syringe 10 meq/10 ml (8.4 %), 4.2 % (0.5 meq/ml), 7.5 % (0.9 meq/ml), 8.4 % (1 meq/ml)</i>	4	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	4	MO
<i>sodium chloride 3 % hypertonic intravenous parenteral solution 3 %</i>	4	
<i>sodium chloride 5 % hypertonic intravenous parenteral solution 5 %</i>	4	MO
<i>sodium chloride intravenous solution 2.5 meq/ml, 4 meq/ml</i>	4	
<i>sodium phosphate intravenous solution 3 mmol/ml</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Drug Name	Drug Tier	Requirements/Limits
MISCELLANEOUS NUTRITION PRODUCTS		
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	B/D PA
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	B/D PA
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	B/D PA
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	B/D PA
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	B/D PA
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	B/D PA
<i>electrolyte-48 in d5w intravenous parenteral solution</i>	4	
<i>intralipid intravenous emulsion 20 %</i>	4	B/D PA
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	3	
PLENAMINE INTRAVENOUS PARENTERAL SOLUTION 15 %	4	B/D PA
<i>premasol 10 % intravenous parenteral solution 10 %</i>	4	B/D PA
<i>travasol 10 % intravenous parenteral solution 10 %</i>	4	B/D PA
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	B/D PA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
VITAMINS / HEMATINICS		
<i>cyanocobalamin (vitamin b-12) injection solution</i>	2	MO; EX
<i>ergocalciferol (vitamin d2) oral capsule 1,250 mcg (50,000 unit)</i>	1	MO; EX
<i>fluoride (sodium) oral tablet 1 mg (2.2 mg sod. fluoride)</i>	2	MO
<i>folic acid oral tablet 1 mg</i>	1	MO; EX; QL (30 per 30 days)
<i>prenatal vitamin oral tablet oral tablet 27 mg iron-1 mg</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

Index

A

<i>abacavir</i>	9
<i>abacavir-lamivudine</i>	9
ABELCET	8
ABILIFY ASIMTUFII.....	52
ABILIFY MAINTENA.....	52
<i>abiraterone</i>	22
<i>abirtega</i>	22
ABRAXANE.....	22
ABRYSVO (PF).....	101
<i>acamprosate</i>	79
<i>acarbose</i>	85
<i>accutane</i>	76
<i>acebutolol</i>	62
<i>acetaminophen-codeine</i>	48
<i>acetazolamide</i>	117
<i>acetic acid</i>	79, 84
<i>acylcysteine</i>	79, 119
<i>acitretin</i>	73
ACTEMRA	106
ACTEMRA ACTPEN.....	106
ACTHIB (PF).....	101
ACTIMMUNE	99
<i>acyclovir</i>	9, 78
<i>acyclovir sodium</i>	9
ADACEL(TDAP ADOLESN/ADULT)(PF)	101
ADBRY	74
ADCETRIS	22
<i>adefovir</i>	9
ADEMPAS.....	119
<i>adrenalin</i>	119
ADVAIR HFA	119
AIMOVIG AUTOINJECTOR	45
AKEEGA	23
<i>ala-cort</i>	78
<i>albendazole</i>	15
<i>albumin, human 25 %</i>	125
<i>alburx (human) 25 %</i>	125
<i>alburx (human) 5 %</i>	125
<i>albutein 25 %</i>	125
<i>albutein 5 %</i>	125
<i>albuterol sulfate</i>	119, 120

<i>alclometasone</i>	78
<i>alcohol pads</i>	85
ALDURAZYME	91
ALECENSA	23
<i>alendronate</i>	105
<i>alfuzosin</i>	124
ALIMTA	23
ALIQOPA	23
<i>aliskiren</i>	62
<i>allopurinol</i>	105
<i>alosetron</i>	94
ALPHAGAN P.....	118
<i>alprazolam</i>	52
<i>altavera (28)</i>	111
ALUNBRIG	23
ALVAIZ	67
<i>alyacen 1/35 (28)</i>	111
<i>alyacen 7/7/7 (28)</i>	111
<i>alyq</i>	120
<i>amantadine hcl</i>	9
<i>ambrisentan</i>	120
<i>amethyst (28)</i>	111
<i>amikacin</i>	15
<i>amiloride</i>	62
<i>amiloride-hydrochlorothiazide</i>	62
<i>aminocaproic acid</i>	67, 68
<i>amiodarone</i>	61
<i>amitriptyline</i>	52
<i>amlodipine</i>	62
<i>amlodipine-atorvastatin</i>	70
<i>amlodipine-benazepril</i>	62
<i>amlodipine-olmesartan</i>	62
<i>amlodipine-valsartan</i>	62
<i>ammonium lactate</i>	75
<i>amnesteem</i>	76
<i>amoxapine</i>	52
<i>amoxicillin</i>	19
<i>amoxicillin-pot clavulanate</i>	19
<i>amphotericin b</i>	8
<i>amphotericin b liposome</i>	8
<i>ampicillin</i>	19
<i>ampicillin sodium</i>	19
<i>ampicillin-sulbactam</i>	19
<i>anagrelide</i>	80
<i>anastrozole</i>	23
ANORO ELLIPTA.....	120
<i>apraclonidine</i>	118
<i>aprepitant</i>	94, 95
<i>apri</i>	111
APTIVUS	9
<i>aranelle (28)</i>	111
ARCALYST	99
AREXVY (PF)	101
<i>arformoterol</i>	120
ARIKAYCE	15
<i>aripiprazole</i>	52, 53
ARISTADA	53
ARISTADA INITIO.....	53
<i>armodafinil</i>	53
ARNUITY ELLIPTA	120
<i>arsenic trioxide</i>	23
<i>asenapine maleate</i>	53
ASMANEX TWISTHALER	120
ASPARLAS	23
<i>aspirin-dipyridamole</i>	68
<i>atazanavir</i>	9
<i>atenolol</i>	62
<i>atenolol-chlorthalidone</i>	62
<i>atomoxetine</i>	53
<i>atorvastatin</i>	70
<i>atovaquone</i>	15
<i>atovaquone-proguanil</i>	15
<i>atropine</i>	94, 116
ATROVENT HFA	120
ATTRUBY	72
<i>aubra eq</i>	111
AUGMENTIN	19
AUGTYRO	23
AUSTEDO	46
AUSTEDO XR	46
AUSTEDO XR TITRATION	
KT(WK1-4)	46
AUVELITY	53
<i>aviane</i>	111
AVONEX	99
AYVAKIT	23
<i>azacitidine</i>	23
AZASITE	115

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<i>azathioprine</i>	23	<i>bortezomib</i>	24	<i>candesartan</i>	63
<i>azathioprine sodium</i>	23	BORTEZOMIB	24	<i>candesartan-</i>	
<i>azelaic acid</i>	76	<i>bosentan</i>	120	<i>hydrochlorothiazid</i>	63
<i>azelastine</i>	83, 116	BOSULIF	24	CAPLYTA	54
<i>azithromycin</i>	14, 15	BOTOX	101	CAPRELSA	24
<i>aztreonam</i>	15	BRAFTOVI	24	<i>captopril</i>	63
AZTREONAM	16	BREO ELLIPTA	120	<i>carbamazepine</i>	40
B		<i>breyna</i>	120	<i>carbidopa</i>	44
<i>bacitracin</i>	115	BREZTRI AEROSPHERE	120	<i>carbidopa-levodopa</i>	44
<i>bacitracin-polymyxin b</i>	115	BRILINTA	68	<i>carbidopa-levodopa-</i>	
<i>baclofen</i>	48	<i>brimonidine</i>	118	<i>entacapone</i>	44
<i>balsalazide</i>	95	<i>brimonidine-timolol</i>	117	<i>carboplatin</i>	24
BALVERSA	23	BRIVIACT	39, 40	<i>carglumic acid</i>	80
BAQSIMI	85	<i>bromfenac</i>	117	<i>carisoprodol</i>	48
BARACLUDÉ	9	<i>bromocriptine</i>	44	<i>carmustine</i>	24
BAVENCIO	23	BRUKINSA	24	<i>carteolol</i>	116
BCG VACCINE, LIVE (PF)		<i>budesonide</i>	95, 120	<i>cartia xt</i>	63
	101	<i>budesonide-formoterol</i>	121	<i>carvedilol</i>	63
BELEODAQ	23	<i>bumetanide</i>	62	<i>caspofungin</i>	8
<i>benazepril</i>	62	<i>buprenorphine</i>	49	CAYSTON	16
<i>benazepril-hydrochlorothiazide</i>		<i>buprenorphine hcl</i>	48, 49	<i>cefaclor</i>	13
	62	<i>buprenorphine-naloxone</i>	50	<i>cefadroxil</i>	13
BENDEKA	23	<i>bupropion hcl</i>	53	<i>cefazolin</i>	13
BENLYSTA	106	<i>bupropion hcl (smoking deter)</i>		<i>cefazolin in dextrose (iso-os)</i>	13
<i>benzonatate</i>	119		83	<i>cefdinir</i>	13
<i>benztropine</i>	44	<i>buspirone</i>	53	<i>cefepime</i>	13
<i>bepotastine besilate</i>	116	<i>busulfan</i>	24	CEFEPIME IN DEXTROSE 5	
BESIVANCE	115	<i>butalbital-acetaminophen-caff</i>		%	13
BESPONSA	23		49	<i>cefepime in dextrose, iso-osm</i>	13
BESREMI	99	<i>butorphanol</i>	50	<i>cefixime</i>	13
BETAINE	95	BYLVAY	95	<i>cefoxitin</i>	14
<i>betamethasone dipropionate</i>	78	C		<i>cefoxitin in dextrose, iso-osm</i>	
<i>betamethasone valerate</i>	78	CABENUVA	9		14
<i>betamethasone, augmented</i>	78	<i>cabergoline</i>	91	<i>cefepodoxime</i>	14
BETASERON	99	CABLIVI	68	<i>cefprozil</i>	14
<i>betaxolol</i>	62, 116	CABOMETYX	24	<i>ceftazidime</i>	14
<i>bethanechol chloride</i>	125	<i>caffeine citrate</i>	80	<i>ceftriaxone</i>	14
<i>bexarotene</i>	24	<i>calcipotriene</i>	73	CEFTRIAXONE	14
BEXSERO	101	<i>calcitonin (salmon)</i>	91	<i>ceftriaxone in dextrose, iso-os</i>	
<i>bicalutamide</i>	24	<i>calcitriol</i>	73, 91		14
BICILLIN C-R	19	<i>calcium chloride</i>	125	<i>cefuroxime axetil</i>	14
BICILLIN L-A	20	<i>calcium gluconate</i>	125	<i>cefuroxime sodium</i>	14
BIKTARVY	9	CALQUENCE	24	<i>celecoxib</i>	50
<i>bisoprolol fumarate</i>	62	CALQUENCE		<i>cephalexin</i>	14
<i>bisoprolol-hydrochlorothiazide</i>		(ACALABRUTINIB MAL)		CEPROTIN (BLUE BAR)	68
	62		24	CEPROTIN (GREEN BAR)	68
BLINCYTO	24	<i>camila</i>	108	<i>cetirizine</i>	119
BOOSTRIX TDAP	101	CAMZYOS	72	<i>cevimeline</i>	80

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

CHEMET	80	CLINIMIX 4.25%/D5W	COTELLIC	25
<i>chloramphenicol sod succinate</i>	16	SULFIT FREE.....	CREON.....	95
<i>chlorhexidine gluconate</i>	83	CLINIMIX 5%-	<i>cromolyn</i>	95, 116, 121
<i>chlorprocaine (pf)</i>	75	D20W(SULFITE-FREE)128	CROTAN.....	79
<i>chloroquine phosphate</i>	16	CLINIMIX 6%-D5W	<i>cryselle (28)</i>	111
<i>chlorothiazide sodium</i>	63	(SULFITE-FREE)	CRYSVITA.....	91
<i>chlorpromazine</i>	54	CLINIMIX 8%-	CUVRIOR.....	80
<i>chlorthalidone</i>	63	D10W(SULFITE-FREE)128	<i>cyanocobalamin (vitamin b-12)</i>	
<i>chlorzoxazone</i>	48	CLINIMIX 8%-		129
CHOLBAM.....	95	D14W(SULFITE-FREE)128	<i>cyclobenzaprine</i>	48
<i>cholestyramine (with sugar)</i> ..	70	clobazam.....	<i>cyclophosphamide</i>	25
<i>cholestyramine light</i>	70	clobetasol.....	CYCLOPHOSPHAMIDE	25
<i>ciclopirox</i>	77	clodan	<i>cyclosporine</i>	25
<i>cidofovir</i>	9	clofarabine.....	CYCLOSPORINE	116
<i>cilostazol</i>	68	clomipramine.....	<i>cyclosporine modified</i>	25
CIMDUO.....	9	clonazepam	CYLTEZO(CF)	106
<i>cimetidine</i>	98	clonidine	CYLTEZO(CF) PEN	106
CIMZIA.....	95	clonidine hcl	CYLTEZO(CF) PEN	
CIMZIA POWDER FOR RECONST.....	95	clopidogrel.....	<i>CROHN'S-UC-HS</i>	106
CIMZIA STARTER KIT	95	clorazepate dipotassium	CYLTEZO(CF) PEN	
<i>cinacalcet</i>	91	clotrimazole	<i>PSORIASIS-UV</i>	106
CINRYZE.....	121	8, 77	<i>cyproheptadine</i>	119
CINVANTI.....	95	clotrimazole-betamethasone.	CYRAMZA	25
<i>ciprofloxacin hcl</i>	20, 115	77	<i>cyred eq</i>	111
<i>ciprofloxacin in 5 % dextrose</i>	20	clozapine.....	CYSTAGON	125
<i>ciprofloxacin-dexamethasone</i>	84	COARTEM	CYSTARAN.....	116
<i>cisplatin</i>	24	COBENFY	<i>cytarabine</i>	25
<i>citalopram</i>	54	COBENFY STARTER PACK	<i>cytarabine (pf)</i>	25
<i>cladribine</i>	24	D	
<i>claravis</i>	76	codeine-guaifenesin.....	<i>d10 %-0.45 % sodium chloride</i>	
<i>clarithromycin</i>	15	colchicine.....	80
<i>clindacin etz</i>	76	colesevelam	<i>d2.5 %-0.45 % sodium</i>	
<i>clindacin p</i>	76	colestipol	<i>chloride</i>	80
<i>clindamycin hcl</i>	16	colistin (<i>colistimethate na</i>)	<i>d5 % and 0.9 % sodium</i>	
CLINDAMYCIN IN 0.9 % SOD CHLOR	16	COMBIVENT RESPIMAT	<i>chloride</i>	80
<i>clindamycin in 5 % dextrose</i>	16	121	<i>d5 %-0.45 % sodium chloride</i>	
<i>clindamycin pediatric</i>	16	COMETRIQ	<i>dabigatran etexilate</i>	68
<i>clindamycin phosphate</i>	16, 76, 110	COMPLERA	<i>dacarbazine</i>	25
CLINIMIX 5%/D15W SULFIT FREE	128	compro.....	<i>dactinomycin</i>	25
CLINIMIX 4.25%/D10W SULF FREE	128	constulose	<i>dalfampridine</i>	46
		COPIKTRA	<i>danazol</i>	91
		CORLANOR.....	<i>dantrolene</i>	48
		CORTIFOAM	DANYELZA	25
		cortrophin gel	DANZITEN	25
		COSENTYX.....	<i>dapsone</i>	16
		74	DAPTACEL (DTAP PEDIATRIC) (PF).....	101
		COSENTYX (2 SYRINGES)		
			
		73		
		COSENTYX PEN		
		74		
		COSENTYX PEN (2 PENS)		
		73		
		COSENTYX UNOREADY		
		PEN		
		74		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<i>daptomycin</i>	16	<i>dextrose 5 %-lactated ringers</i>	109
DAPTO MYCIN	16	81
<i>darunavir</i>	9	<i>dextrose 5%-0.2 % sod</i>	9
DARZALEX	25	<i>chloride</i>	63
<i>dasatinib</i>	25	55
<i>dasetta 1/35 (28)</i>	111	<i>doxazosin</i>	92
<i>dasetta 7/7/7 (28)</i>	111	<i>doxepin</i>	26
<i>daunorubicin</i>	25	<i>doxercalciferol</i>	26
DAURISMO	25	<i>doxorubicin</i>	26
<i>daysee</i>	111	<i>doxorubicin, peg-liposomal</i>	26
<i>deblitane</i>	108	<i>doxy-100</i>	21
<i>decitabine</i>	25	<i>doxycycline hyclate</i>	21
<i>deferasirox</i>	80	<i>doxycycline monohydrate</i>	21
<i>deferiprone</i>	80	DRIZALMA SPRINKLE	55
DEFERIPRONE	80	<i>dronabinol</i>	95, 96
<i>deferoxamine</i>	80	<i>droperidol</i>	96
DELSTRIGO	9	<i>drospirenone-e.estradiol-lm.fa</i>	111
<i>demeclocycline</i>	21	<i>drospirenone-ethinyl estradiol</i>	111
<i>denta 5000 plus</i>	83	111
<i>dentagel</i>	83	DROXIA	26
DEPO-SUBQ PROVERA	104	<i>droxidopa</i>	81
.....	108	DUAVEE	109
<i>dermacinrx lidocan</i>	75	DULERA	121
DESCOVY	9	<i>duloxetine</i>	55
<i>desipramine</i>	54	DUPIXENT PEN	75
<i>desmopressin</i>	91	DUPIXENT SYRINGE	75
<i>desog-e.estradiol/e.estradiol</i>	111	<i>dutasteride</i>	124
<i>desonide</i>	78	<i>dutasteride-tamsulosin</i>	124
<i>desvenlafaxine succinate</i>	54	E	
<i>dexamethasone</i>	84	<i>e.e.s. 400</i>	15
<i>dexamethasone intensol</i>	84	<i>econazole nitrate</i>	77
<i>dexamethasone sodium phos</i>	84	EDURANT	9
(<i>pf</i>)	84	<i>efavirenz</i>	9
<i>dexamethasone sodium</i>	84	<i>efavirenz-emtricitabin-tenofov</i>	10
<i>phosphate</i>	84, 118	<i>efavirenz-lamivu-tenofov disop</i>	10
<i>dexrazoxane hcl</i>	22	<i>effer-k</i>	125
<i>dextroamphetamine-</i>		ELAPRASE	92
<i>amphetamine</i>	54	<i>electrolyte-48 in d5w</i>	128
<i>dextrose 10 % and 0.2 % nacl</i>	80	<i>eletriptan</i>	45
<i>dextrose 10 % in water (d10w)</i>	80	<i>elinest</i>	111
<i>dextrose 25 % in water (d25w)</i>	80	ELIQUIS	68
<i>dextrose 5 % in water (d5w)</i>	80,	ELIQUIS DVT-PE TREAT	
81		30D START	68
		ELITEK	22
		ELMIRON	125
		<i>eluryng</i>	110
		ELZONRIS	26
		EMEND	96

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

EMGALITY PEN	45
EMGALITY SYRINGE.....	45
EMPLICITI	26
EMSAM	55
<i>emtricitabine</i>	10
<i>emtricitabine-tenofovir (tdf)</i>	10
EMTRIVA.....	10
EMVERM	16
<i>enalapril maleate</i>	63
<i>enalaprilat</i>	64
<i>enalapril-hydrochlorothiazide</i>	64
ENBREL	107
ENBREL MINI	106
ENBREL SURECLICK	107
<i>endocet</i>	49
ENGERIX-B (PF)	101
ENGERIX-B PEDIATRIC (PF).....	101
<i>enilloring</i>	110
<i>enoxaparin</i>	68
<i>empresse</i>	111
<i>enskyce</i>	111
<i>entacapone</i>	44
<i>entecavir</i>	10
ENTRESTO	72
ENTYVIO	96
<i>enulose</i>	96
ENVARSUS XR	26
EPIDIOLEX	40
<i>epinastine</i>	116
<i>epinephrine</i>	119
<i>epirubicin</i>	26
<i>epitol</i>	40
<i>eplerenone</i>	64
EPRONTIA	40
ERBITUX	26
<i>ergocalciferol (vitamin d2)</i>	129
ERIVEDGE	26
ERLEADA	26
<i>erlotinib</i>	26
<i>errin</i>	109
<i>ertapenem</i>	16
ERWINASE	26
<i>ery pads</i>	76
<i>ery-tab</i>	15
<i>erythrocin (as stearate)</i>	15
<i>erythromycin</i>	15, 115
<i>erythromycin ethylsuccinate</i>	15
<i>erythromycin with ethanol</i>	76
<i>escitalopram oxalate</i>	55
<i>eslicarbazepine</i>	41
<i>esmolol</i>	64
<i>esomeprazole magnesium</i>	98
<i>estarrylla</i>	111
<i>estradiol</i>	109
<i>estradiol valerate</i>	109
<i>estradiol-norethindrone acet</i>	109
<i>eszopiclone</i>	55
<i>ethambutol</i>	16
<i>ethosuximide</i>	41
<i>ethynodiol diac-eth estradiol</i>	111
<i>etodolac</i>	51
<i>etonogestrel-ethynodiol estradiol</i>	110
ETOPOPHOS	26
<i>etoposide</i>	26
<i>etravirine</i>	10
EULEXIN.....	26
<i>euthyrox</i>	93
<i>everolimus (antineoplastic)</i>	26, 27
<i>everolimus</i> (immunosuppressive)	27
EVOTAZ	10
EVRYSDI.....	46
<i>exemestane</i>	27
<i>ezetimibe</i>	70
<i>ezetimibe-simvastatin</i>	71
F	
FABHALTA.....	81
FABRAZYME	92
<i>falmina (28)</i>	112
<i>famciclovir</i>	10
<i>famotidine</i>	98
<i>famotidine (pf)</i>	98
<i>famotidine (pf)-nacl (iso-os)</i>	98
FANAPT	55
FANAPT TITRATION PACK A	55
FANAPT TITRATION PACK B	55
FANAPT TITRATION PACK C	55
FARXIGA	86
FASENRA	121
FASENRA PEN	121
<i>febuxostat</i>	105
<i>feirza</i>	112
<i>felbamate</i>	41
<i>felodipine</i>	64
<i>fenofibrate</i>	71
<i>fenofibrate micronized</i>	71
<i>fenofibrate nanocrystallized</i>	71
<i>fenofibric acid</i>	71
<i>fenofibric acid (choline)</i>	71
<i>fentanyl</i>	49
<i>fentanyl citrate</i>	49
FETZIMA	55
FILSPARI	72
<i>finasteride</i>	125
<i>fingolimod</i>	47
FINTEPLA	41
FIRDAPSE	47
FIRMAGON KIT W DILUENT SYRINGE	27
<i>flac otic oil</i>	84
<i>flecainide</i>	62
<i>flouxuridine</i>	27
<i>fluconazole</i>	8
<i>fluconazole in nacl (iso-osm)</i>	8
<i>flucytosine</i>	8
<i>fludarabine</i>	27
<i>fludrocortisone</i>	84
<i>flumazenil</i>	55
<i>flunisolide</i>	121
<i>fluocinolone</i>	78, 79
<i>fluocinolone acetonide oil</i>	84
<i>fluocinolone and shower cap</i>	78
<i>fluocinonide</i>	79
<i>fluocinonide-emollient</i>	79
<i>fluoride (sodium)</i>	83, 129
<i>fluorometholone</i>	118
<i>fluorouracil</i>	27, 75
<i>fluoxetine</i>	55, 56
<i>fluoxetine (pmdd)</i>	55
<i>fluphenazine decanoate</i>	56
<i>fluphenazine hcl</i>	56
<i>flurbiprofen</i>	51
<i>flurbiprofen sodium</i>	117
<i>fluticasone propionate</i>	121

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 07/22/2025

<i>fluticasone propion-salmeterol</i>	gentamicin sulfate (ped) (pf)	16
.....121		
<i>fluvoxamine</i>	GENVOYA	10
.....56		
<i>folic acid</i>	GILOTrif	28
.....129		
<i>FOLOTYN</i>	<i>glatiramer</i>	47
.....27		
<i>fomepizole</i>	<i>glatopa</i>	47
.....101		
<i>fondaparinux</i>	<i>gleostine</i>	28
.....68, 69		
<i>formoterol fumarate</i>	<i>glimepiride</i>	86
.....121		
<i>fosamprenavir</i>	<i>glipizide</i>	86
.....10		
<i>fosinopril</i>	<i>glipizide-metformin</i>	86
.....64		
<i>fosinopril-hydrochlorothiazide</i>	<i>glutamine (sickle cell)</i>	81
.....64		
<i>fosphenytoin</i>	<i>glycopyrrolate</i>	94
.....41		
<i>FOTIVDA</i>	GLYCOPYRROLATE	94
.....27		
<i>FRUZAQLA</i>	<i>glycopyrrolate (pf)</i>	94
.....27		
<i>fulvestrant</i>	<i>glycopyrrolate (pf) in water</i>	94
.....27		
<i>furosemide</i>	<i>glydo</i>	75
.....64		
<i>FUZEON</i>	GLYXAMBI	86
.....10		
<i>fyavolv</i>	GOMEKLI	28
.....109		
<i>FYCOMPRA</i>	<i>granisetron hcl</i>	96
.....41		
G	<i>griseofulvin microsize</i>	8
	<i>griseofulvin ultramicrosize</i>	8
<i>g tussin ac</i>	<i>guaifenesin ac</i>	119
.....119		
<i> gabapentin</i>	<i>guanfacine</i>	56, 64
.....41		
<i>GALAFOLD</i>	GVOKE	86
.....92		
<i>galantamine</i>	GVOKE HYPOOPEN 1-PACK86
.....47		
<i>GAMASTAN</i>	GVOKE HYPOOPEN 2-PACK86
.....101		
<i>GAMMAGARD LIQUID</i>	GVOKE PFS 1-PACK86
..101		
<i>GAMMAGARD S-D (IGA < 1</i>	SYRINGE	86
MCG/ML)		
.....102	GVOKE PFS 2-PACK86
<i>ganciclovir sodium</i>	SYRINGE	86
.....10		
<i>GARDASIL 9 (PF)</i>	H	
.....102	HALAVEN	28
<i>gatifloxacin</i>	<i>halobetasol propionate</i>	79
.....115		
<i>GATTEX 30-VIAL</i>	<i>halolette</i>	110
.....96		
<i>GATTEX ONE-VIAL</i>	<i>haloperidol</i>	56
.....96		
<i>GAUZE PAD</i>	<i>haloperidol decanoate</i>	56
.....105		
<i>gavilyte-c</i>	<i>haloperidol lactate</i>	56
.....96		
<i>gavilyte-g</i>	HAVRIX (PF)	102
.....96		
<i>gavilyte-n</i>	<i>heather</i>	109
.....96		
<i>GAVRETO</i>	<i>heparin (porcine)</i>	69
.....27		
<i>GAZYVA</i>	<i>heparin (porcine) in 5 % dex</i>	69
.....27		
<i>GEFITINIB</i>	<i>heparin (porcine) in nacl (pf)</i>69
.....27		
<i>gemcitabine</i>	<i>heparin(porcine) in 0.45% nacl</i>69
.....27		
<i>GEMCITABINE</i>	HEPARIN(PORCINE) IN	
.....27		
<i>gemfibrozil</i>	0.45% NACL	69
.....71		
<i>generlac</i>		
.....96		
<i>genograf</i>		
.....27		
<i>gentamicin</i>		
.....16, 77, 115		
<i>gentamicin in nacl (iso-osm)</i>		
16		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<i>hydroxychloroquine</i>	16	<i>intralipid</i>	128	JEVTANA	29
<i>hydroxyurea</i>	28	<i>introvale</i>	112	<i>jinteli</i>	109
<i>hydroxyzine hcl</i>	119	INVEGA HAFYERA	56	JOENJA	81
<i>hydroxyzine pamoate</i>	119	INVEGA SUSTENNA	57	<i>jolessa</i>	112
HYQVIA	102	INVEGA TRINZA	57	<i>juleber</i>	112
I		INVELTYS	118	JULUCA	10
<i>ibandronate</i>	106	IPOL	102	JUXTAPID	71
IBRANCE	28	<i>ipratropium bromide</i>	83, 121	JYLAMVO	29
<i>ibu</i>	51	<i>ipratropium-albuterol</i>	121	JYNNEOS (PF)	102
<i>ibuprofen</i>	51	<i>irbesartan</i>	64	K	
<i>icatibant</i>	121	<i>irbesartan-hydrochlorothiazide</i>	64	KADCYLA	29
ICLUSIG	28	<i>irinotecan</i>	29	KALETRA	10
<i>icosapent ethyl</i>	71	ISENTRESS	10	<i>kalliga</i>	112
<i>idarubicin</i>	28	ISENTRESS HD	10	KALYDECO	121
IDHIFA	28	<i>isibloom</i>	112	KANUMA	92
<i>ifosfamide</i>	28	ISOLYTE S PH 7.4	128	<i>kariva (28)</i>	112
ILARIS (PF)	99	ISOLYTE-P IN 5 %		<i>kelnor 1/35 (28)</i>	112
<i>imatinib</i>	28	DEXTROSE	128	<i>kelnor 1/50 (28)</i>	112
IMBRUVICA	28	ISOLYTE-S	128	KEPIVANCE	22
IMFINZI	28	<i>isoniazid</i>	17	KERENDIA	64
<i>imipenem-cilastatin</i>	17	<i>isosorbide dinitrate</i>	73	KESIMPTA PEN	47
<i>imipramine hcl</i>	56	<i>isosorbide mononitrate</i>	73	<i>ketoconazole</i>	8, 77
<i>imipramine pamoate</i>	56	<i>isotretinoin</i>	76	<i>ketorolac</i>	51, 117
<i>imiquimod</i>	75	<i>isradipine</i>	64	KEYTRUDA	29
IMKELDI	28	ISTODAX	29	KHAPZORY	22
IMOVA X RABIES VACCINE (PF)	102	ISTURISA	92	KIMMTRAK	29
IMPAVIDO	17	ITOVEBI	29	KINRIX (PF)	102
<i>incassia</i>	109	<i>itraconazole</i>	8	KISQALI	29, 30
INCRELEX	81	IVABRADINE	72	KISQALI FEMARA CO-	
INCRUSE ELLIPTA	121	<i>ivermectin</i>	17	PACK	29
<i>indapamide</i>	64	IWILFIN	29	<i>klayesta</i>	77
<i>indomethacin</i>	51	IXCHIQ (PF)	102	<i>klor-con</i>	126
INFANRIX (DTAP) (PF)	102	IXEMPRA	29	<i>klor-con 10</i>	125
INLYTA	28	IXIARO (PF)	102	<i>klor-con 8</i>	125
INQOVI	29	J		<i>klor-con m10</i>	126
INREBIC	29	<i>jaimiess</i>	112	<i>klor-con m15</i>	126
INSULIN ASP PRT-INSULIN ASPART	87	JAKAFI	29	<i>klor-con m20</i>	126
INSULIN ASPART U-100	87, 88	<i>jantoven</i>	69	<i>klor-con/ef</i>	126
INSULIN LISPRO	88	JANUMET	88	KOSELUGO	30
INSULIN LISPRO PROTAMIN-LISPRO	88	JANUMET XR	88	<i>kourzeq</i>	83
INSULIN PEN NEEDLE	105	JANUVIA	88	K-PHOS ORIGINAL	125
INSULIN SYRINGE (DISP) U-100	105	JARDIANCE	88	KRAZATI	30
INTELENCE	10	<i>jasmiel (28)</i>	112	KRYSTEXXA	105
		JAYPIRCA	29	<i>kurvelo (28)</i>	112
		JEMPERLI	29	KYPROLIS	30
		JENTADUETO	88	L	
		JENTADUETO XR	88	<i>l norgest/e.estriadiol-e.estrad</i>	
					112

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<i>labetalol</i>	64	<i>levora-28</i>	113	LUMIGAN	117
<i>lacosamide</i>	41	<i>levo-t</i>	93	LUMIZYME	92
LACOSAMIDE	41	<i>levothyroxine</i>	93	LUPRON DEPOT	31
<i>lactated ringers</i>	126	<i>levoxyl</i>	93	LUPRON DEPOT (3 MONTH)	30
<i>lactulose</i>	96	LIBTAYO	30	LUPRON DEPOT (4 MONTH)	31
LAGEVRIO (EUA)	10	<i>lidocaine</i>	75	LUPRON DEPOT (6 MONTH)	31
<i>lamivudine</i>	10	<i>lidocaine hcl</i>	75	LUPRON DEPOT-PED	31
<i>lamivudine-zidovudine</i>	11	<i>lidocaine viscous</i>	75	LUPRON DEPOT-PED (3 MONTH)	31
<i>lamotrigine</i>	41	<i>lidocaine-prilocaine</i>	75	LLETTA	110
<i>lansoprazole</i>	99	<i>lidocan iii</i>	75	<i>lincomycin</i>	17
LANTUS SOLOSTAR U-100 INSULIN	88	<i>lidocan iv</i>	75	linezolid	17
LANTUS U-100 INSULIN	88	<i>lidocan v</i>	75	<i>linezolid in dextrose 5%</i>	17
<i>lapatinib</i>	30	LILETTA	110	<i>linezolid-0.9% sodium chloride</i>	17
<i>larin 1.5/30 (21)</i>	112	<i>lincomycin</i>	17	LINZESS	96
<i>larin 1/20 (21)</i>	112	linezolid	17	<i>liothyronine</i>	94
<i>larin 24 fe</i>	112	<i>linezolid in dextrose 5%</i>	17	<i>lisinopril</i>	64
<i>larin fe 1.5/30 (28)</i>	112	<i>linezolid-0.9% sodium chloride</i>	17	<i>lisinopril-hydrochlorothiazide</i>	64
<i>larin fe 1/20 (28)</i>	112	<i>lithium carbonate</i>	57	<i>lithium citrate</i>	57
<i>latanoprost</i>	117	LIVMARLI	96	LIVTENCITY	11
LAZCLUZE	30	LODOC O	72	LOKELMA	81
LEDIPASVIR-SOFOSBUVIR	11	<i>lojaimiess</i>	113	LONSURF	30
<i>leflunomide</i>	107	<i>lopinavir-ritonavir</i>	11	<i>loperamide</i>	94
<i>lenalidomide</i>	30	<i>lorazepam</i>	57	<i>lorazepam intensol</i>	57
LENALIDOMIDE	30	LORBRENA	30	<i>lorazepam</i>	57
LENVIMA	30	<i>loryna (28)</i>	113	<i>losartan</i>	64
<i>lessina</i>	112	<i>losartan-hydrochlorothiazide</i>	64	<i>losartan-hydrochlorothiazide</i>	64
<i>letrozole</i>	30	LOTEMAX SM	118	LOTEMAX SM	118
<i>leucovorin calcium</i>	22	<i>loteprednol etabonate</i>	118	<i>lovastatin</i>	71
LEUKERAN	30	<i>lovastatin</i>	71	<i>low-ogestrel (28)</i>	113
<i>leuprolide</i>	30	<i>loxapine succinate</i>	57	<i>loxapine succinate</i>	57
<i>levalbuterol hcl</i>	121	<i>lo-zumandimine (28)</i>	113	<i>lubiprostone</i>	96
<i>levetiracetam</i>	42	LUMAKRAS	30	LUMAKRAS	30
<i>levetiracetam in nacl (iso-os)</i>	41, 42				
<i>levobunolol</i>	116				
<i>levocarnitine</i>	81				
<i>levocarnitine (with sugar)</i>	81				
<i>levocetirizine</i>	119				
<i>levofloxacin</i>	21, 115				
<i>levofloxacin in d5w</i>	21				
<i>levoleucovorin calcium</i>	22				
<i>levonest (28)</i>	112				
<i>levonorgestrel-ethinyl estrad</i>	112				
<i>levonorg-eth estrad triphasic</i>	113				

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

MEKINIST	31	metyrosine	65	nadolol	65
MEKTOVI	31	mexiletine.....	62	nafcillin.....	20
<i>meloxicam</i>	51	micafungin.....	8	nafcillin in dextrose iso-osm.	20
<i>melphalan hcl</i>	31	microgestin 1.5/30 (21)	113	naftifine	77
<i>memantine</i>	47	microgestin 1/20 (21)	113	NAGLAZYME	92
<i>memantine-donepezil</i>	47	microgestin fe 1.5/30 (28) ..	113	naloxone	51
MENEST	109	microgestin fe 1/20 (28) ..	113	naltrexone	51
MENQUADFI (PF).....	103	midodrine.....	81	NAMZARIC	47
MENVEO A-C-Y-W-135-DIP (PF).....	103	mifepristone	92	naproxen	51, 52
MEPSEVII	92	mil.....	113	naproxen sodium	52
<i>mercaptopurine</i>	31	milrinone	72	naratriptan.....	45
<i>meropenem</i>	17	milrinone in 5 % dextrose ..	72	nateglinide	89
MEROPENEM-0.9% SODIUM CHLORIDE	17	mimvey.....	109	NAYZILAM	42
mesalamine	96, 97	minocycline.....	21	nebivolol	65
<i>mesalamine with cleansing wipe</i>	97	minoxidil	65	NEEDLES, INSULIN DISP.,SAFETY	105
mesna.....	22	mirtazapine	58	nefazodone	58
metformin	89	misoprostol	99	nelarabine	32
methadone	49, 50	mitomycin	32	neomycin	17
methadone intensol.....	49	mitoxantrone.....	32	neomycin-bacitracin-poly-hc	117
methadose.....	50	M-M-R II (PF).....	103	neomycin-bacitracin- polymyxin.....	115
methazolamide.....	117	modafinil.....	58	neomycin-polymyxin b- dexameth.....	117, 118
methenamine hippurate	22	moexipril.....	65	neomycin-polymyxin- gramicidin.....	115
methenamine mandelate.....	22	molindone	58	neomycin-polymyxin-hc	84, 118
methimazole.....	85	mometasone	79, 122	neo-polycin	115
methocarbamol.....	48	mondoxyne nl.....	21	neo-polycin hc	118
methotrexate sodium	32	MONJUVI.....	32	NERLYNX	32
methotrexate sodium (pf).....	32	mono-linyah.....	113	nevirapine	11
methoxsalen	75	montelukast.....	122	NEXLETOL	71
methsuximide	42	morphine.....	50	NEXLIZET	71
methylergonovine	115	MOUNJARO.....	89	NEXPLANON	110
methylphenidate hcl.....	58	MOVANTIK	97	niacin	71
methylprednisolone	85	moxifloxacin	21, 115	nicardipine	65
methylprednisolone acetate..	85	MOXIFLOXACIN- SOD.ACE,SUL-WATER.	21	NICOTROL NS	83
methylprednisolone sodium succ.....	85	moxifloxacin-sod.chloride(iso)	21	nifedipine	65
metoclopramide hcl	97	MOZOBIL	99	nikki (28).....	113
metolazone.....	65	MRESVIA (PF).....	103	nilutamide	32
metoprolol succinate	65	mupirocin.....	77	nimodipine	65
metoprolol ta-hydrochlorothiaz	65	MYALEPT	92	NINLARO	32
metoprolol tartrate	65	MYCAPSSA	32	nisoldipine	65
metro i.v.....	17	mycophenolate mofetil.....	32	nitazoxanide	17
metronidazole	17, 76, 110	mycophenolate mofetil (hcl) .	32	nitisinone	81
<i>metronidazole in nacl (iso-os)</i>	17	mycophenolate sodium	32	nitro-bid	73
		MYLOTARG	32	nitrofurantoin macrocrystal	22
		MYRBETRIQ	124		
		N			
		nabumetone	51		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<i>nitrofurantoin monohyd/m-</i>	47	ORENCIA CLICKJECT	107
<i>cryst</i>22		<i>orenitram</i>66	
<i>nitroglycerin</i>73, 97		ORENITRAM66	
<i>nitroglycerin in 5 % dextrose</i>		ORENITRAM MONTH 1	
.....73		TITRATION KT65	
NIVESTYM99, 100		ORENITRAM MONTH 2	
nizatidine99		TITRATION KT66	
nora-be109		ORENITRAM MONTH 3	
norelgestromin-ethin.estradiol	110	TITRATION KT66	
.....110		ORGOVYX33	
<i>norepinephrine bitartrate</i>72		ORILISSA92	
<i>norethindrone (contraceptive)</i>		ORKAMBI122	
.....110		ORLADEYO122	
<i>norethindrone acetate</i>110		ORPHENADRINE CITRATE	48
<i>norethindrone ac-eth estradiol</i>	110, 113	
.....110, 113		ORSERDU33	
<i>norethindrone-e.estriadiol-iron</i>	113	oseltamivir11	
.....113		osmitrol 20 %66	
<i>norgestimate-ethinyl estradiol</i>	113	OTEZLA107	
.....113		OTEZLA STARTER107	
<i>nortrel 0.5/35 (28)</i>113		<i>oxacillin</i>20	
<i>nortrel 1/35 (21)</i>113		<i>oxacillin in dextrose(iso-osm)</i>	20
<i>nortrel 1/35 (28)</i>113		
<i>nortrel 7/7/7 (28)</i>113		<i>oxaliplatin</i>33	
<i>nortriptyline</i>58		<i>oxaprozin</i>52	
NORVIR11		<i>oxcarbazepine</i>42	
NOVOLIN 70/30 U-100		OXERVATE116	
INSULIN89		<i>oxybutynin chloride</i>124	
NOVOLIN 70-30 FLEXPEN		<i>oxycodone</i>50	
U-10089		<i>oxycodone-acetaminophen</i> ..50	
NOVOLIN N FLEXPEN89		OXYCONTIN50	
NOVOLIN N NPH U-100		OZEMPIC90	
INSULIN89		P	
NOVOLIN R FLEXPEN89		<i>pacerone</i>62	
NOVOLIN R REGULAR		<i>paclitaxel</i>34	
U100 INSULIN89		PADCEV34	
NOVOLOG FLEXPEN U-100		<i>paliperidone</i>58	
INSULIN89		<i>palonosetron</i>97	
NOVOLOG MIX 70-30 U-100		<i>pamidronate</i>92	
INSULN89		PANRETIN75	
NOVOLOG MIX 70-		<i>pantoprazole</i>99	
30FLEXPEN U-10089		PANZYGA103	
NOVOLOG PENFILL U-100		<i>paraplatin</i>34	
INSULIN90		<i>paricalcitol</i>92	
NOVOLOG U-100 INSULIN		<i>paroxetine hcl</i>59	
ASPART90		PAXLOVID11	
NUBEQA32		<i>pazopanib</i>34	
NUCALA122		PEDIARIX (PF)103	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

PEDVAX HIB (PF).....	103
<i>peg 3350-electrolytes</i>	97
PEGASYS	100
<i>peg-electrolyte</i>	97
PEMAZYRE	34
PENBRAYA (PF)	103
<i>penciclovir</i>	78
<i>penicillamine</i>	108
PENICILLIN G POT IN DEXTROSE.....	20
<i>penicillin g potassium</i>	20
<i>penicillin g sodium</i>	20
<i>penicillin v potassium</i>	20
PENTACEL (PF)	103
<i>pentamidine</i>	17
PENTASA.....	97
<i>pentoxifylline</i>	69
<i>perindopril erbumine</i>	66
<i>periogard</i>	83
PERJETA	34
<i>permethrin</i>	79
<i>perphenazine</i>	59
<i>pfizerpen-g</i>	20
PHEBURANE.....	81
<i>phenelzine</i>	59
<i>phenobarbital</i>	42
<i>phenobarbital sodium</i>	42
<i>phentolamine</i>	66
<i>phenytoin</i>	42
<i>phenytoin sodium</i>	42
<i>phenytoin sodium extended</i> ..	42
<i>philith</i>	113
PIFELTRO	11
<i>pilocarpine hcl</i>	81, 116
<i>pimecrolimus</i>	75
<i>pimozide</i>	59
<i>pimtrea (28)</i>	113
<i>pindolol</i>	66
<i>pioglitazone</i>	90
<i>piperacillin-tazobactam</i>	20
PIPERACILLIN- TAZOBACTAM	20
PIQRAY	34
<i>pirfenidone</i>	122
<i>piroxicam</i>	52
<i>pitavastatin calcium</i>	71
PLASMA-LYTE A	128
PLEGRIDY	100
PLENAMINE	128
<i>podofilox</i>	76
POLIVY	34
<i>polocaine</i>	76
<i>polocaine-mpf</i>	76
<i>polycin</i>	115
<i>polymyxin b sulf-trimethoprim</i>	115
POMALYST	34
<i>portia 28</i>	114
<i>posaconazole</i>	8
<i>potassium acetate</i>	126
<i>potassium chlorid-d5-</i> <i>0.45%nacl</i>	126
<i>potassium chloride</i>	126, 127
<i>potassium chloride in</i> <i>0.9%nacl</i>	126
<i>potassium chloride in 5 % dex</i>	126
<i>potassium chloride in lr-d5</i>	126
<i>potassium chloride in water</i>	126
<i>potassium chloride-0.45 %</i> <i>nacl</i>	127
<i>potassium chloride-d5-</i> <i>0.2%nacl</i>	127
<i>potassium chloride-d5-</i> <i>0.9%nacl</i>	127
<i>potassium citrate</i>	125
<i>potassium phosphate m-/d-</i> <i>basic</i>	127
POTELIGEO	34
<i>pramipexole</i>	44
<i>prasugrel hcl</i>	69
<i>pravastatin</i>	71
<i>praziquantel</i>	17
<i>prazosin</i>	66
<i>prednisolone</i>	85
<i>prednisolone acetate</i>	118
<i>prednisolone sodium</i> <i>phosphate</i>	85, 118
<i>prednisone</i>	85
<i>prednisone intensol</i>	85
<i>pregabalin</i>	42
PREMARIN	110
<i>premasol 10 %</i>	128
PREMPHASE	110
PREMPRO	110
<i>prenatal vitamin oral tablet</i>	129
<i>prevalite</i>	71
PREVIDENT 5000 BOOSTER PLUS	83
PREVIDENT 5000 DRY MOUTH	83
PREVYMIC	11
PREZCOBIX	11
PREZISTA	11
PRIFTIN	17
PRIMAQUINE	17
<i>primidone</i>	42
PRIORIX (PF)	103
PRIVIGEN	103
<i>probenecid</i>	105
<i>probenecid-colchicine</i>	105
<i>prochlorperazine</i>	97
<i>prochlorperazine maleate oral</i>	97
PROCRT	100
<i>procto-med hc</i>	97
<i>proctosol hc</i>	97
<i>proctozone-hc</i>	97
<i>progesterone</i>	110
<i>progesterone micronized</i>	110
PROGRAF	34
PROLASTIN-C	82
PROLIA	106
PROMACTA	69, 70
<i>promethazine</i>	119
<i>propafenone</i>	62
<i>propranolol</i>	66
<i>propylthiouracil</i>	85
PROQUAD (PF).....	103
<i>protamine</i>	70
<i>protriptyline</i>	59
PULMICORT FLEXHALER	122
PULMOZYME	122
<i>pyrazinamide</i>	18
<i>pyridostigmine bromide</i>	48
<i>pyrimethamine</i>	18
Q	
QINLOCK	34
QUADRACEL (PF)	103
<i>quetiapine</i>	59
<i>quinapril</i>	66
<i>quinapril-hydrochlorothiazide</i>	66

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<i>quinidine sulfate</i>	62	<i>risperidone</i>	59	SIMULECT	35
<i>quinine sulfate</i>	18	<i>ritonavir</i>	12	<i>simvastatin</i>	71
QULIPTA	45	<i>rivastigmine</i>	47	<i>sirolimus</i>	35
R		<i>rivastigmine tartrate</i>	47	SIRTURO	18
RABAVERT (PF)	103	<i>rizatriptan</i>	45	SKYCLARYS	47
<i>rabeprazole</i>	99	ROCKLATAN	117	SKYRIZI	74, 98
RADICAVA	47	<i>roflumilast</i>	122	sodium acetate	127
RADICAVA ORS	47	<i>romidepsin</i>	34	sodium benzoate-sod	
RADICAVA ORS STARTER KIT SUSP	47	ROMVIMZA	35	<i>phenylacet</i>	82
RALDESY	59	<i>ropinirole</i>	45	sodium bicarbonate	127
<i>raloxifene</i>	106	<i>rosuvastatin</i>	71	sodium chloride	82, 127
<i>ramelteon</i>	59	ROTARIX	104	sodium chloride 0.45 %	127
<i>ramipril</i>	66	ROTATEQ VACCINE	104	sodium chloride 0.9 %	82
<i>ranolazine</i>	72	<i>roweepra</i>	42	sodium chloride 3 %	
<i>rasagiline</i>	44	ROZLYTREK	35	<i>hypertonic</i>	127
RAVICTI	82	RUBRACA	35	<i>sodium chloride 5 %</i>	
<i>reclipsen (28)</i>	114	<i>rufinamide</i>	43	<i>hypertonic</i>	127
RECOMBIVAX HB (PF)	104	RUKOBIA	12	sodium fluoride 5000 dry	
REGRANEX	76	RUXIENCE	35	<i>mouth</i>	83
RELENZA DISKHALER	11	RYBELSUS	90	sodium fluoride 5000 plus	84
REMICADE	97	RYBREVANT	35	sodium fluoride-pot nitrate	84
RENACIDIN	125	RYDAAPT	35	sodium nitroprusside	73
<i>repaglinide</i>	90	RYLAZE	35	SODIUM OXYBATE	60
REPATHA	71	S		<i>sodium phenylbutyrate</i>	82
REPATHA PUSHTRONEX	71	<i>sajazir</i>	122	<i>sodium phosphate</i>	127
REPATHA SURECLICK	71	SANTYL	76	<i>sodium polystyrene sulfonate</i>	82
RETACRIT	100	<i>sapropterin</i>	92	SOFOBUVIR-	
RETEVMO	34	SARCLISA	35	<i>VELPATASVIR</i>	12
RETROVIR	11	SAVELLA	108	SOHONOS	82
REVCOVI	82	SCEMBLIX	35	<i>solifenacin</i>	124
REVUFORJ	34	<i>scopolamine base</i>	97	SOLIQUA 100/33	90
REXULTI	59	SECUADO	60	SOLTAMOX	35
REYATAZ	12	<i>selegiline hcl</i>	45	SOMATULINE DEPOT	35
REZLIDHIA	34	<i>.selenium sulfide</i>	74	SOMAVERT	92
REZUROCK	34	SELZENTRY	12	<i>sorafenib</i>	35
RHOPRESSA		SEREVENT DISKUS	122	<i>sotalol</i>	62
<i>ribavirin</i>	12	<i>sertraline</i>	60	<i>sotalol af</i>	62
RIDAURA	108	<i>setlakin</i>	114	SPIRIVA RESPIMAT	123
<i>rifabutin</i>	18	<i>sf 83</i>		<i>spironolactone</i>	66
<i>rifampin</i>	18	<i>sf 5000 plus</i>	83	<i>spironolacton-</i>	
<i>riluzole</i>	82	<i>sharobel</i>	110	<i>hydrochlorothiaz</i>	66
<i>rimantadine</i>	12	SHINGRIX (PF)	104	<i>sprintec (28)</i>	114
<i>ringer's</i>	127	SIGNIFOR	35	SPRITAM	43
RINVOQ	108	<i>sildenafil</i>	125	<i>sps (with sorbitol)</i>	82
RINVOQ LQ	108	<i>sildenafil (pulmonary arterial</i>		<i>sronyx</i>	114
<i>risedronate</i>	82, 106	<i>hypertension)</i>	123	<i>ssd</i>	76
RISPERDAL CONSTA	59	<i>silver sulfadiazine</i>	76	STAMARIL (PF)	104
		SIMBRINZA	117	STELARA	74

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

STIOLTO RESPIMAT	123	TASIGNA	36	tizanidine	48
STIVARGA.....	35	tasimelteon.....	60	TOBI PODHALER	18
STRENSIQ.....	92	TAVALISSE	70	tobramycin	18, 115
STREPTOMYCIN	18	TAVNEOS	82	tobramycin in 0.225 % nacl..	18
STRIBILD	12	tazarotene	77	tobramycin sulfate	18
STRIVERDI RESPIMAT ..	123	tazicef.....	14	tobramycin-dexamethasone	118
subvenite.....	43	TAZVERIK	36	tolterodine.....	124
SUCRAID	98	TECENTRIQ.....	36	tolvaptan	93
sucralfate	99	TEFLARO	14	topiramate.....	43
sulfacetamide sodium	116	telmisartan.....	66	topotecan	36, 37
sulfacetamide sodium (acne)	77	telmisartanamlodipine	66	toremifene	37
sulfacetamide-prednisolone	116	telmisartanhydrochlorothiazid	66	torsemide	67
sulfadiazine.....	21	temazepam	60	TOUJEO MAX U-300	
sulfamethoxazole-trimethoprim	21	TEMODAR	36	SOLOSTAR	90
sulfasalazine	98	temsirolimus	36	TOUJEO SOLOSTAR U-300	
sulindac	52	TENIVAC (PF)	104	INSULIN	90
sumatriptan.....	45	tenofovir disoproxil fumarate	12	TRADJENTA	90
sumatriptan succinate	45, 46	TEPMETKO.....	36	tramadol	52
sunitinib malate	36	terazosin	66, 67	tramadol-acetaminophen.....	52
SUNLENCA.....	12	terbinafine hcl.....	8	trandolapril.....	67
SUNOSI	60	terbutaline	123	tranexamic acid	110
syeda.....	114	terconazole	110	tranylcypromine.....	60
SYMDEKO	123	TERIFLUNOMIDE.....	47	travasol 10 %.....	128
SYMLINPEN 120	90	TERIPARATIDE	106	travoprost	117
SYMLINPEN 60	90	testosterone	93	TRAZIMERA	37
SYMPAZAN.....	43	testosterone cypionate	93	trazodone	60
SYMTUZA.....	12	testosterone enanthate	93	TREANDA	37
SYNAGIS.....	12	tetrabenazine	48	TRECATOR	18
SYNAREL	93	tetracycline	21	TRELEGY ELLIPTA.....	123
SYNJARDY	90	THALOMID.....	36	TREMFYA	74
SYNJARDY XR	90	theophylline	123	TREMFYA PEN	74
SYNTHROID.....	94	thioridazine.....	60	TREMFYA PEN	
T		thiotepa	36	INDUCTION PK-CROHN	74
TABLOID	36	thiothixene	60	treprostinil sodium.....	67
TABRECTA.....	36	tiadylt er	67	TRESIBA FLEXTOUCH U-	
tacrolimus.....	36, 76	tiagabine	43	100	90
tadalafil	125	TIBSOVO.....	36	TRESIBA FLEXTOUCH U-	
tadalafil (pulmonary arterial hypertension) oral tablet 20 mg	123	TICE BCG	104	200	90
TAFINLAR	36	TICOVAC	104	TRESIBA U-100 INSULIN	.91
TAGRISSO	36	tigecycline.....	18	tretinoin (antineoplastic)	37
TALZENNA.....	36	tilia fe.....	114	tretinoin topical	77
tamoxifen	36	timolol maleate	67, 116	triamcinolone acetonide	79, 84, 85
tamsulosin.....	125	tinidazole	18	triamterene-hydrochlorothiazid	67
tarina 24 fe	114	TIVDAK.....	36	tridacaine ii	76
tarina fe 1-20 eq (28)	114	TIVICAY	12	triderm	79
		TIVICAY PD	12		

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

<i>trientine</i>	82	<i>valsartan-hydrochlorothiazide</i>	38
<i>tri-estarrylla</i>	114	67
<i>trifluoperazine</i>	60	<i>VALTOCO</i>	52
<i>trifluridine</i>	116	43
<i>trihexyphenidyl</i>	45	<i>valtya</i>	105
<i>TRIJARDY XR</i>	91	114
<i>TRIKAFTA</i>	123	<i>vancomycin</i>	38
<i>tri-legest fe</i>	114	18
<i>tri-linyah</i>	114	<i>VANCOMYCIN</i>	38
<i>tri-lo-estarrylla</i>	114	18
<i>tri-lo-marzia</i>	114	<i>VANCOMYCIN IN 0.9 %</i>	9
<i>tri-lo-sprintec</i>	114	SODIUM CHL	8
<i>trimethoprim</i>	22	13
<i>trimipramine</i>	60	<i>vandazole</i>	38
<i>TRINTELLIX</i>	60	110
<i>tri-sprintec (28)</i>	114	<i>VANFLYTA</i>	98
<i>TRIUMEQ</i>	12	37
<i>TRIUMEQ PD</i>	12	<i>VAQTA (PF)</i>	61
<i>trivora (28)</i>	114	104, 105
<i>TRODELVY</i>	37	<i>varenicline tartrate</i>	48
<i>TROGARZO</i>	12	83
<i>TROPHAMINE 10 %</i>	128	<i>VARIVAX (PF)</i>	48
<i>trospium</i>	124	105
<i>TRULICITY</i>	91	<i>VARUBI</i>	73
<i>TRUMENBA</i>	104	98
<i>TRUQAP</i>	37	<i>VAXCHORA VACCINE</i>	73
<i>TUKYSA</i>	37	105
<i>TURALIO</i>	37	<i>VECAMYL</i>	117
<i>turqoz (28)</i>	114	73
<i>TWINRIX (PF)</i>	104	<i>VECTIBIX</i>	61
<i>TYPHIM VI</i>	104	37
<i>TYSABRI</i>	48	<i>VEKLURY</i>	38
<i>TYVASO DPI</i>	123	12
U		<i>velivet triphasic regimen (28)</i>	12
<i>unithroid</i>	94	114
<i>UNITUXIN</i>	37	<i>VELTASSA</i>	12
<i>UPTRAVI</i>	67	82
<i>ursodiol</i>	98	<i>VEMLIDY</i>	44
<i>UZEDY</i>	60, 61	37
V		<i>VENCLEXTA</i>	38
<i>valacyclovir</i>	12	37
<i>VALCHLOR</i>	76	<i>VENCLEXTA STARTING</i>	38
<i>valganciclovir</i>	12	PACK	44
<i>valproic acid</i>	43	<i>venlafaxine</i>	61
<i>valproic acid (as sodium salt)</i>	43	67
		<i>verapamil</i>	73
<i>valrubicin</i>	37	61
<i>valsartan</i>	67	<i>VERQUVO</i>	37
		61
		<i>VERSACLOZ</i>	44
		61
		<i>VERZENIO</i>	44
		37
		<i>vestura (28)</i>	44
		114
		<i>VIBERZI</i>	38
		98
		<i>vienna</i>	38
		114
		<i>vigabatrin</i>	38
		43
		<i>vigadron</i>	38
		43
		<i>vigpoder</i>	38
		43
		<i>VIJOICE</i>	38
		37
		<i>vilazodone</i>	38
		61
		<i>VIMIZIM</i>	38
		93
		<i>VIMKUNYA</i>	38
		105
		<i>vinblastine</i>	38
		37
		<i>vincristine</i>	38
		37
		<i>vinorelbine</i>	38
		38
		<i>VIOKACE</i>	38
		98
		<i>viorele (28)</i>	38
		114
		<i>VIRACEPT</i>	38
		12
		<i>VIREAD</i>	38
		13
		<i>virtussin ac</i>	39
		119
			111

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

XYWAV	61	ZANOSAR	39	ZIRGAN	116
Y		ZARXIO	100	ZOLADEX	39
YERVOY	39	ZEJULA	39	ZOLINZA	39
YF-VAX (PF).....	105	ZELBORAF	39	zolmitriptan.....	46
YONDELIS	39	<i>zenatane</i>	77	zolpidem.....	61
YONSA	39	ZENPEP	98	ZONISADE	44
YUFLYMA(CF).....	108	ZEPBOUND.....	83	<i>zonisamide</i>	44
YUFLYMA(CF) AI CROHN'S-UC-HS.....	108	ZEPOSIA.....	48	<i>zovia 1-35 (28)</i>	115
YUFLYMA(CF) AUTOINJECTOR.....	108	ZEPOSIA STARTER KIT (28- DAY)	48	ZTALMY	44
YUPELRI.....	124	ZEPOSIA STARTER PACK (7-DAY)	48	ZUBSOLV.....	52
<i>yuvafem</i>	110	ZEPZELCA	39	<i>zumandimine (28)</i>	115
Z		<i>zidovudine</i>	13	ZURZUVAE.....	61
<i>zafemy</i>	111	ZIEXTENZO	100	ZYDELIG	39
<i>zafirlukast</i>	124	<i>ziprasidone hcl</i>	61	ZYKADIA	39
<i>zaleplon</i>	61	<i>ziprasidone mesylate</i>	61	ZYNLONTA	39
ZALTRAP	39	ZIRABEV.....	39	ZYPREXA RELPREVV	61

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



**Notice Informing Individuals About Nondiscrimination and Accessibility Requirements
Discrimination is Against the Law**

Sentara Medicare complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Sentara Medicare does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

Sentara Medicare:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - Information written in other languages
- If you need these services, contact:

Sentara Medicare Member Services
PO Box 66189, Virginia Beach, VA 23466
757-552-7401 or toll free 1-877-552-7401
TTY Relay 1-800-828-1140 or 711

If you believe that Sentara Medicare has failed to provide these services or discriminated in another way based on race, color, national origin, age, disability, or sex, you can file a grievance with:

Sentara Medicare
1557 Coordinator/Compliance
PO Box 66189
Virginia Beach, VA 23466
757-552-7485

You can file a grievance in person or by mail. If you need help filing a grievance, please contact the 1557 Coordinator at the information listed above.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at ocrportal.hhs.gov/ocr/portal/lobby.jsf, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 1-800-537-7697 (TDD)

Complaint forms are available at hhs.gov/ocr/office/file/index.html.

If you are visually impaired and need large print or other assistance to view this document, please contact us at 1-855-687-6260.



Multi-Language Insert

Multi-language Interpreter Services

English: We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-800-927-6048 (TTY: 711). Someone who speaks English/Language can help you. This is a free service.

Spanish: Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-800-927-6048. Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

Chinese Mandarin: 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-800-927-6048。我们的中文工作人员很乐意帮助您。这是一项免费服务。

Chinese Cantonese: 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-800-927-6048。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

Tagalog: Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-800-927-6048. Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

French: Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-800-927-6048. Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

Vietnamese: Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-800-927-6048 sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

German: Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-800-927-6048. Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

Korean: 당사는 의료 보험 또는 약품 보험에 관한 질문에 답해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-800-927-6048 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

Russian: Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-800-927-6048. Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

Arabic: إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بالصحة أو جدول الأدوية لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على 1-800-927-6048. سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

Hindi: हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-800-927-6048 पर फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

Italian: È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-800-927-6048. Un nostro incaricato che parla Italiano vi fornirà l'assistenza necessaria. È un servizio gratuito.

Portuguese: Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-800-927-6048. Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

French Creole: Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-800-927-6048. Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

Polish: Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-800-927-6048. Ta usługa jest bezpłatna.

Japanese: 当社の健康保険と薬品処方薬プランに関するご質問にお答えするために、無料の通訳サービスがあります。通訳をご用命になるには、1-800-927-6048 にお電話ください。日本語を話す人が支援いたします。これは無料のサービスです。



PO Box 66189
Virginia Beach, VA 23466

Sentara Medicare
P.O. Box 66189
Virginia Beach, VA 23466
sentarahealthplans.com

This formulary was updated on **07/22/2025**. For more recent information or other questions, please contact Sentara Medicare Member Services at 1-800-543-3359 (TTY users should call 711), 24 hours per day, 7 days per week, or visit: sentarahealthplans.com/cos.

Formulary ID: 25518, Version: 22
This formulary was updated on 07/22/2025