SENTARA HEALTH PLANS

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; <u>fax to 1-800-750-9692</u>. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. If information provided is not complete, correct, or legible, authorization may be delayed.

Drug Requested: Fasenra[®] SQ (benralizumab) (Pharmacy)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name:	
Member Sentara #:	
Prescriber Name:	
Prescriber Signature:	Date:
Office Contact Name:	
Phone Number:	Fax Number:
DEA OR NPI #:	
DRUG INFORMATION: Authorization may be delayed if incomplete.	
Drug Form/Strength:	
Dosing Schedule:	Length of Therapy:
Diagnosis:	ICD Code, if applicable:
Weight:	Date:

<u>Recommended Dosage</u>: 30 mg SubQ once every 4 weeks for the first 3 doses, then once every 8 weeks thereafter

*Sentara Health considers the use of concomitant therapy with Cinqair[®], Dupixent[®], Fasenra[®], Nucala[®], Tezspire[™] and Xolair[®] to be experimental and investigational. Safety and efficacy of these combinations have <u>NOT</u> been established and will <u>NOT</u> be permitted. In the event a member has an active Cinqair[®], Dupixent[®], Nucala[®], Tezspire[™] or Xolair[®] authorization on file, all subsequent requests for Fasenra[®] will <u>NOT</u> be approved.

Medication will be (select <u>ONE</u> of the following):

- □ Self-Administered (pharmacy benefit)
- **Administered by Provider** (medical benefit)

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Initial Authorization: 12 months

- □ Prescribed by or in consultation with an allergist, immunologist or pulmonologist
- □ Member is 12 years of age or older
- □ Has the member been approved for Fasenra[®] previously through the Sentara Health Plans medical department?
 - □ Yes □ No
- □ Member has been diagnosed with severe eosinophilic phenotype defined by a baseline (pre-Fasenra[®]) peripheral blood eosinophil level ≥ 150 cells/microliter at the initiation of treatment
- □ Member is currently being treated with <u>ONE</u> of the following unless there is a contraindication or intolerance to these medications and must be compliant on therapy <u>for at least 90 consecutive days</u> within a year of request:
 - □ High-dose inhaled corticosteroid (ICS) (e.g., greater than 500 mcg fluticasone propionate equivalent/day) <u>AND</u> an additional asthma controller medication (e.g., leukotriene receptor antagonist, long-acting beta-2 agonist (LABA), theophylline)
 - One maximally dosed combination ICS/LABA product (e.g., Advair[®] (fluticasone propionate/salmeterol), Dulera[®] (mometasone/formoterol), Symbicort[®] (budesonide/formoterol))
- □ Member has experienced <u>ONE</u> of the following (check box that applies):
 - More than > 2 exacerbations requiring additional medical treatment (e.g., an increase in oral corticosteroid dose, emergency department, urgent care visits or hospitalizations) within the past 12 months
 - □ Any prior intubation for an asthma exacerbation
- □ Member has a baseline forced expiratory volume (FEV1) < 80% predicted normal (< 90% for members 12-17 years old) submitted within year of request
- Provider must submit member blood eosinophil count after a trial and failure of at least 90 consecutive days of therapy with high dose inhaled corticosteroids <u>AND</u> long-acting inhaled beta-2 agonist. A failure of these medications is defined as a blood count > 150 cells/microliter (submit labs collected within the past 12 months)

Eosinophil count: _____

Date:

Reauthorization: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

- □ Member has experienced a sustained positive clinical response to Fasenra[®] therapy as demonstrated by at least <u>ONE</u> of the following (check all that apply; chart notes must be submitted):
 - □ Increase in percent predicted Forced Expiratory Volume (FEV1) from baseline (pre-treatment)
 - □ Reduction in the dose of inhaled corticosteroids required to control asthma
 - □ Reduction in the use of oral corticosteroids to treat/prevent exacerbation
 - Reduction in asthma symptoms such as chest tightness, coughing, shortness of breath or nocturnal awakenings

(Continued on next page)

- □ Member is currently being treated with <u>ONE</u> of the following unless there is a contraindication or intolerance to these medications:
 - □ High-dose inhaled corticosteroid (ICS) (e.g., greater than 500 mcg fluticasone propionate equivalent/day) <u>AND</u> an additional asthma controller medication (e.g., leukotriene receptor antagonist, long-acting beta-2 agonist (LABA), theophylline)
 - One maximally dosed combination ICS/LABA product (e.g., Advair[®] (fluticasone propionate/salmeterol), Dulera[®] (mometasone/formoterol), Symbicort[®] (budesonide/formoterol))

Medication being provided by a Specialty Pharmacy - PropriumRx

Not all drugs may be covered under every Plan

If a drug is non-formulary on a Plan, documentation of medical necessity will be required.

Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. *<u>Previous therapies will be verified through pharmacy paid claims or submitted chart notes.</u>*