Sentara Health Plans

Medicaid

ASAM Level 3.7 Medically Monitored High Intensity Inpatient Services Adolescent Concurrent, BH 44

Table of Content

Description & Definitions
Criteria
Coding
Document History
References
Policy Approach and Special Notes
Keywords

Effective Date	7/1/2026
Next Review Date	3/2027
Coverage Policy	BH 44
Version	3

All requests for authorization for the services described by this medical policy will be reviewed per Early and Periodic Screening, Diagnostic and Treatment (EPSDT) guidelines. These services may be authorized under individual consideration for Medicaid members under the age of 21-years if the services are judged to be medically necessary to correct or ameliorate the member's condition. Department of Medical Assistance Services (DMAS), Supplement B - EPSDT (Early and Periodic Screening, Diagnosis and Treatment) Manual*.

Description & Definitions:

Intensive inpatient provides 24-hour professionally directed evaluation, observation, and medical and addiction treatment in a facility. A medically managed facility provides nursing care to monitor biomedical conditions during addiction treatment.

Biomedical enhanced services are delivered by appropriately credentialed medical staff, who are available to assess and treat co-occurring biomedical disorders and to monitor the resident's administration of medications in accordance with a physician's prescription. The intensity of nursing care and observation is sufficient to meet the patient's needs.

Co-Occurring Capable - Treatment programs that address co-occurring mental and substance related disorders. They provide assessment, treatment planning, program content and discharge planning. They can provide psychopharmacologic monitoring and psychological assessment and consultation, either on site or through coordinated consultation with off-site providers.

Co-Occurring Enhanced - Describes treatment programs that incorporate policies, procedures, assessments, treatment, and discharge planning processes that accommodate patients who have co-occurring mental and substance related disorders. Mental health symptom management groups are incorporated into addiction treatment. Motivational enhancement therapies specifically designed for those with co-occurring mental and substance-related disorders are more likely to be available (particularly in out-patient settings) and, there is close collaboration or integration with a mental health program that provides crisis backup services and access to mental health case management and continuing care. In contrast to Co-Occurring Capable services, Co-Occurring Enhanced services place their primary focus on the integration of services for mental and substance-related disorders in their staffing, services, and program content.

Criteria:

Continued treatment in Medically Monitored Intensive Inpatient Services level of care for substance-related disorder is considered medically necessary when the following ASAM dimensions are met. The individual, under age of 18 years old meets ASAM criteria Medically Monitored Intensive Inpatient Services when one is met from dimensions 1, 2 or 3, and one additional dimension is met from dimensions 1,2,3, 4, 5, or 6, in addition to the continuation of services criteria

- Individual must meet **ALL** of the following
    - **Diagnosis** : The individual has at least one diagnosis from the most recent Diagnostic and Statistical Manual of Mental Disorders for Substance-Related and Addictive Disorders with the exception of tobacco-related disorders, caffeine use disorder or dependence, and nonsubstance-related addictive disorders
    - Individual must meet either dimension 1, 2 or 3 by **1 or more** of the following
        - **Dimension 1**: Acute intoxication and/or withdrawal potential: Moderate to severe withdrawal, or is at risk of withdrawal, but this is manageable at Level 3.7
        - **Dimension 2**: Biomedical conditions/complications: Require 24-hour medical monitoring, but not intensive treatment
        - **Dimension 3**: Emotional/Behavioral/Cognitive Conditions: The adolescent presentation in dimension 3 meets **1 or more** of the following
            - Moderate risk of harm needing high-intensity 24-hour monitoring or treatment for safety.
            - Severe interference requiring high-intensity residential treatment to support engagement.
            - Severe impairment that cannot be managed at a less intensive level of cared
            - Severe difficulties with activities of daily living requiring 24-hour supervision and high intensity staff assistance.
            - The adolescent history combined with the present situation predicts destabilizing without high-intensity residential services.
    - Individual must meet either dimension 1,2,3, 4, 5 or 6 by **2 or more** of the following
        - **Dimension 1**: Acute intoxication and/or withdrawal potential: Moderate to severe withdrawal, or is at risk of withdrawal, but this is manageable at Level 3.7
        - **Dimension 2**: Biomedical conditions/complications: Require 24-hour medical monitoring, but not intensive treatment
        - **Dimension 3**: Emotional/Behavioral/Cognitive Conditions: The adolescent presentation in dimension 3 meets **1 or more** of the following
            - Moderate risk of harm needing high-intensity 24-hour monitoring or treatment for safety.
            - Severe interference requiring high-intensity residential treatment to support engagement.
            - Severe impairment that cannot be managed at a less intensive level of cared
            - Severe difficulties with activities of daily living requiring 24-hour supervision and high intensity staff assistance.
            - The adolescent history combined with the present situation predicts destabilizing without high-intensity residential services.
        - **Dimension 4*:*** Readiness to Change: Needs motivating strategies in a 24-hour medically monitored program due to no treatment engagement associate with a biomedical, emotional, or behavioral condition, or because he or she actively opposes treatment, requiring secure placement or remain safe or because he or she needs high intensity case management to create linkages that would support outpatient treatment.
        - **Dimension 5:** Relapse, Continued use or Continued Problem Potential: Unable to interrupt high-severity or high frequency pattern of use and/or behaviors and avoid dangerous consequences with out high-intensity 24-hour interventions because of an emotional behavioral, or cognitive condition, severe impulse control problems, withdrawal symptoms and the like
        - **Dimension 6:** Recover Living Environment: Environment is dangerous to his recovery, and he or she requires residential treatment o promote recovery goals or for protection and to help establish a successful transition to a lower level of care.
    - **Continuation** of services with **1 or more** of the following
        - The individual is making progress, but has not yet achieved the goals in the ISP and continued treatment at the present level is assessed as necessary to permit the individual to continue to work towards treatment goals.
        - The individual is not yet making progress but has the capacity to resolve the problem and is actively working on the goals in the ISP.

- New problems have been identified that are appropriately treated at the present LOC and this level is the least intensive/restrictive at which the individual's new problems can be addressed effectively.

There is insufficient scientific evidence to support the medical necessity of intensive inpatient admission for substance abuse for uses other than those listed in the clinical indications for procedure section.

Service Units and Limitations:

- Members shall be discharged from this service when other less intensive services may achieve stabilization, the member requests discharge, the member leaves the facility or a higher level of care is needed for the member.
- ASAM Level 3.7 may be provided concurrently with Preferred OBOT or OTP services. Preferred OBOT and OTP services including medications, labs, and urine drug screens may be billed separately in community-based settings but not inpatient settings. For more information, refer to the Opioid Treatment Services Supplement to this Provider Manual.
- Group substance use counseling by CATPs, CSACs and CSAC supervisees shall have a maximum limit of 12 individuals in the group or less depending on the clinical model. Group size may exceed this limit based on the determination of the CATP. Such counseling shall focus on the needs of the members served.
- CSACs and CSAC-supervisees by scope of practice are able to perform group substance use counseling, thus could provide counseling and psychoeducational services in this level of care.
- Providers may not bill another payer source for any supervisory services; daily supervision, including one-on-one, is included in the Medicaid per diem reimbursement.
- Residential treatment services do not include interventions and activities designed only to meet the supportive non-mental health special needs, including but not limited to personal care, habilitation, or academic-educational needs of the member.
- One unit of service is one day.
- There are no maximum annual limits but shall meet ASAM Criteria.

Continued Service Criteria: ASAM Criteria states it is appropriate to retain the member at the present level of care if:
DMAS ARTs manual covered Services and limitations Ch 4 page 47

1. The member is making progress, but has not yet achieved the goals articulated in the ISP. Continued treatment at the present level of care is assessed as necessary to permit the member to continue to work towards treatment goals; or
2. The member is not yet making progress but has the capacity to resolve his or her problems. He or she is actively working on the goals articulated in the ISP. Continued treatment at the present level of care is assessed as medically necessary to permit the member to continue to work toward his or her treatment goals; and/or
3. New problems have been identified that are appropriately treated at the present level of care. This level is the least intensive and or restrictive at which the member's new problems can be addressed effectively.

Discharge/Transfer Criteria It is appropriate to transfer or discharge the member from the present level of care if he or she meets the following criteria:

- The member has achieved the goals articulated in the ISP, thus resolving the problem(s) that justified admission to the current level of care; or
- The member has been unable to resolve the problem(s) that justified admission to the present level of care, despite amendments to the ISP. Treatment at another level of care or type of service therefore is indicated; or
- The member has demonstrated a lack of capacity to resolve his or her problem(s). Treatment at another level of care or type of service therefore is indicated; or
- The member has experienced an intensification of his or her problem(s), or has developed a new problem(s), and can be treated effectively only at a more intensive level of care.

Coding:

CPT/HCPCS codes considered **medically necessary** if policy criteria are met:

Coding	Description
H2036	Alcohol and/or other drug treatment program, per diem

CPT/HCPCS codes considered **not medically necessary** per this policy:

Coding	Description
	None

The preceding codes are included above for informational purposes only and may not be all inclusive. Additionally, inclusion or exclusion of a treatment, procedure, or device code(s) does not constitute or imply member coverage or provider reimbursement.

Document History:

Revised Dates:

2025: April – Annual review completed. Criteria simplified and housekeeping to update policy to new format. Effective date 7.1.2025

Reviewed Dates:

2026: March – No changes to criteria. Updated reference links only. Effective date 7.1.2026.

2024: September – Review completed, no changes.

Original Date: June 2023

References:

Commonwealth of Virginia. Department of Medical Assistance Services (DMAS), Addiction and Recovery Treatment Services (ARTS) Manual, Chapter IV; Covered Services and Limitations, Revision Date 07/07/2025. ARTS Covered Services and Limitations 07/07/2025

The American Society of Addiction Medicine Criteria (ASAM): Treatment Criteria for Addictive, Substance-Related, and Co-Occurring Conditions--Third Edition (2013), pg. 175-176.

MCG 29th Edition: MCG Health - 29th Edition

Policy Approach and Special Notes:

- Coverage: See the appropriate benefit document for specific coverage determination. Member specific benefits take precedence over medical policy.
- Application to Products: Policy is applicable to Sentara Health Plans Virginia Medicaid Products Only.
  - See MCG guidelines for all other Lines of Business.
- Authorization Requirements: Pre-certification by the Plan is required.
- Special Notes:
  - This medical policy express Sentara Health Plan's determination of medically necessity of services, and they are based upon a review of currently available clinical information. These policies are used when no specific guidelines for coverage are provided by the Department of Medical Assistance Services of Virginia (DMAS). Medical Policies may be superseded by state Medicaid Plan guidelines. Medical policies are not a substitute for clinical judgment or for any prior authorization requirements of the health plan. These policies are not an explanation of benefits.
  - Medical policies can be highly technical and complex and are provided here for informational purposes. These medical policies are intended for use by health care professionals. The medical policies do not constitute medical advice or medical care. Treating health care professionals are solely responsible for diagnosis, treatment and medical advice. Sentara Health Plan members should discuss the information in the medical policies with their treating health care professionals. Medical technology is constantly evolving and these medical policies are subject to change without notice, although Sentara Health Plan will notify providers as required in advance of changes that could have a negative impact on benefits.
  - The Early and Periodic Screening, Diagnostic and Treatment (EPSDT) covers services, products, or procedures for children, if those items are determined to be medically necessary to "correct or ameliorate" (make better) a defect, physical or mental illness, or condition (health problem) identified through routine medical screening or examination, regardless of whether coverage for the same service or support is an optional or limited service under the state plan. Children enrolled in the FAMIS Program are not eligible for all EPSDT treatment services. All requests for authorization for the services described by this medical

policy will be reviewed per EPSDT guidelines. These services may be authorized under individual consideration for Medicaid members under the age of 21-years if the services are judged to by medically necessary to correct or ameliorate the member's condition. Department of Medical Assistance Services (DMAS), Supplement B - EPSDT (Early and Periodic Screening, Diagnosis and Treatment) Manual.

- Service authorization requests must be accompanied by sufficient clinical records to support the request. Clinical records must be signed and dated by the requesting provider withing 60 days of the date of service requested.

Keywords:

Medically Monitored Intensive Inpatient Admission Substance Abuse, behavioral health 4, shp 44, addiction, intoxication, withdrawal, treatment, substance abuse, relapse, SHP Medically Monitored Intensive Inpatient Admission for Substance Abuse, Medically Monitored High Intensity Inpatient Services-Adolescent, ASAM Level 3.7