SENTARA COMMUNITY PLAN (MEDICAID)

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; <u>fax to 1-800-750-9692</u>. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. <u>If the information provided is not</u> complete, correct, or legible, the authorization process can be delayed.

Drug Requested: Nucala[®] SQ (mepolizumab) Injection (Pharmacy) (Non-Preferred) Severe Eosinophilic Asthma* (SEA)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name:	
Member Sentara #:	Date of Birth:
Prescriber Name:	
Prescriber Signature:	
Office Contact Name:	
Phone Number:	Fax Number:
NPI #:	
DRUG INFORMATION: Authorization may	y be delayed if incomplete.
Drug Name/Form/Strength:	
Dosing Schedule:	Length of Therapy:
Diagnosis:	ICD Code, if applicable:
Weight (if applicable):	Date weight obtained:

Recommended Dosage for Severe Asthma*:

- Adults and adolescents ≥ 12 years: 100 mg/mL SubQ, single-dose prefilled auto-injector or single dose prefilled syringe, once every 4 weeks
- Children \geq 6 years to 11 years: 40 mg/mL SubQ, single-dose prefilled syringe, once every 4 weeks

Quantity Limit: 100 mg per 28 days

*The Health Plan considers the use of concomitant therapy with Cinqair[®], Dupixent[®], Fasenra[®], Tezspire[™] and Xolair[®] to be experimental and investigational. Safety and efficacy of these combinations have <u>NOT</u> been established and will <u>NOT</u> be permitted. In the event a member has an active Cinqair[®], Dupixent[®], Fasenra[®], Tezspire[™] or Xolair[®] authorization on file, all subsequent requests for Nucala[®] will <u>NOT</u> be approved.

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Initial Authorization: 6 months

- Has the member been approved for Nucala[®] previously through the Sentara medical department?
 Yes I No
- 2. Is the member 6 years of age or older?
 - □ Yes □ No
- 3. Does the member have a diagnosis of severe* asthma?
 - □ Yes □ No
- 4. Does the member have asthma with an eosinophilic phenotype defined as blood eosinophils ≥150 cells/μL?
 - □ Yes □ No
- 5. Will coadministration with another monoclonal antibody be avoided (e.g., omalizumab, reslizumab, benralizumab, dupilumab, tezepelumab-ekko)?
 - □ Yes □ No
- 5. Will this this be used for add-on maintenance treatment in members regularly receiving **both** (unless otherwise contraindicated) of the following:
 - Medium- to high-dose inhaled corticosteroids; AND
 - An additional controller medication (e.g., long-acting beta agonist, leukotriene modifiers)?
 - □ Yes □ No
- 6. Has the member had two or more exacerbations in the previous year requiring oral or injectable corticosteroid treatment (in addition to the regular maintenance therapy defined above) **or** one exacerbation resulting in a hospitalization?
 - □ Yes □ No
- 7. Does the member have at least one of the following for assessment of clinical status:
 - Use of systemic corticosteroids
 - Use of inhaled corticosteroids
 - Number of hospitalizations, ER visits, or unscheduled visits to healthcare provider due to condition
 - Forced expiratory volume in 1 second (FEV1)?
 - \Box Yes \Box No
- 8. Has the member tried and failed an adequate trial of the 2 different **preferred products (Fasenra[®] and Xolair[®])?**
 - □ Yes □ No

<u>Reauthorization</u>: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

1. Has the member been assessed for toxicity?

 \Box Yes \Box No

- 2. Has member had improvement in asthma symptoms or asthma exacerbations as evidenced by decrease in <u>ONE</u> or more of the following (check all that apply; chart notes must be submitted):
 - Use of systemic corticosteroids
 - Hospitalizations
 - ER visits
 - Unscheduled visits to healthcare provider
 - Improvement from baseline in forced expiratory volume in 1 second (FEV1)?
 - □ Yes □ No

*Components of severity for classifying asthma as *severe* may include any of the following (not all inclusive):

- Asthma that remains uncontrolled despite optimized treatment with high-dose ICS-LABA
- Asthma that requires high-dose ICS-LABA to prevent it from being uncontrolled
- Symptoms throughout the day
- Nighttime awakenings, often 7 times per week
- SABA use for symptom control occurs several times per day
- Extremely limited normal activities
- Lung function (percent predicted FEV1) < 60%
- Exacerbations requiring oral systemic corticosteroids are generally more frequent and intense relative to moderate asthma.

Medication being provided by Specialty Pharmacy - PropriumRx

Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. *<u>Previous therapies will be verified through pharmacy paid claims or submitted chart notes.</u>*