SENTARA COMMUNITY PLAN
(MEDICAID)

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: **The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request**. All other information may be filled in by office staff; **fax to 1-800-750-9692**. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. **If the information provided is not complete, correct, or legible, the authorization process can be delayed.**

Drug Requested: Nucala® SQ (mepolizumab) (Pharmacy) (Non-Preferred)
Eosinophilic Granulomatosis Polyangiitis (EGPA)*

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member Sentara #: _____ **Date of Birth:** _____

Prescriber Name: _____

Prescriber Signature: _____ **Date:** _____

Office Contact Name: _____

Phone Number: _____ **Fax Number:** _____

NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Name/Form/Strength: _____

Dosing Schedule: _____ **Length of Therapy**: _____

Diagnosis: _____ **ICD Code, if applicable:** _____

Weight (if applicable): _____ **Date weight obtained:** _____

Recommended Dosage: 300 mg/mL SubQ once every 4 weeks administered as 3 separate 100-mg injections; single-dose prefilled auto-injector/single-dose prefilled syringe

***The Health Plan considers the use of concomitant therapy with Cinqair®, Dupixent®, Exdensur®, Fasenra®, Tezspire™ and Xolair® to be experimental and investigational. Safety and efficacy of these combinations have NOT been established and will NOT be permitted. In the event a member has an active Cinqair®, Dupixent®, Exdensur®, Fasenra®, Tezspire™ or Xolair® authorization on file, all subsequent requests for Nucala® will NOT be approved.**

(Continued on next page)

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Initial Authorization: 6 months

1. Has the member been approved for Nucala® previously through the Sentara medical department?
   ❑ Yes ❑ No
2. Is the member 18 years of age or older?
   ❑ Yes ❑ No
3. Does the member have a confirmed diagnosis of EGPA (aka Churg-Strauss Syndrome)?
   ❑ Yes ❑ No
4. Does the member have blood eosinophils ≥ 1000 cells/µL or ≥ 10% eosinophils on white blood cell differential count?
   ❑ Yes ❑ No
5. Has the member been on stable dose of concomitant oral corticosteroid therapy for at least 4 weeks (i.e., prednisone or prednisolone at a dose of 7.5 mg/day)?
   ❑ Yes ❑ No
6. Has the physician assessed baseline disease severity utilizing an objective measure/tool (e.g., Birmingham Vasculitis Activity Score [BVAS], history of asthma symptoms and/or exacerbations, duration of remission, rate of relapses)?
   ❑ Yes ❑ No
7. Has the member tried and failed two preferred agents listed on the PDL where applicable for the requested product's intended use?
   ❑ Yes ❑ No

Reauthorization: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

1. Does the member have disease response as indicated by improvement in signs and symptoms compared to baseline as evidenced in one or more of the following:
   - Member is in remission [defined as a Birmingham Vasculitis Activity Score (BVAS) =0 and a prednisone/prednisolone daily dose of ≤ 7.5 mg]
   - Decrease in maintenance dose of systemic corticosteroids
   - Improvement in BVAS score compared to baseline
   - Improvement in asthma symptoms or asthma exacerbations
   - Improvement in duration of remission or decrease in the rate of relapses?

   ❑ Yes ❑ No

(Continued on next page)

***Eosinophilic Granulomatosis Polyangiitis (EGPA) is defined as all the following:**

• History or presence of asthma
• Blood eosinophil level > 10% or an absolute count > 1000 cells/mm3
• Two or more of the following criteria:
  ○ Histopathologic evidence of eosinophilic vasculitis, perivascular eosinophilic infiltration, or eosinophil rich granulomatous inflammation
  ○ Neuropathy
  ○ Pulmonary infiltrates
  ○ Sinonasal abnormalities
  ○ Cardiomyopathy
  ○ Glomerulonephritis
  ○ Alveolar hemorrhage
  ○ Palpable purpura
  ○ Antineutrophil Cytoplasmic Antibody (ANCA) positivity

Medication being provided by Specialty Pharmacy - PropriumRx

*****Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*****

****Previous therapies will be verified through pharmacy paid claims or submitted chart notes.****

REVISED/UPDATED/REFORMATTED: ~~12/30/2018; 3/18/2019; 5/5/2019; 7/7/2019; 9/18/2019; 2/22/2024; 3/13/2024;. 5/24/2024; 6/19/2024; 6/20/2025;~~ **6/17/2026**