

AvMed

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; **fax to 1-305-671-0200**. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. **If the information provided is not complete, correct, or legible, the authorization process can be delayed.**

Drug Requested: **Auvelity™** (dextromethorphan HBr and bupropion HCl ER tablets 45 mg/105 mg)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member AvMed #: _____ Date of Birth: _____

Prescriber Name: _____

Prescriber Signature: _____ Date: _____

Office Contact Name: _____

Phone Number: _____ Fax Number: _____

NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Name/Form/Strength: _____

Dosing Schedule: _____ Length of Therapy: _____

Diagnosis: _____ ICD Code, if applicable: _____

Weight (if applicable): _____ Date weight obtained: _____

Quantity Limit: 2 tablets per day

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

☐ **Diagnosis: Major Depressive Disorder (MDD)**

Recommended Dosage: One tablet twice a day separated by at least 8 hours.

- ☐ Member is 18 years of age or older
- ☐ Member has a diagnosis of major depressive disorder (MDD)
- ☐ Member must **NOT** have hypersensitivity to bupropion, dextromethorphan, or any component of the requested medication
- ☐ Provider attests that member has been screened for personal or family history of bipolar disorder, mania, and hypomania

(Continued on next page)

- ☐ Provider attests that member is **NOT** undergoing abrupt discontinuation of alcohol, benzodiazepines, barbiturates, or antiepileptic drugs
- ☐ Member will **NOT** take a monoamine oxidase inhibitor (MAOI) within 14 days of Auvelity™
- ☐ Member does **NOT** have any of the following:
 - A seizure disorder
 - A diagnosis of bulimia or anorexia nervosa
 - A diagnosis of severe hepatic or severe renal impairment
- ☐ Member has had at least a 30-day trial and failure of a serotonin-norepinephrine reuptake inhibitor (SNRI) (e.g., venlafaxine, desvenlafaxine, duloxetine) **(verified by chart notes or pharmacy paid claims)**
- ☐ Member has had at least a 30-day trial and failure of a selective serotonin reuptake inhibitor (SSRI) (e.g., citalopram, sertraline, fluoxetine) **(verified by chart notes or pharmacy paid claims)**
- ☐ Member has had at least a 30-day trial and failure of one other antidepressant agent (e.g., bupropion, mirtazapine, TCA) **(verified by chart notes or pharmacy paid claims)**

Check each drug that has been tried. If not checked, authorization process will be delayed.		
☐ bupropion	☐ citalopram	☐ desvenlafaxine
☐ duloxetine	☐ escitalopram	☐ fluoxetine
☐ mirtazapine	☐ paroxetine	☐ sertraline
☐ venlafaxine ER	☐ Other: _____	

☐ **Diagnosis: For Auvelity requests prescribed for Agitation Associated with Dementia due to Alzheimer's Disease**

Recommended Dosage: Initial: 30 mg/105 mg once daily in the morning, increase on day 8 to 30 mg/105 mg twice daily, increased on day 15 to maximum recommended dose of 45 mg/105 mg twice daily. Dose increases are based on tolerability and should be administered at least 8 hours apart

- ☐ Prescribed by or in consultation with a neurologist or psychiatrist
- ☐ Member is 65 years of age or older
- ☐ Member has a confirmed diagnosis consistent with the findings of Alzheimer's disease with magnetic resonance imaging (MRI) or computed tomography of the brain **(must submit documentation)**
- ☐ Member has/is experiencing signs and symptoms of agitation characterized by increased, often undirected, motor activity, restlessness, aggressiveness, or emotional distress **(must submit chart note documentation)**
- ☐ Provider continues to monitor member for the occurrence of any medical or neurological conditions (other than Alzheimer's disease) that may be a contributing cause to the member's agitation

(Continued on next page)

- ❑ Provider attests the risk-benefit has been discussed with patients, surrogate decision-makers, families, and or caregivers before starting treatment
- ❑ Member has documented use of non-pharmacological interventions (i.e., music therapy, re-direction of behaviors) prior to starting treatment (**must submit chart note documentation**)

Not all drugs may be covered under every Plan

If a drug is non-formulary on a Plan, documentation of medical necessity will be required.

*****Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*****

****Previous therapies will be verified through pharmacy paid claims or submitted chart notes.****