

# SENTARA HEALTH PLANS

## PHARMACY/MEDICAL PRIOR AUTHORIZATION/STEP-EDIT REQUEST\*

**Directions:** The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; **fax to 1-800-750-9692.** No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. **If information provided is not complete, correct, or legible, authorization can be delayed.**

### SQ tocilizumab products - Giant Cell Arteritis (GCA)

**Drug Requested:** select one drug below (**Pharmacy**)

Actemra® SQ (tocilizumab)

Tyenne® SQ (tocilizumab-aazg)

**MEMBER & PRESCRIBER INFORMATION:** Authorization may be delayed if incomplete.

Member Name: \_\_\_\_\_

Member Sentara #: \_\_\_\_\_ Date of Birth: \_\_\_\_\_

Prescriber Name: \_\_\_\_\_

Prescriber Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Office Contact Name: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Fax Number: \_\_\_\_\_

NPI #: \_\_\_\_\_

**DRUG INFORMATION:** Authorization may be delayed if incomplete.

Drug Name/Form/Strength: \_\_\_\_\_

Dosing Schedule: \_\_\_\_\_ Length of Therapy: \_\_\_\_\_

Diagnosis: \_\_\_\_\_ ICD Code, if applicable: \_\_\_\_\_

Weight (if applicable): \_\_\_\_\_ Date weight obtained: \_\_\_\_\_

**Recommended Dosage:** 162 mg given once every week as a subcutaneous injection, in combination with a tapering course of glucocorticoids

**CLINICAL CRITERIA:** Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes dated **within 60 days**, must be provided or request may be denied.

- Prescribed by or in consultation with **ONE** of the following:
- Neurologist
  - Ophthalmologist
  - Rheumatologist

(Continued on next page)

**AND**

- Member has diagnosis of Giant Cell Arteritis (GCA)

**AND**

- Member is at least 50 years of age

**AND**

- Member must meet **ONE** of the following:
  - Member has an ESR > 30 mm/hour
  - Member has a CRP > 1 mg/dL and is currently on prednisone

**AND**

- Member must meet **ONE** of the following:
  - Member had trial and failure of **ONE** of the following:
    - 40 mg prednisone daily for 4 weeks
    - 80 mg prednisone daily if eye symptoms for 4 weeks
  - Member has a contraindication to prednisolone and documentation that GI BLEED occurred within the last 30 days has been submitted (**medical chart notes must be attached**) **AND** member has **one** of the following (**labs must be submitted**):
    - ESR > 50 mm/hour and is not currently on prednisone
    - CRP > 2.49 mg/dL and is not currently on prednisone

**AND**

**MEDICAL CHART NOTES DOCUMENTING THE FOLLOWING MUST BE SUBMITTED:**

- Unequivocal cranial symptoms of GCA new-onset - at least **TWO** of the following features must be present:
  - Localized headache, scalp tenderness, temporal artery tenderness, decrease pulsation, ischemia-related vision loss, or otherwise unexplained mouth or jaw pain upon mastication

**AND**

**AT LEAST ONE OF THE FOLLOWING MUST BE SUBMITTED FOR DOCUMENTATION:**

- Temporal artery biopsy revealing features of GCA must be submitted documenting at least **TWO (2)** of the following:

<input type="checkbox"/> Granulomatous inflammation of the blood vessel wall	<input type="checkbox"/> Disruption and fragmentation of internal elastic lamina	<input type="checkbox"/> Giant cells
<input type="checkbox"/> Proliferation of the intima with associated occlusion of the lumen	<input type="checkbox"/> The healed stage reveals collagenous thickening of the vessel wall, and the artery is transformed into a fibrous cord	

(Continued on next page)

**OR**

- ❑ Magnetic resonance angiography (MRA), Computed tomography angiography (CTA), or Positron emission tomography-computed tomography angiography (PET-CTA) must be submitted to document the following:

**OR**

- ❑ Evidence of large-vessel vasculitis by angiography or cross-sectional imaging study

**Medication being provided by Specialty Pharmacy – Proprium Rx**

***\*\*Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.\*\****

***\*Previous therapies will be verified through pharmacy paid claims or submitted chart notes.\****