SENTARA HEALTH PLANS

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions</u>: <u>The prescribing physician must sign and clearly print name (preprinted stamps not valid)</u> on this request. All other information may be filled in by office staff; <u>fax to 1-800-750-9692</u>. No additional phone calls will be necessary if all information (<u>including phone and fax #s</u>) on this form is correct. <u>If the information provided is not complete, correct, or legible, the authorization process can be delayed.</u>

SQ tocilizumab products

Drug Requested: select one drug below (Pharmacy)

□ Actemra® SQ (tocilizumab)	Tyenne® SQ (tocilizumab-aazg)			
MEMBER & PRESCRIBER INFORMATI	ON: Authorization may be delayed if incomplete.			
Member Name:				
Member Sentara #:	nber Sentara #: Date of Birth:			
Prescriber Name:				
Prescriber Signature:	Date:			
Office Contact Name:				
Phone Number: Fax Number:				
NPI #:				
DRUG INFORMATION: Authorization may b	e delayed if incomplete.			
Drug Name/Form/Strength:				
Dosing Schedule:	Length of Therapy:			
Diagnosis:	ICD Code, if applicable:			
Weight (if applicable):	Date weight obtained:			
<u>NOTE</u> : Sentara Health considers the use of concomitant therapy with more than one biologic immunomodulator (e.g., Dupixent, Entyvio, Humira, Rinvoq, Stelara) prescribed for the same or different indications to be experimental and investigational. Safety and efficacy of these combinations has <u>NOT</u> been established and will <u>NOT</u> be permitted.				
• Will the member be discontinuing a previously pres	scribed biologic if approved for requested medication?			
	☐ Yes OR ☐ No			
• If yes, please list the medication that will be discon approval along with the corresponding effective data	tinued and the medication that will be initiated upon te.			
Medication to be discontinued:	Effective date:			
Medication to be initiated:	Effective date:			

(Continued on next page)

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval.	To
support each line checked, all documentation, including lab results, diagnostics, and/or chart notes	, must be
provided or request may be denied.	

Diagnosis: Moderate-to-Severe Rheumatoid Arthritis Dosing: SubQ: <100 kg - 162 mg once every other week; >100 kg - 162 mg once every week
Member has a diagnosis of moderate-to-severe rheumatoid arthritis
Prescribed by or in consultation with a Rheumatologist
Member has tried and failed at least ONE of the following DMARD therapies for at least three (3) months □ hydroxychloroquine □ leflunomide □ methotrexate □ sulfasalazine
N. 1 ONT 01 011 1
Diagnosis: Juvenile Idiopathic Arthritis Dosing: SubQ: PJIA: <30 kg − 162 mg once every 3 weeks; ≥30 kg − 162 mg once every 2 weeks SJIA: <30 kg − 162 mg once every 2 weeks; ≥30 kg − 162 mg once every week
 Member is ≥ 2 years of age and has a diagnosis of <u>ONE</u> of the following: Active polyarticular juvenile idiopathic arthritis (PJIA) Active systemic juvenile idiopathic arthritis
(Continued on next page)

		ember has tried and failed at least ONE of the following DMARD therapies for at least three (3)
		cyclosporine
		hydroxychloroquine
		leflunomide
		methotrexate
		Non-steroidal anti-inflammatory drugs (NSAIDs)
		oral corticosteroids
		sulfasalazine
		tacrolimus
	Fo	r members with a diagnosis of PJIA only , member meets ONE of the following:
		Member tried and failed, has a contraindication, or intolerance to ONE of the following:
		□ <u>ONE</u> preferred adalimumab product
		Other Tumor Necrosis Factor (TNF) blocker medication approved for treatment of Active Polyarticular Juvenile Idiopathic Arthritis:
		Member has been established on requested medication for at least 90 days <u>AND</u> prescription claims history indicates <u>at least a 90-day supply of requested medication was dispensed within the past 130 days</u> (verified by chart notes or pharmacy paid claims)
Mad	l ! a a	
Medication being provided by Specialty Pharmacy – Proprium Rx		

^{**}Use of samples to initiate therapy does not meet step edit/preauthorization criteria.**

Previous therapies will be verified through pharmacy paid claims or submitted chart notes.