SENTARA COMMUNITY PLAN (MEDICAID)

MEDICAL PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions:</u> The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; <u>fax to 1-844-305-2331</u>. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. <u>If information provided is not complete, correct, or legible, authorization can be delayed.</u>

<u>Drug Requeste</u>d: Fasenra® SQ (benralizumab) (J0517) (Medical)

MEMBER & PRESCRIBER INFO	PRMATION: Authorization may be delayed if incomplete.			
Member Name:				
Member Sentara #:				
Prescriber Name:				
Prescriber Signature:	Date:			
Office Contact Name:				
Phone Number:	Fax Number:			
DEA OR NPI #:				
DRUG INFORMATION: Authorizat				
Drug Form/Strength:				
Dosing Schedule:	Length of Therapy:			
Diagnosis:	ICD Code, if applicable:			
Weight:	Date:			
Standard Review. In checking this box, the timeframe does not jeopardize the life or health of the member or the member's ability to regain maximum function and would not subject the member to severe pain.				
 Fasenra® 10mg/0.5ml single prefilled syring Fasenra® 30mg/ml single prefilled syring 	-			

Recommended Dosage:

Adult and Adolescent Patients 12 Years of Age and Older:

• 30 mg every 4 weeks for the first 3 doses followed by once every 8 weeks thereafter

Pediatric Patients 6 Years to 11 Years of Age:

- Weighing Less Than 35 kg: the recommended dosage is 10 mg every 4 weeks for first 3 doses followed by once every 8 weeks thereafter
- Weighing 35 kg or More: the recommended dosage is 30 mg every 4 weeks for first 3 doses followed by once every 8 weeks thereafter

(Continued from previous page)

*The Health Plan considers the use of concomitant therapy with Cinqair®, Dupixent®, Nucala®, Tezspire™ and Xolair® to be experimental and investigational. Safety and efficacy of these combinations have ${\color{blue} {\bf NOT}}$ been established and will ${\color{blue} {\bf NOT}}$ be permitted. In the event a member has an active Cinqair®, Dupixent®, Nucala®, Tezspire™ or Xolair® authorization on file, all subsequent requests for Fasenra® will ${\color{blue} {\bf NOT}}$ be approved.

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

<u>niti</u>	nitial Authorization: 6 months				
1.	Has the member been approved for Fasenra® previously through the Sentara pharmacy department? ☐ Yes ☐ No				
2.	Is the member 6 years of age or older?				
	□ Yes □ No				
3.	Does the member have a diagnosis of severe* asthma?				
	□ Yes □ No				
4.	Does the member have asthma with an eosinophilic phenotype defined as blood eosinophils ≥ 150 cells/ μL ?				
	□ Yes □ No				
5.	. Will coadministration with another monoclonal antibody be avoided (i.e. omalizumab, mepolizumab reslizumab, benralizumab, dupilumab, tezepelumab-ekko)?				
	□ Yes □ No				
6.	Will Fasenra® be used for add-on maintenance treatment in members regularly receiving both (unless otherwise contraindicated) of the following:				
	 Medium to high dose inhaled corticosteroids AND 				
	 An additional controller medication (i.e. long-acting beta agonist, leukotriene modifiers)? Yes				
7.	Has the member had two or more exacerbations in the previous year requiring oral or injectable corticosteroid treatment (in addition to the regular maintenance therapy defined above) or one exacerbation resulting in hospitalization?				
	□ Yes □ No				
8.	Does the member have at least one of the following for assessment of clinical status:				
	Use of systemic corticosteroids				
	Use of inhaled corticosteroids				
	• Number of hospitalizations, ER visits, or unscheduled visits to healthcare provider due to condition				
	forced expiratory volume in 1 second (FEV ₁)?				
	\square Vec \square No				

Reauthorization: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

1.	Has the n	nember been	assessed for toxicity?	
	□ Yes	□ No		

- 2. Does the member have improvement in asthma symptoms or asthma exacerbations as evidenced by a decrease in one or more of the following:
 - Use of systemic corticosteroids
 - Hospitalizations
 - ER visits
 - Unscheduled visits to healthcare provider
 - Improvement from baseline in forced expiratory volume in 1 second (FEV₁)?
 - □ Yes □ No

*Components of severity for classifying asthma as *severe* may include any of the following (not all inclusive):

- Symptoms throughout the day
- Nighttime awakenings, often 7 times per week
- SABA use for symptom control occurs several times per day
- Extremely limited normal activities
- Lung function (percent predicted FEV₁) < 60%
- Exacerbations requiring oral systemic corticosteroids are generally more frequent and intense relative to moderate asthma.

Medication being provided by a Specialty Pharmacy - PropriumRx

For urgent reviews: Practitioner should call Sentara Health Pre-Authorization Department if they believe a standard review would subject the member to adverse health consequences. Sentara Health's definition of urgent is a lack of treatment that could seriously jeopardize the life or health of the member or the member's ability to regain maximum function.

**Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. **

*Previous therapies will be verified through pharmacy paid claims or submitted chart notes. *