AvMed

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: **The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request**. All other information may be filled in by office staff; **fax to 1-305-671-0200**. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. **If the information provided is not complete, correct, or legible, the authorization process can be delayed.**

Drug Requested: Enbrel® (etanercept)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member AvMed #: _____ **Date of Birth:** _____

Prescriber Name: _____

Prescriber Signature: _____ **Date:** _____

Office Contact Name: _____

Phone Number: _____ **Fax Number:** _____

NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Form/Strength: _____

Dosing Schedule: _____ **Length of Therapy:** _____

Diagnosis: _____ **ICD Code, if applicable:** _____

Weight (if applicable): _____ **Date weight obtained:** _____

NOTE: The Health Plan considers the use of concomitant therapy with more than one biologic immunomodulator (e.g., Dupixent, Entyvio, Humira, Rinvoq, Stelara) prescribed for the same or different indications to be experimental and investigational. Safety and efficacy of these combinations has **NOT** been established and will **NOT** be permitted.

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

- ❑ **Diagnosis: Rheumatoid Arthritis**
  Dosing: SubQ: 50 mg once weekly

  - ❑ Member has a diagnosis of moderate-to-severe active **rheumatoid arthritis**
  - ❑ Prescribed by or in consultation with a **Rheumatologist**

(Continued on next page)

- ❑ Member meets **ONE** of the following:
  - ❑ Member has tried and failed at least **ONE** of the following **DMARD** therapies for at least three **(3) months**:
    - ❑ hydroxychloroquine
    - ❑ leflunomide
    - ❑ methotrexate
    - ❑ sulfasalazine
  - ❑ Member has previously tried and failed another biologic medication other than the requested medication (e.g., adalimumab, tofacitinib, Rinvoq)

❑ **Diagnosis: Polyarticular Juvenile Idiopathic Arthritis**
Dosing:
- Weight < 63 kg: SubQ: 0.8 mg/kg/dose once weekly; maximum dose: 50 mg/dose
- Weight ≥ 63 kg: SubQ: 50 mg once weekly

- ❑ Member has a diagnosis of moderate-to-severe active polyarticular **juvenile idiopathic arthritis**
- ❑ Prescribed by or in consultation with a **Rheumatologist**
- ❑ Member is ≥ 2 years of age
- ❑ Member meets **ONE** of the following:
  - ❑ Member has tried and failed at least **ONE** of the following **DMARD** therapies for at least **three (3) months**:
    - ❑ cyclosporine
    - ❑ hydroxychloroquine
    - ❑ leflunomide
    - ❑ methotrexate
    - ❑ sulfasalazine
  - ❑ Member has previously tried and failed another biologic medication other than the requested medication (e.g., adalimumab, tofacitinib, Rinvoq)

❑ **Diagnosis: Psoriatic Arthritis**
Dosing: SubQ: 50 mg once weekly

- ❑ Member has a diagnosis of active **psoriatic arthritis**
- ❑ Prescribed by or in consultation with a **Rheumatologist or Dermatologist**
- ❑ Member is ≥ 2 years of age

(Continued on next page)

- ❑ Member meets **ONE** of the following:
  - ❑ Member has tried and failed at least **ONE** of the following **DMARD** therapies for at least **three (3) months**:
    - ❑ cyclosporine
    - ❑ leflunomide
    - ❑ methotrexate
    - ❑ sulfasalazine
  - ❑ Member has previously tried and failed another biologic medication other than the requested medication (e.g., adalimumab, Otezla, Skyrizi)

❑ **Diagnosis: Ankylosing Spondylitis**
Dosing: SubQ: 50 mg once weekly

- ❑ Member has a diagnosis of active **ankylosing spondylitis**
- ❑ Prescribed by or in consultation with a **Rheumatologist**
- ❑ Member tried and failed, has a contraindication, or intolerance to **ONE** NSAIDs\

❑ **Diagnosis: Plaque Psoriasis**
Dosing: SubQ: Initial: 50 mg twice weekly for 3 months. **Maintenance:** 50 mg once weekly

- ❑ Member has a diagnosis of moderate-to-severe **plaque psoriasis**
- ❑ Prescribed by or in consultation with a **Dermatologist**
- ❑ Member is ≥ 4 years of age
- ❑ Member meets **ONE** of the following:
  - ❑ Member tried and failed at least **ONE** of either Phototherapy or Alternative Systemic Therapy for at least **three (3) months**, unless member has a contraindication or intolerance to both phototherapy and alternative systemic therapies **(check each tried below)**:

❑ **Phototherapy:**	❑ **Alternative Systemic Therapy:**
❑ **UV Light Therapy** ❑ NB UV-B ❑ PUVA	❑ **Oral Medications** ❑ acitretin ❑ methotrexate ❑ cyclosporine

  - ❑ Member has tried and failed another biologic medication other than the requested medication (e.g., adalimumab, Otezla, ustekinumab)

(Continued on next page)

Medication being provided by Specialty Pharmacy – Proprium Rx

Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*

Previous therapies will be verified through pharmacy paid claims or submitted chart notes.*

***Approved by Pharmacy & Therapeutics Committee:** ~~9/17/2009; 11/16/2023; 3/26/2026;~~ **9/24/2026**
REVISED/UPDATED: ~~6/3/2011; 8/12/2011; 1/16/2014; 2/5/2014; 2/25/2014; 4/3/2014; 4/28/2014; 5/2/2014; 8/8/2014; 10/30/2014; 5/21/2015; 12/27/2015; 8/12/2016; 9/22/2016; 12/11/2016; 8/3/2017; 12/11/2017; 1/2/2018; 1/11/2018; 11/24/2018; 9/28/2019; 11/26/2019; 2/4/2022; 12/20/2022; 12/11/2023;~~ **8/6/2026**