SENTARA COMMUNITY PLAN (MEDICAID)

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions</u>: <u>The prescribing physician must sign and clearly print name (preprinted stamps not valid)</u> on this request. All other information may be filled in by office staff; <u>fax to 1-800-750-9692</u>. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. <u>If the information provided is not complete, correct, or legible, the authorization process can be delayed.</u>

Primary Biliary Cholangitis (PBC) Drugs

Drug Requested: select one drug below □ Livdelzi[®] (seladelpar) □ **Iqirvo**® (elafibranor) MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete. Member Name: _______ Member Sentara #: _____ Date of Birth: _____ Prescriber Name: _____ Prescriber Signature: _____ Date: _____ Office Contact Name: _____ Phone Number: _____ Fax Number: _____ NPI #: **DRUG INFORMATION:** Authorization may be delayed if incomplete. Drug Name/Form/Strength: Dosing Schedule: Length of Therapy: Diagnosis: ______ ICD Code, if applicable: _____ Date weight obtained: Weight (if applicable): **Recommended Dosing and Quantity Limits:** • Iqirvo® - 1 tablet (80 mg) once daily • Livdelzi® - 1 capsule (10 mg) once daily **CLINICAL CRITERIA:** Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied. **Initial Authorization: 6 months** ☐ Member is 18 years of age or older

(Continued on next page)

☐ Medication is prescribed by or in consultation with a hepatologist or gastroenterologist

(Continued from previous page)

	Member must have a confirmed diagnosis of Primary Biliary Cholangitis (PBC) with documentation of at least <u>ONE</u> of the following (must submit medical chart notes and lab test results for documentation):
	Anti-mitochondrial antibodies (AMA) titer of 1:40 or higher or a level that is above the laboratory upper limit of normal range, or other primary biliary cholangitis-specific auto-antibodies, including sp100 or gp210, if AMA is negative
	☐ Histologic evidence of primary biliary cholangitis from a liver biopsy (i.e. nonsuppurative destructive cholangitis and destruction of interlobular bile ducts)
	Member has taken UDCA (ursodiol tablets or capsules) for at least 12 months consecutively with insufficient response to therapy and will continue taking UDCA, or has had life-threatening or clinically significant adverse reaction to UDCA (must submit documentation of therapy failure or intolerance)
	Baseline alkaline phosphatase (ALP) level is ≥ 1.67 times the upper limit of normal despite compliance with UDCA treatment for 12 months (if tolerated) or without UDCA if not tolerated (must submit test results from within the last 60 days)
	Baseline total bilirubin level must be submitted (must submit test results from within the last 60 days)
	Member will <u>NOT</u> use any of the following concomitantly while taking the prescribed medication: Iqirvo [®] (elafibranor), Livdelzi [®] (seladelpar), Bylvay [®] (odevixibat) or Livmarli [®] (maralixibat)
	Member does <u>NOT</u> have any of the following: complete biliary obstruction, decompensated cirrhosis (e.g., evidence of portal hypertension, ascites, variceal bleeding, hepatic encephalopathy), autoimmune hepatitis, primary sclerosing cholangitis, alcoholic liver disease, or non-alcoholic steatohepatitis
	Member has NOT received a liver transplant
suppo	uthorization: 12 months. Check below all that apply. All criteria must be met for approval. To ort each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be ded or request may be denied.
	Member continues to meet <u>ALL</u> initial authorization criteria
	Member continues to take ursodeoxycholic acid (UDCA) in combination with the requested medication unless member has had life-threatening or clinically significant adverse reaction to UDCA (must submit documentation of therapy failure or intolerance)
	Member has experienced a decrease in ALP level of at least 15% as compared to pre-treatment level (must submit current lab test results)
	Member has experienced a normalization of total bilirubin levels (must submit current lab test results)
	Member has experienced disease response to treatment defined by improved or stabilized clinical signs/symptoms of PBC
Medication being provided by Specialty Pharmacy – Proprium Rx	

**Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. **

*Previous therapies will be verified through pharmacy paid claims or submitted chart notes. *