

SENTARA HEALTH PLANS

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; **fax to 1-800-750-9692.** No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. **If the information provided is not complete, correct, or legible, the authorization process can be delayed.**

Drug Requested: Serostim[®] (somatropin [rDNA origin])

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member Sentara #: _____ Date of Birth: _____

Prescriber Name: _____

Prescriber Signature: _____ Date: _____

Office Contact Name: _____

Phone Number: _____ Fax Number: _____

DEA OR NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Form/Strength: _____

Dosing Schedule: _____ Length of Therapy: _____

Diagnosis: _____ ICD Code, if applicable: _____

Weight: _____ Date: _____

Maximum Approved dose: 0.1 mg/kg once daily at bedtime (maximum: 6 mg/day);
Daily dose based on body weight:

Weight	Dosage
<35 kg	0.1 mg/kg
35 to 45 kg	4 mg
45 to 55 kg	5 mg
>55 kg:	6 mg

Medical notes MUST be submitted to support each line checked on this request.

(Continued on next page)

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Initial Approval: 6 months

- Serostim[®] being prescribed by or in consultation with an infectious disease specialist

AND

- Member has diagnosis of AIDS related wasting/cachexia

AND

- Member has had involuntary weight loss of at least 10% of body weight

AND

- No concomitant illnesses are present that would contribute to weight loss.

AND

- Member have a body mass index (BMI) less than 27kg/m²

AND

- Patient has had a suboptimal response to **at least ONE (1)** of the following therapies for wasting or cachexia:

- megestrol
- dronabinol
- cyproheptadine
- testosterone therapy if hypogonadal

AND

- Serostim[®] will be used in combination with antiretroviral therapy

AND

- Member does not have an active malignancy

Reauthorization Approval: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

- Member currently receiving therapy with Serostim used in combination with antiretroviral therapy

AND

(Continued on next page)

- ❑ Member demonstrated an improvement in symptoms in response to therapy with Serostim (**must submit chart note documentation of improvement while on therapy**)

AND

- ❑ Body mass index (BMI) has improved or stabilized (**must submit chart note documentation of current BMI**)

Medication being provided by a Specialty Pharmacy - PropriumRx

Not all drugs may be covered under every Plan

If a drug is non-formulary on a Plan, documentation of medical necessity will be required.

Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.

Previous therapies will be verified through pharmacy paid claims or submitted chart notes.