## SENTARA HEALTH PLANS

## PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST\*

<u>Directions</u>: <u>The prescribing physician must sign and clearly print name (preprinted stamps not valid)</u> on this request. All other information may be filled in by office staff; <u>fax to 1-800-750-9692</u>. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. <u>If the information provided is not complete, correct, or legible, the authorization process can be delayed.</u>

<u>Drug Requested</u>: Vyvgart<sup>®</sup> Hytrulo (efgartigimod alfa/hyaluronidase-qvfc)
Generalized Myasthenia Gravis (gMG)

MEMBER & PRESCRIBER INFORMATION	ON: Authorization may be delayed if incomplete.			
Member Name:				
Member Sentara #:				
Prescriber Name:				
Prescriber Signature:	Date:			
Office Contact Name:				
Phone Number:	Fax Number:			
NPI #:				
DRUG INFORMATION: Authorization may be	delayed if incomplete.			
Drug Form/Strength:				
Dosing Schedule:	Length of Therapy:			
Diagnosis:	ICD Code, if applicable:			
Weight (if applicable):	Date weight obtained:			
	alfa/10,000 units hyaluronidase once weekly for 4 gimod alfa/10,000 units hyaluronidase once weekly for 4 and no sooner than 50 days from the start of the previous			
<b>Quantity Limit</b> : 4 syringes per 28 days				
CLINICAL CRITERIA: Check below all that apsupport each line checked, all documentation, including provided or request may be denied.				
<b>Initial Authorization</b> : 6 months				
☐ Prescribing physician must be a neurologist				

(Continued on next page)

☐ Member must be 18 years of age or older

	Member must have Myasthenia gravis Foundation of America (MGFA) Clinical Classification of Class II to IV disease and have a positive serologic test for anti-acetylcholine receptor (AchR) antibodies (lab test must be submitted)					
	Physician has assessed objective signs of neurological weakness and fatigability on a baseline neurological examination (e.g., including but not limited to the Quantitative Myasthenia Gravis (QMG) score) (chart notes must be submitted)					
	Member has a baseline MG-Activities of Daily Living (MG-ADL) total score ≥ 5 (results must be submitted)					
	Member has a baseline immunoglobulin $G$ (IgG) level of at least 6 g/L (600 mg) (results must be submitted)					
	Member has <b>ONE</b> of the following (verified by chart notes or pharmacy paid claims):					
	☐ Member has tried and had an inadequate response to pyridostigmine					
	☐ Member has an intolerance, hypersensitivity or contraindication to pyridostigmine					
	Member has <b>ONE</b> of the following (verified by chart notes or pharmacy paid claims):					
	☐ Member failed over 1 year of therapy with at least 2 immunosuppressive therapies (e.g., azathioprine, cyclosporine, mycophenolate)					
	☐ Member failed at least 1 immunosuppressive therapy and required chronic plasmapheresis, plasma exchange (PE) or intravenous immunoglobulin (IVIG)					
	Member will avoid or use with caution medications known to worsen or exacerbate symptoms of MG (e.g., aminoglycosides, fluoroquinolones, beta-blockers, botulinum toxins, hydroxychloroquine)					
	Member does <b>NOT</b> have an active infection, including clinically important localized infections					
	Requested medication will <b>NOT</b> be administered with live-attenuated or live vaccines during treatment					
ppc	<b>athorization:</b> 6 months. Check below all that apply. All criteria must be met for approval. To ort each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be ded or request may be denied.					
	Member continues to meet all initial authorization criteria					
	Member has <u>NOT</u> experienced unacceptable toxicity from the drug (e.g., infections, severe hypersensitivity reactions infusion reactions)					
	Member meets <b>ONE</b> of the following:					
	Member has demonstrated an improvement of at least 2 points in the MG-ADL total score from baseline sustained for at least 4 weeks (results must be submitted to document improvement)					
	☐ Member has demonstrated an improvement of at least 3 points from baseline in the Quantitative Myasthenia Gravis (QMG) total score sustained for at least 4 weeks (results must be submitted to document improvement)					

	Member requires continuous treatment, after initial beneficial response, due to new or worsening disease activity (Note: a minimum of 50 days must have elapsed from the start of the previous treatment cycle)
EXC	CLUSIONS — Therapy will <u>NOT</u> be approved if member has history of any of the following:
•	MGFA Class I or MG crisis at initiation of treatment (MGFA Class V)

- Use of rituximab within 6 months prior to treatment
- Use of IVIG or PE within 4 weeks prior to treatment
- Any active or clinically significant infections that has not been treated

Medication	1 •			• . 14	<b>DI</b>	<b>D</b>	•	$\mathbf{n}$
Viedication	neina	nrovided i		neciaits	/ Pharmac	v — Pro	nriiim	кv
Miculcanon	DCIIIE	DI U VIUCU I	$\boldsymbol{\sigma}$	Deciait	, i mai mac	v — 1 1 U	DIIUIII	$\mathbf{I} \mathbf{\Lambda} \mathbf{\Lambda}$

\*\*Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. \*\*

\*Previous therapies will be verified through pharmacy paid claims or submitted chart notes. \*