SENTARA HEALTH PLANS

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions</u>: <u>The prescribing physician must sign and clearly print name (preprinted stamps not valid)</u> on this request. All other information may be filled in by office staff; <u>fax to 1-800-750-9692</u>. No additional phone calls will be necessary if all information <u>(including phone and fax #s)</u> on this form is correct. <u>If the information provided is not complete, correct, or legible, the authorization process can be delayed.</u>

Drug Requested: Omvoh[™] SQ & IV (mirikizumab-mrkz)

MEMBER & PRESCRIBER IN	FORMATION: Authorization may be delayed if incomplete.	
Member Name:		
Member Sentara #:		
Prescriber Name:		
	Date:	
Phone Number:		
NPI #:		
DRUG INFORMATION: Author	rization may be delayed if incomplete.	
Drug Name/Form/Strength:		
	Length of Therapy:	
Diagnosis:	ICD Code, if applicable:	
Weight (if applicable):	Date weight obtained:	
ATTENTION: Omvoh IV induction (under the MEDICAL BENEFIT. NDC:	(loading dose) for treatment of ulcerative colitis can only be billed 00002-7575-01; J2267	
Adult Dosing:		
☐ Induction IV: NDC: 00002-7575-01	I-Omvoh (J2267) IV 300 mg/15 mL vial; 1 vial = 300 billable units	
• 300 mg administered by intraveno	ous infusion over at least 30 minutes at Week 0, Week 4, and Week 8	
☐ Maintenance SubQ:		
• 200 mg administered by subcutan Week 12, and every 4 weeks then	neous injection (given as two consecutive injections of 100 mg each) at eafter	

NOTE: The Health Plan considers the use of concomitant therapy with more than one biologic immunomodulator (e.g., Dupixent, Entyvio, Humira, Rinvoq, Stelara) prescribed for the same or different indications to be experimental and investigational. Safety and efficacy of these combinations has **NOT** been established and will **NOT** be permitted.

NDC: 00002-8011-01/27 - Omvoh 100 mg/mL prefilled pen
 NDC: 00002-8870-01/27 - Omvoh 100 mg/mL prefilled syringe

• Wi	ll the	e me	ember be discontinuing a previousl	y prescribed biologic i	f approved for requested medication? • Yes OR • No		
			se list the medication that will be dong with the corresponding effective		edication that will be initiated upon		
Me	dica	tio	to be discontinued:	Effec	tive date:		
Me	dica	tio	to be initiated:	Effe	ective date:		
suppo	rt ea	ch l	CRITERIA: Check below all ine checked, all documentation, in equest may be denied.		a must be met for approval. To gnostics, and/or chart notes, must be		
			ance Dose – 200 mg administive injections of 100 mg each	•	eous injection (given as two l every 4 weeks thereafter		
Auth	<u>iori</u>	zat	<u>ion Criteria</u> : To be reviewed	l for approval und	er the pharmacy benefit		
	Me	nbe	r has a diagnosis of ulcerative coli	itis			
	Me	dica	tion has been prescribed by a Gast	roenterologist			
	Mei	nbe	r meets ONE of the following:				
		Member has tried and failed budesonide or high dose steroids (40-60 mg prednisone)					
			mber has tried and failed at least <u>O</u> nths	NE of the following D	MARD therapies for at least three (3)		
			5-aminosalicylates (balsalazide, ol	salazine, sulfasalazine)			
			oral mesalamine (Apriso, Asacol/F	HD, Delzicol, Lialda, P	entasa)		
	Me	nbe	r meets ONE of the following:				
			mber tried and failed, has a contrain EFERRED biologics:	ndication, or intolerand	te to <u>TWO</u> of the following		
			Preferred adalimumab product	□ Cimzia [®]	☐ Skyrizi [®] SC (on-body injector)		
			Stelara®	□ Rinvoq®	□ Zymfentra [™]		
		not			na - Humira NDC's starting with 83457 are terred; SG/IP/HIX preferreds = Simlandi		
		hist		oply of Omvoh was di	t least 90 days <u>AND</u> prescription claims spensed within the past 130 days		

(Continued on next page)

☐ Induction Dose (If required) — One time approval for duration of 2 months, member to receive up to three (3) IV infusion doses				
<u>Authorization Criteria</u> : To be reviewed for one-time approval under the medical benefit				
	Medication will be used as induction therapy			
	Medication being provided by:			
	□ Location/site of drug administration:			
	□ NPI or DEA # of administering location:			
	Member to receive FDA approved loading dose of 300 mg administered by intravenous infusion over at least 30 minutes at Week 0, Week 4, and Week 8			
Med	lication being provided by Specialty Pharmacy – Proprium Rx			

Not all drugs may be covered under every Plan

If a drug is non-formulary on a Plan, documentation of medical necessity will be required.

**Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. **

*Previous therapies will be verified through pharmacy paid claims or submitted chart notes. *