## SENTARA COMMUNITY PLAN (MEDICAID)

## MEDICAL PRIOR AUTHORIZATION/STEP-EDIT REQUEST\*

<u>Directions:</u> The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; <u>fax to 1-844-305-2331</u>. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. <u>If information provided is not complete, correct, or legible, authorization can be delayed.</u>

<u>Drug Requested</u>: Folotyn<sup>®</sup> (pralatexate) (J9307) (Medical)

MEMBER & PRESCRIBER INFORMATION	: Authorization may be delayed if incomplete.
Member Name:	
Member Sentara #:	Date of Birth:
Prescriber Name:	
Prescriber Signature:	Date:
Office Contact Name:	
Phone Number:	Fax Number:
DEA OR NPI #:	
DRUG INFORMATION: Authorization may be del	ayed if incomplete.
Drug Form/Strength:	
Dosing Schedule:	
Diagnosis:	ICD Code, if applicable:
Weight:	Date:
☐ Standard Review. In checking this box, the timeframe or the member's ability to regain maximum function and	
Quantity Limit (max daily dose) [NDC Unit]: 80	billable units weekly x 6 doses in a 7-week cycle
CLINICAL CRITERIA: Check below all that apply support each line checked, all documentation, including la provided or request may be denied.	
Initial Authorization: 6 months	
☐ Member is 18 years of age or older	
☐ Prescribed by or in consultation with an oncology sp	pecialist

(Continued on next page)

	1 Me	ember's diagnosis and treatment status meet <b>ONE</b> of the following:
		Used as subsequent therapy as a single agent in patients who did not respond to first-line therapy for acute Adult T-Cell Leukemia/Lymphoma Subtypes
		Member has a diagnosis of Mycosis Fungoides/Sezary Syndrome <b>AND</b> does <b>NOT</b> have stage IA-IIA disease with B1 blood involvement
		Used as a single agent as subsequent therapy (refractory to two previous first-line therapy regimens) for Hepatosplenic Gamma-Delta T-Cell Lymphoma
		Used as single agent therapy for relapsed or refractory disease for Breast Implant-Associated Anaplastic Large Cell Lymphoma (BIA-ALCL)
		Member has a diagnosis of Extranodal NK/T-Cell Lymphoma, <b>AND</b> being relapsed or refractory nasal type disease, as subsequent treatment following additional therapy with an alternate asparaginase-based combination chemotherapy regimen that was <b>NOT</b> previously used
		Used as a single agent for relapsed or refractory Peripheral T-Cell Lymphoma (PTCL) (i.e., Anaplastic large cell lymphoma, Peripheral T-cell lymphoma NOT otherwise specified, Angioimmunoblastic T-cell lymphoma, Enteropathy-associated T-cell lymphoma, Monomorphic epitheliotropic intestinal T-Cell lymphoma, Nodal peripheral T-Cell lymphoma with TFH phenotype, Follicular T-Cell lymphoma)
		Member has a diagnosis of Primary Cutaneous CD30+ T-Cell Lymphoproliferative Disorders
sup	port e	orization: 6 months. Check below all that apply. All criteria must be met for approval. To each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be or request may be denied.
<u> </u>	or c	mber is currently receiving the requested agent and ongoing treatment is consistent with FDA-labeling ompendia support (please submit medical chart notes and documentation of therapy history) mber requires continuation of therapy and is <u>NOT</u> experiencing disease progression
	Mei	mber is <u>NOT</u> experiencing an FDA-labeled limitation of use or toxicity
Me	edica	ation being provided by (check applicable box(es) below):
	Loca	ation/site of drug administration:
		or DEA # of administering location:
		<u>OR</u>
	Spec	cialty Pharmacy – Proprium Rx
For u	ırgent	reviews: Practitioner should call Sentara Health Pre-Authorization Department if they believe a

standard reviews: Practitioner should call Sentara Health Pre-Authorization Department it they believe a standard review would subject the member to adverse health consequences. Sentara Health's definition of urgent is a lack of treatment that could seriously jeopardize the life or health of the member or the member's ability to regain maximum function.

\*\*Use of samples to initiate therapy does not meet step edit/preauthorization criteria.\*\*

\*Previous therapies will be verified through pharmacy paid claims or submitted chart notes.\*