

SENTARA COMMUNITY PLAN (MEDICAID)

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; fax to 1-800-750-9692. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. If the information provided is not complete, correct, or legible, the authorization process can be delayed.

Drug Requested: Kevzara® (sarilumab) Injection (Non-Preferred)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member Sentara #: _____ Date of Birth: _____

Prescriber Name: _____

Prescriber Signature: _____ Date: _____

Office Contact Name: _____

Phone Number: _____ Fax Number: _____

NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Name/Form/Strength: _____

Dosing Schedule: _____ Length of Therapy: _____

Diagnosis: _____ ICD Code, if applicable: _____

Weight (if applicable): _____ Date weight obtained: _____

Quantity Limit: Two syringes per 28 days. Pre-Filled syringe single-dose use, 150mg/1.14mL or 200mg/1.4mL solution

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Diagnosis: Moderate-to- Severe Rheumatoid Arthritis

Dosing: SUBQ: 200 mg once every 2 weeks (Two syringes per 28 days)

Initial Authorization: 12 months

- Member age \geq 18 years old
- Prescribed by or in consultation with a rheumatologist
- Member has a diagnosis of moderate to severe active rheumatoid arthritis for adult patients

(Continued on next page)

- Member has a history of failure, contraindication, or intolerance to **ONE (1)** non-biologic disease modifying anti-rheumatic drug (DMARD) [e.g., Rheumatrex[®] /Trexall[®] (methotrexate), Arava[®] (leflunomide), Azulfidine[®] (sulfasalazine)]
- Tried and failed **TWO (2)** of the **PREFERRED** therapies below:

<input type="checkbox"/> Humira [®]	<input type="checkbox"/> Enbrel [®]	<input type="checkbox"/> Infliximab
--	--	-------------------------------------

Reauthorization Approval: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

- Member is not receiving Kevzara[®] in combination with any of the following:
- Biologic DMARD [e.g., Enbrel[®] (etanercept), Humira[®] (adalimumab), Cimzia[®] (certolizumab), Simponi[®] (golimumab)]
- Janus kinase inhibitor [e.g., Xeljanz[®] (tofacitinib)]
- Phosphodiesterase 4 (PDE4) inhibitor [e.g., Otezla[®] (apremilast)]
- Documentation of positive clinical response to Kevzara[®] therapy (Chart notes must be attached)

Diagnosis: Polymyalgia Rheumatica

Dosing: SUBQ: 200 mg once every 2 weeks (Two syringes per 28 days)

- Member has a diagnosis of Polymyalgia Rheumatica (PMR)
- Prescribed by or in consultation with a Rheumatologist
- Member is 18 years of age or older
- Member has a history of failure, contraindication, or intolerance to corticosteroids or cannot tolerate a steroid taper

Reauthorization Approval: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

- Member is not receiving Kevzara[®] in combination with any of the following:
- Biologic DMARD [e.g., Enbrel[®] (etanercept), Humira[®] (adalimumab), Cimzia[®] (certolizumab), Simponi[®] (golimumab)]
- Janus kinase inhibitor [e.g., Xeljanz[®] (tofacitinib)]
- Phosphodiesterase 4 (PDE4) inhibitor [e.g., Otezla[®] (apremilast)]
- Documentation of positive clinical response to Kevzara[®] therapy (Chart notes must be attached)

Diagnosis: Active Polyarticular Juvenile Idiopathic Arthritis (pJIA)

Dosing: SUBQ: 200 mg once every 2 weeks (Two syringes per 28 days)

- Member has a diagnosis of active juvenile idiopathic arthritis
- Member is 2 years or older and weighs 63 kg or greater

(Continued on next page)

- Prescribed by or in consultation with a Rheumatologist
- Member has a history of failure, contraindication, or intolerance to **ONE (1)** non-biologic disease modifying anti-rheumatic drug (DMARD) [e.g., Rheumatex® /Trexall® (methotrexate), Arava® (leflunomide), Azulfidine® (sulfasalazine)]
- Tried and failed **TWO (2)** of the **PREFERRED** therapies below:

<input type="checkbox"/> Humira®	<input type="checkbox"/> Enbrel®	<input type="checkbox"/> Infliximab
----------------------------------	----------------------------------	-------------------------------------

Reauthorization Approval: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

- Member is not receiving Kevzara® in combination with any of the following:
- Biologic DMARD [e.g., Enbrel® (etanercept), Humira® (adalimumab), Cimzia® (certolizumab), Simponi® (golimumab)]
- Janus kinase inhibitor [e.g., Xeljanz® (tofacitinib)]
- Phosphodiesterase 4 (PDE4) inhibitor [e.g., Otezla® (apremilast)]
- Documentation of positive clinical response to Kevzara® therapy (Chart notes must be attached)

Medication being provided by Specialty Pharmacy - PropriumRx

- Physician's office **OR** Specialty Pharmacy: PropriumRx

*****Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*****
****Previous therapies will be verified through pharmacy paid claims or submitted chart notes.****