

# SENTARA COMMUNITY PLAN (MEDICAID)

## PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST\*

**Directions:** The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; fax to 1-800-750-9692. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. If the information provided is not complete, correct, or legible, the authorization process can be delayed.

**Drug Requested:** Kevzara<sup>®</sup> (sarilumab) Injection (**Non-Preferred**)

**MEMBER & PRESCRIBER INFORMATION:** Authorization may be delayed if incomplete.

Member Name: \_\_\_\_\_

Member Sentara #: \_\_\_\_\_ Date of Birth: \_\_\_\_\_

Prescriber Name: \_\_\_\_\_

Prescriber Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Office Contact Name: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Fax Number: \_\_\_\_\_

NPI #: \_\_\_\_\_

**DRUG INFORMATION:** Authorization may be delayed if incomplete.

Drug Name/Form/Strength: \_\_\_\_\_

Dosing Schedule: \_\_\_\_\_ Length of Therapy: \_\_\_\_\_

Diagnosis: \_\_\_\_\_ ICD Code, if applicable: \_\_\_\_\_

Weight (if applicable): \_\_\_\_\_ Date weight obtained: \_\_\_\_\_

**Quantity Limit:** Two syringes per 28 days. Pre-Filled syringe single-dose use, 150mg/1.14mL or 200mg/1.4mL solution

**CLINICAL CRITERIA:** Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

**Diagnosis: Moderate-to- Severe Rheumatoid Arthritis**

**Dosing: SUBQ: 200 mg once every 2 weeks (Two syringes per 28 days)**

**Initial Authorization: 12 months**

- Member age is 18 years of age or older
- Prescribed by or in consultation with a rheumatologist

(Continued on next page)

- Member has a diagnosis of moderate to severe active rheumatoid arthritis who have had an inadequate response or intolerance to one or more disease-modifying anti-rheumatic drugs
- Member has a history of failure, contraindication, or intolerance to **ONE (1)** non-biologic disease modifying anti-rheumatic drug (DMARD) [e.g., Rheumatrex<sup>®</sup> /Trexall<sup>®</sup> (methotrexate), Arava<sup>®</sup> (leflunomide), Azulfidine<sup>®</sup> (sulfasalazine)]
- Tried and failed **BOTH** of the preferred therapies below:

<input type="checkbox"/> adalimumab-adbm (Boehringer Ingelheim) OR Hadlima <sup>®</sup> (adalimumab-bwwd)	<input type="checkbox"/> Enbrel <sup>®</sup>
--	--

**Diagnosis: Polymyalgia Rheumatica**

**Dosing: SUBQ: 200 mg once every 2 weeks (Two syringes per 28 days)**

**Initial Authorization: 12 months**

- Member is 18 years of age or older
- Member has a diagnosis of Polymyalgia Rheumatica (PMR)
- Prescribed by or in consultation with a Rheumatologist
- Member has a history of failure, contraindication, or intolerance to corticosteroids or cannot tolerate a steroid taper

**Diagnosis: Active Polyarticular Juvenile Idiopathic Arthritis (pJIA)**

**Dosing: SUBQ: 200 mg once every 2 weeks (Two syringes per 28 days)**

**Initial Authorization: 12 months**

- Member has a diagnosis of active juvenile idiopathic arthritis
- Member is 2 years or older and weighs 63 kg or more
- Prescribed by or in consultation with a Rheumatologist
- Member has a history of failure, contraindication, or intolerance to **ONE (1)** non-biologic disease modifying anti-rheumatic drug (DMARD) [e.g., Rheumatrex<sup>®</sup> /Trexall<sup>®</sup> (methotrexate), Arava<sup>®</sup> (leflunomide), Azulfidine<sup>®</sup> (sulfasalazine)]
- Tried and failed **BOTH** of the preferred therapies below:

<input type="checkbox"/> adalimumab-adbm (Boehringer Ingelheim) OR Hadlima <sup>®</sup> (adalimumab-bwwd)	<input type="checkbox"/> Enbrel <sup>®</sup>
--	--

**Medication being provided by (check applicable box(es) below):**

- Physician's office                      OR                       Specialty Pharmacy – PropriumRx

***\*\*Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.\*\****  
***\*Previous therapies will be verified through pharmacy paid claims or submitted chart notes.\****