SENTARA HEALTH PLANS

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions</u>: <u>The prescribing physician must sign and clearly print name (preprinted stamps not valid)</u> on this request. All other information may be filled in by office staff; <u>fax to 1-800-750-9692</u>. No additional phone calls will be necessary if all information (<u>including phone and fax #s</u>) on this form is correct. <u>If the information provided is not complete, correct, or legible, the authorization process can be delayed.</u>

<u>Drug</u>	Requested: (Select a	oplicable drug below)
□ P	Procysbi ® (cysteamine b	itartrate) delayed-release capsules and packets
ME	MBER & PRESCRI	BER INFORMATION: Authorization may be delayed if incomplete.
Meml	ber Name:	
Member Sentara #:		Date of Birth:
Prescriber Signature:		Date:
		Fax Number:
DEA	OR NPI #:	
DRU	UG INFORMATION	: Authorization may be delayed if incomplete.
Drug	Form/Strength:	
		Length of Therapy:
Diagnosis:		ICD Code, if applicable:
Weigl	ht:	Date:
supp		Check below all that apply. All criteria must be met for approval. To documentation, including lab results, diagnostics, and/or chart notes, must be nied.
<u>Intia</u>	al Authorization: 6 m	nonths
	Member is ≥1 year of ag	ge and has a confirmed diagnosis of nephropathic cystinosis
	AND	
	Prescriber is an endocrir nephropathic cystinosis	nologist, nephrologist, urologist or other specialist in the treatment of
	AND	

(Continued on next page)

1

(Continued from previous page)

Diagnosis confirmed by the presence of increased cystine concentration in leukocytes OR by genetic
testing confirming biallelic pathogenic variants of the CTNS gene consistent with nephropathic cystinosis
(submit labs or genetic test results confirming the member's diagnosis)
AND

<u>AND</u>

☐ Member's white blood cell (WBC) cystine level is >2 nmol ½ cystine/mg protein at baseline (must submit labs documenting cystine concentration)

AND

☐ Member's serum creatinine is <3.0 mg/dL(must submit current serum creatinine lab levels)

AND

☐ Member has had trial and clinically significant intolerance to Cystagon therapy (chart notes must be submitted to document intolerance. *Note: the plan does not consider frequency of dosing and/or lack of compliance to dosing regimens an indication of medical necessity)

AND

☐ Chart notes documenting member's current height and weight must be submitted

AND

☐ Member is able to take Procysbi on an empty stomach (30 minutes before eating or 2.5 hours after eating)

AND

☐ Member's dose will not exceed the maximum FDA-approved dose of 1.95 g/m² per day

Reauthorization Approval: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

☐ All of the initial authorization continues to be met

AND

☐ Member has maintained a white blood cell (WBC) cystine level < 1 nmol ½ cystine/mg protein (must submit current lab results documenting levels)

AND

☐ Chart notes documenting member's current height and weight must be submitted

AND

☐ Member has not experienced any significant medication-related adverse reactions such as gastrointestinal symptoms (GI bleeding, nausea, vomiting, anorexia, or abdominal pain), severe skin rashes, or CNS symptoms (eg, seizures, lethargy, somnolence, depression, encephalopathy)

AND

☐ Member's serum creatinine is <3.0 mg/dL and has not increased from baseline (must submit current serum creatinine lab levels)

(Continued on next page)

Medication being provided by Specialty Pharmacy - PropriumRx

Not all drugs may be covered under every Plan

If a drug is non-formulary on a Plan, documentation of medical necessity will be required.

**Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. **

*Previous therapies will be verified through pha rmacy paid claims or submitted chart notes. *