

Electrical Stimulation, DME 07

Table of Content

[Description & Definitions](#)
[Criteria](#)
[Document History](#)
[Coding](#)
[Special Notes](#)
[References](#)
[Keywords](#)

Effective Date	03/2008
Next Review Date	2/2026
Coverage Policy	DME 07
Version	4

Member-specific benefits take precedence over medical policy and benefits may vary across plans. Refer to the individual's benefit plan for details [*](#).

Description & Definitions:

Electrical stimulation devices are made of leads, pads and a control unit. The control unit delivers either a continuous or intermittent low voltage to the site of pain. These include, but are not limited to, the following:

- Bioelectric Nerve Block is a non-invasive therapy that uses electrodes applied to the skin in a painful area on the body. The electrodes are connected to a computer program that send out alternating electrical currents for electrical stimulation to block pain
- H-Wave Stimulators are non-invasive multifunctional electrical stimulation devices (High and/or low frequency delivery) to that stimulate a muscle with electrical impulses.
- Interferential Therapy (IF) Neurostimulator Devices use low frequency electrical stimulation to deliver therapy to a specific body site.
- Microcurrent Electrical Nerve Stimulation Devices send electrical impulses to specific areas of the body.
- Percutaneous electrical stimulation places small needles around indicated painful areas and small doses of electrical current are delivered to the sites.
- Peripheral Nerve Stimulator is a minimally-invasive implanted receiver with electrodes that are placed around a peripheral nerve and an external transmitter is connected for transmitting the low frequency electrical pulses.
- Transcutaneous Electrical Joint Stimulation Devices (Bionicare) can be used on various joints to help control pain by using patches connected to the skin and allow low electrical current to flow through.
- Transcutaneous Electrical Nerve Stimulator (TENS unit) is a small device that delivers small doses of electrical current through electrodes on the skin to promote pain relief.

Criteria:

Electrical stimulation is considered medically necessary for **1 or more** of the following devices:

- Transcutaneous Electrical Nerve Stimulator (TENS unit) is considered medically necessary with **1 or more** of the following:
 - Acute post-operative pain with **1 or more** of the following:
 - Initial trial period with **ALL** of the following:
 - Used as an adjunct or alternative to pharmacotherapy
 - Used in the first 30 days after surgery
 - Monitored by the physician to determine the effectiveness of the transcutaneous electrical nerve stimulator in managing the pain
 - Continued treatment with **ALL** of the following:

- Individual has completed an initial trial period within the first 30 days after surgery
 - Documentation from the physician indicates how often the individual used the transcutaneous electrical unit, the duration of use, and the results
 - Documentation from the physician proving the treatment has significantly alleviated pain and continued treatment would be beneficial over a long period of time
 - The ordering physician must be the attending physician or a consulting physician for the disease or condition
- Chronic, intractable pain other than low back pain with **ALL** of the following:
 - The presumed etiology of the pain must be a type that is accepted as responding to TENS therapy
 - The pain must have been present for at least three months
 - Other appropriate treatments treatment modalities must have been tried and failed
- Dysmenorrhea as indicated with **ALL** of the following:
 - Disabling dysmenorrhea
 - Secondary causes of dysmenorrhea have been ruled out (e.g. endometriosis)
 - No response to treatment with non-steroidal anti-inflammatory medications (NSAIDs)
- FDA approved form-fitting garment as durable medical equipment for delivering transcutaneous electrical stimulation as prescribed by a doctor is considered medically necessary for **1 or more** of the following:
 - Individual must have a conductive garment, as indicated by **ALL** of the following:
 - There is a large area or many sites to be stimulated.
 - Stimulation will be delivered so frequently that it is not practical to use conventional items including, but not limited to, wires, electrodes or tapes
 - Individual needs garment for treatment of chronic intractable pain where conventional items would not be accessible.
 - Individual has a medical condition that does not allow for conventional items including, but not limited to, tapes, wires or electrodes.
 - Individual needs to access site under a cast
- Replacement supplies for use with Transcutaneous Electrical Nerve Stimulator (TENS) request
- Percutaneous electrical nerve stimulation (PENS) is considered medically necessary for **1 or more** of the following:
 - Treatment of chronic low back pain secondary to degenerative disc disease for up to a thirty (30) day period as part of a multi-modality rehabilitation program that includes exercise
 - Diabetic neuropathy pain
- Peripheral Nerve Stimulator (PNS) is considered medically necessary for **1 or more** of the following
 - Placement with **All** of the following:
 - Individual has chronic, severe neurogenic pain including but not limited to complex regional pain syndrome, neuropathic pain, neuralgias, post-surgical pain for at least three to six months in the region of the nerve being targeted
 - Individual has failed conservative, less invasive treatment including but not limited to medications, physical therapy, braces, local injections, TENS, psychological therapy, attempts to cure the underlying condition causing the pain for at least six months
 - Individual does not have contraindications to the procedure including but not limited to local infections, surgical/medical /psychological conditions that can adversely impact the procedure
 - Individual does not have any substance abuse issues
 - Individual has been educated and psychologically prepared following discussion of risks and benefits by the treating physician
 - Individual had undergone a successful stimulation trial with greater than or equal to 50% reduction in pain intensity before implantation
 - Device is FDA approved.
 - Removal with or without replacement is considered medically necessary when **1 or more** the following criteria are met:
 - The device malfunctions or breaks and individual continues to meet placement criteria
 - Becomes infected
 - No longer warranted with a documented reason
- External Upper Limb Tremor Stimulator Therapy may be covered for **1 or more** of the following:

- Initial coverage (first 3 months) of external upper limb tremor stimulator of peripheral nerves of wrist (*E0734*) and supplies and accessories (*A4542*), as indicated by **ALL** of the following:
 - Treating practitioner has performed clinical evaluation (in-person or via Medicare-approved telehealth).
 - Diagnosis of essential tremor (ET)
 - Age 18 years or older
 - No contraindications to external upper limb tremor stimulator therapy
 - Device prescribed to treat beneficiary's dominant upper limb
 - Severe symptoms significantly impair beneficiary's ability to perform dominant hand, upper-limb-related ADLs as demonstrated by Bain & Findley Tremor ADL Scale (BF-ADL) score of 3 or more for **1 or more** of the following eating, drinking, self-care, or writing assessment items:
 - Cut food with knife and fork
 - Use spoon to drink soup
 - Hold cup of tea
 - Pour milk from bottle or carton
 - Wash and dry dishes
 - Brush teeth
 - Use handkerchief to blow nose
 - Use bath
 - Use lavatory
 - Wash face and hands
 - Tie up shoelaces
 - Do up buttons
 - Do up zip
 - Write letter
 - Put letter in envelope
 - Get up out of armchair
 - Tremor exacerbating medication (eg, stimulants, beta agonists) has been reduced or eliminated, or reduction or elimination of tremor exacerbating medication is not medically appropriate.
 - At least 2 pharmacologic treatment options for management of ET symptoms have been either tried and failed at maximal tolerable treatment dosages (ie, no or limited effect, intolerable side effects) or considered and ruled out (eg, not appropriate in context of beneficiary's medical history).
 - Stimulator therapy prescribed as alternative to invasive and/or permanent surgical treatment option (eg, deep brain stimulation, magnetic resonance guided focused ultrasound, radiosurgery)
- Continued coverage of *E0734* and *A4542* (after initial 3 months), as indicated by **ALL** of the following:
 - Treating practitioner has performed clinical re-evaluation (in-person or via Medicare-approved telehealth) and documents **ALL** of the following:
 - Beneficiary deriving benefit from therapy as indicated by one-point improvement in BF-ADL score in any eating, drinking, self-care, or writing task scored as 3 or more prior to initiation of therapy
 - Beneficiary adhering to therapy as defined as use of external upper limb tremor stimulator therapy on 70% of days during consecutive 30-day period anytime during the first 3 months of initial use

Electrical Stimulation devices are considered not medically necessary for any of the following:

- Auricular electrical stimulation
- Auricular electroacupuncture
- Bioelectric Nerve Block (Electroceutical Therapy)
- Cefaly transcutaneous electrical stimulator headband
- Cranial Electrotherapy Stimulation
- Electro-Acuscope Myopulse Therapy System
- Electro-therapeutic point stimulation (ETPSSM) (Microcurrent point stimulation)
- External upper limb tremor stimulator (*E0734*) for non-dominant upper limb
- Galvanic stimulation
- H-Wave Type Stimulators

- Interferential Therapy (IF) Neurostimulator Devices (e.g., RS Medical TENS Plus, Sequential Stimulation with 4 leads or RS-4i)
- Intramuscular stimulation device
- Intravaginal electrical stimulation
- Microcurrent Electrical Nerve Stimulation Devices (e.g., Algonix, Alpha-Stim 100, Electro-Myopulse 75L, electro-Lyoscope 85P, KFH Energy, MENS 2000-D, MICROCURRENT or Myopulse 75C)
- Multifidus muscle stimulation
- Non-Invasive Interactive Neurostimulation
- Non-invasive/No-Incision Pain Procedure (NIP) Device
- NTX-100 Tonic Motor Activation (TOMAC) System
- Percutaneous neuromodulation therapy (PNT)
- Peripheral subcutaneous field stimulation or peripheral nerve field stimulation (PNFS) (e.g., the Freedom PNS System, the Sprint PNS System, the StimQ PNS System)
- Pulsed Electrical Stimulator (PES)
- Pulse Stimulation (e.g., the P-STIM device)
- Quell device
- Reduced impedance non-invasive cortical electrostimulation (RINCE)
- Sympathetic therapy (Electrical sympathetic stimulation therapy)
- Synaptic electrical stimulator
- The ReBuilder
- Transcutaneous Electrical Joint Stimulation Devices (TEJSD)
- Transcutaneous Electrical Modulation Pain Reprocessing (TEMPR) (Scrambler therapy, Calmare)
- Transcutaneous magnetic stimulation

Electrical stimulation indications are considered not medically necessary for any of the following:

- Abdominal pain, including pregnancy
- Acute and Chronic headaches including Migraine
- Acute pain (less than three months duration) other than post-operative pain
- Adhesive capsulitis (frozen shoulder)
- Blockade of the stellate ganglion
- Carpal tunnel syndrome pain
- Chemotherapy-induced peripheral neuropathy
- Chondromalacia patellae and patellofemoral disorders
- IB-Stim for the treatment of irritable bowel syndrome
- In individuals with convulsive disorders of the head and neck
- In individuals with implantable electrical devices such as pacemakers or defibrillators
- management of opioid withdrawal
- Pelvic pain, including labor and delivery
- Restless Leg Syndrome
- Temporomandibular joint (TMJ) pain
- To reduce subjective pain intensity during dental procedures
- To reduce subjective pain intensity during medical procedures
- treatment of chronic neck pain

Document History:

Revised Dates:

- 2025: January – Procedure codes updated to align with service authorization changes.
- 2024: December – Added a new not covered device and corresponding coding.
- 2024: February
- 2022: February
- 2019: November

- 2016: April
- 2015: July
- 2014: April
- 2013: July
- 2012: November
- 2011: February, March, April, May, June, November
- 2010: June

Reviewed Dates:

- 2023: February
- 2019: October
- 2018: October
- 2017: November
- 2016: July
- 2014: July
- 2012: June
- 2009: May

Effective Date:

- March 2008

Coding:

Medically necessary with criteria:

Coding	Description
64555	Percutaneous implantation of neurostimulator electrode array; peripheral nerve (excludes sacral nerve)
64575	Open implantation of neurostimulator electrode array; peripheral nerve (excludes sacral nerve)
64585	Revision or removal of peripheral neurostimulator electrode array
64590	Insertion or replacement of peripheral, sacral, or gastric neurostimulator pulse generator or receiver, requiring pocket creation and connection between electrode array and pulse generator or receiver
64595	Revision or removal of peripheral, sacral, or gastric neurostimulator pulse generator or receiver, with detachable connection to electrode array
64596	Insertion or replacement of percutaneous electrode array, peripheral nerve, with integrated neurostimulator, including imaging guidance, when performed; initial electrode array
64597	Insertion or replacement of percutaneous electrode array, peripheral nerve, with integrated neurostimulator, including imaging guidance, when performed; each additional electrode array (List separately in addition to code for primary procedure)
64598	Revision or removal of neurostimulator electrode array, peripheral nerve, with integrated neurostimulator
64999	Unlisted procedure, nervous system
A4542	Supplies and accessories for external upper limb tremor stimulator of the peripheral nerves of the wrist

A4595	Electrical stimulator supplies, 2
E0720	Transcutaneous electrical nerve stimulation (TENS) device, 2
E0730	Transcutaneous electrical nerve stimulation (TENS) device, 4
E0731	Form-fitting conductive garment for delivery of TENS or NMES (with conductive fibers separated from the
E0734	External upper limb tremor stimulator of the peripheral nerves of the wrist
E1399	Durable medical equipment, miscellaneous
L8680	Implantable neurostimulator electrode, each
L8682	Implantable neurostimulator radiofrequency receiver
L8683	Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver
L8685	Implantable neurostimulator pulse generator, single array, rechargeable, includes extension
L8686	Implantable neurostimulator pulse generator, single array, nonrechargeable, includes extension
L8687	Implantable neurostimulator pulse generator, dual array, rechargeable, includes extension
L8688	Implantable neurostimulator pulse generator, dual array, nonrechargeable, includes extension

Considered Not Medically Necessary:

Coding	Description
0278T	Transcutaneous electrical modulation pain reprocessing (eg, scrambler therapy), each treatment session (includes
0720T	Percutaneous electrical nerve field stimulation, cranial nerves, without implantation
0766T	Transcutaneous magnetic stimulation by focused low-frequency electromagnetic pulse, peripheral nerve, initial treatment, with identification and marking of the treatment location, including noninvasive electroneurographic localization (nerve conduction localization), when performed; first nerve
0767T	Transcutaneous magnetic stimulation by focused low-frequency electromagnetic pulse, peripheral nerve, initial treatment, with identification and marking of the treatment location, including

	noninvasive electroneurographic localization (nerve conduction localization), when performed; each additional nerve (List separately in addition to code for primary procedure)
0768T	Transcutaneous magnetic stimulation by focused low-frequency electromagnetic pulse, peripheral nerve, subsequent treatment, including noninvasive electroneurographic localization (nerve conduction localization), when performed; first nerve
0769T	Transcutaneous magnetic stimulation by focused low-frequency electromagnetic pulse, peripheral nerve, subsequent treatment, including noninvasive electroneurographic localization (nerve conduction localization), when performed; each additional nerve (List separately in addition to code for primary procedure)
0783T	Transcutaneous auricular neurostimulation, set-up, calibration, and patient education on use of equipment
A4541	Monthly supplies for use of device coded at E0733
A4543	Supplies for transcutaneous electrical nerve stimulator, for nerves in the auricular region, per month
A4544	Electrode for external lower extremity nerve stimulator for restless legs syndrome
A4545	Supplies and accessories for external tibial nerve stimulator (e.g., socks, gel pads, electrodes, etc.), needed for one month
A4596	Cranial electrotherapy stimulation (CES) system supplies and accessories, per month
E0732	Cranial electrotherapy stimulation (CES) system, any type
E0733	Transcutaneous electrical nerve stimulator for electrical stimulation of the trigeminal nerve
E0721	Transcutaneous electrical nerve stimulator for nerves in the auricular region
E0736	Transcutaneous tibial nerve stimulator
E0737	Transcutaneous tibial nerve stimulator, controlled by phone application
E0743	External lower extremity nerve stimulator for restless legs syndrome, each
E0755	Electronic salivary reflex stimulator (intraoral/noninvasive)
E0762	Transcutaneous electrical joint stimulation device system, includes all accessories
E0765	FDA approved nerve stimulator, with replaceable batteries, for treatment of nausea and vomiting
S8130	Interferential current stimulator, 2
S8131	Interferential current stimulator, 4
S8930	Electrical stimulation of auricular acupuncture points; each 15

The preceding codes are included above for informational purposes only and may not be all inclusive. Additionally, inclusion or exclusion of a treatment, procedure, or device code(s) does not constitute or imply

member coverage or provider reimbursement. Please refer to the member's contract benefits in effect at the time of service to determine coverage or non-coverage of these services as it applies to an individual member.

Special Notes: *

- Coverage: See the appropriate benefit document for specific coverage determination. Member specific benefits take precedence over medical policy.
- Application to Products: Policy is applicable to Sentara Health Plan Commercial products.
- Authorization Requirements: Pre-certification by the Plan is required.
 - Percutaneous Electrical Nerve Stimulation (PENS) devices are a purchase only item and not a rental.
- Special Notes:
 - Medical policies can be highly technical and complex and are provided here for informational purposes. These medical policies are intended for use by health care professionals. The medical policies do not constitute medical advice or medical care. Treating health care professionals are solely responsible for diagnosis, treatment, and medical advice. Sentara Health Plan members should discuss the information in the medical policies with their treating health care professionals. Medical technology is constantly evolving, and these medical policies are subject to change without notice, although Sentara Health Plan will notify providers as required in advance of changes that could have a negative impact on benefits.
 - Services mean both medical and behavioral health (mental health) services and supplies unless We specifically tell You otherwise. We do not cover any services that are not listed in the Covered Services section unless required to be covered under state or federal laws and regulations. We do not cover any services that are not Medically Necessary. We sometimes give examples of specific services that are not covered but that does not mean that other similar services are covered. Some services are covered only if We authorize them. When We say You or Your We mean You and any of Your family members covered under the Plan. Call Member Services if You have questions.
 - MUST SEE MEMBER BENEFIT FOR DETERMINATION. We only cover DME that is Medically Necessary and prescribed by an appropriate Provider. We also cover colostomy, ileostomy, and tracheostomy supplies, and suction and urinary catheters. We do not cover DME used primarily for the comfort and wellbeing of a Member. We will not cover DME if We deem it useful, but not absolutely necessary for Your care. We will not cover DME if there are similar items available at a lower cost that will provide essentially the same results as the more expensive items.

References:

Including but not limited to: Specialty Association Guidelines; Government Regulations; Winifred S. Hayes, Inc; UpToDate; Literature Review; Specialty Advisors; National Coverage Determination (NCD); Local Coverage Determination (LCD).

Cava, R., & Orlin, .. (2022, May 27). Home-based transcutaneous tibial nerve stimulation for overactive bladder syndrome: a randomized, controlled study. Retrieved Feb 06, 2025, from PubMed: <https://pmc.ncbi.nlm.nih.gov/articles/PMC9137441/>

Chou, R. (2024, Jun 04). Management of subacute and chronic low back pain. Retrieved Feb 05, 2025, from UpToDate: https://www.uptodate.com/contents/management-of-subacute-and-chronic-low-back-pain?search=electrical%20stimulation&source=search_result&selectedTitle=1%7E150&usage_type=default&display_rank=1#H4206876002

Cranial Electrical Stimulation for the Treatment of Fibromyalgia. (2021, Jan 21). Retrieved Feb 05, 2025, from Hayes - a symplr company: <https://evidence.hayesinc.com/report/htb.cranialstimulation4470>

Deveza, L. (2024, Nov 19). Management of knee osteoarthritis. Retrieved Feb 05, 2025, from UpToDate: https://www.uptodate.com/contents/management-of-knee-osteoarthritis?search=electrical%20stimulation&source=search_result&selectedTitle=7%7E150&usage_type=default&display_rank=7#H163360731

Efficacy of Transcutaneous Electric Nerve Stimulation in the Treatment of Pain in Neurologic Disorders. (2024, Apr 15). Retrieved Feb 05, 2025, from American Academy of Neurology: <https://www.aan.com/Guidelines/Home/GuidelineDetail/492>

Evidence-Based Clinical Guidelines from the American Society of Pain and Neuroscience for the Use of Implantable Peripheral Nerve Stimulation in the Treatment of Chronic Pain. (2022, Aug 23). Retrieved Feb 05, 2025, from American Society of Pain and Neuroscience: <https://pmc.ncbi.nlm.nih.gov/articles/PMC9419727/>

LCD: External Upper Limb Tremor Stimulator Therapy (L39591). (2024, Apr 07). Retrieved Feb 06, 2025, from Centers for Medicare and Medicaid Services: <https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?LCDId=39591>

LCD: Peripheral Nerve Stimulation (L34328). (2019, Dec 01). Retrieved Feb 06, 2025, from Centers for Medicare and Medicaid Services: <https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=34328&ver=40&keyword=Peripheral%20Nerve%20Stimulation&keywordType=starts&areald=all&docType=NCA,CAL,NCD,MEDCAC,TA,MCD,6,3,5,1,F,P&contractOption=all&sortBy=relevance&bc=1>

LCD: Transcutaneous Electrical Joint Stimulation Devices (TEJSD) (L34821). (2020, Jan 01). Retrieved Feb 05, 2025, from Centers for Medicare and Medicaid Services: <https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=34821&ver=21&keyword=electrical%20stimulation&keywordType=starts&areald=s53&docType=NCA,CAL,NCD,MEDCAC,TA,MCD,6,3,5,1,F,P&contractOption=all&sortBy=relevance&bc=1>

LCD: Transcutaneous Electrical Nerve Stimulators (TENS). (2024, Jan 01). Retrieved Feb 05, 2025, from Centers for Medicare and Medicaid Services: <https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=33802&ver=35&keyword=electrical%20stimulation&keywordType=starts&areald=s53&docType=NCA,CAL,NCD,MEDCAC,TA,MCD,6,3,5,1,F,P&contractOption=all&sortBy=relevance&bc=1>

Longstreth, G. (2024, Dec 16). Approach to the adult with nausea and vomiting. Retrieved Feb 05, 2025, from PubMed: https://www.uptodate.com/contents/approach-to-the-adult-with-nausea-and-vomiting?search=electrical%20stimulation&source=search_result&selectedTitle=22%7E150&usage_type=default&display_rank=22#H27

NCD: Supplies Used in the Delivery of Transcutaneous Electrical Nerve Stimulation (TENS) and Neuromuscular Electrical Stimulation (NMES) (160.13). (1988, Jul 14). Retrieved Feb 05, 2025, from Centers for Medicare and Medicaid Services: <https://www.cms.gov/medicare-coverage-database/view/ncd.aspx?ncdid=151&ncdver=1&keyword=electrical%20stimulation&keywordType=starts&areald=s53&docType=NCA,CAL,NCD,MEDCAC,TA,MCD,6,3,5,1,F,P&contractOption=all&sortBy=relevance&bc=1>

Provider Manual: Durable Medical Equipment - Chapter IV: Covered Services and Limitations. (2024, Oct 24). Retrieved Feb 05, 2025, from Virginia Department of Medical Assistance Services: https://vamedicaid.dmas.virginia.gov/sites/default/files/2024-10/DME%20Chapter%20IV%20%28updated%2010.24.24%29_Final.pdf

Smith, R., & Kaunitz, A. (2024, Nov 12). Dysmenorrhea in adult females: Treatment. Retrieved Feb 05, 2025, from UpToDate: https://www.uptodate.com/contents/dysmenorrhea-in-adult-females-treatment?search=electrical%20stimulation&source=search_result&selectedTitle=15%7E150&usage_type=default&display_rank=15#H2623182260

The American Society of Pain and Neuroscience (ASPN) Evidence-Based Clinical Guideline of Interventional Treatments for Low Back Pain. (2022, Dec 06). Retrieved Feb 06, 2025, from American Society of Pain and Neuroscience: <https://www.dovepress.com/article/download/80119>

Transcutaneous Electrical Nerve Stimulation for Chronic Low Back Pain (3). (2024, Mar 27). Retrieved Feb 05, 2025, from Hayes - a symplr company: <https://evidence.hayesinc.com/report/dir.transcutaneous1978>

Keywords:

SHP Electrical Stimulation, SHP Durable Medical Equipment 07, Transcutaneous Electrical Nerve Stimulator, TENS unit, SHP DME 07, TENS, transcutaneous electrical stimulation, therapeutic electrical nerve stimulation, SHP Durable Medical Equipment 07, Bioelectric Nerve Block, electric current, brain, pain, electroceutical therapy, Bioelectric therapy, non-invasive neuron blockade, electroceutical neuron blockade, bioelectric treatment system, nerve conduction block, SHP H-Wave Type Stimulators, electrical impulse, pain relief, increase blood circulation, lymphatic drainage, range of motion, muscle spasms, atrophy, SHP Interferential Therapy (IF) Neurostimulator Devices, low frequency electrical stimulation, pain, muscle spasms, muscle strain, physical therapy, RS Medical TENS Plus, Sequential Stimulation with 4 leads, RS-4i, BioStim® INF, INF Plus™, Endomed Interferential Stimulators, Flex-IT™, Soleo Galva Electrotherapy System, IF 4000, IF 8000, FastStart® IF, OrthoStim4™, SurgiStim4™, VQ™ Vector, RSJ, RS JC, RS-4i® Sequential Stimulator; RS-2i® Interferential Stimulator, Stereodynator®, PRO ElecDT® 2000, Vectorsurge 5 Model 470, interferential current (IFC), IFT, SHP Microcurrent Electrical Nerve Stimulation Devices, electrical impulse, pain, healing, analog device, SHP Percutaneous Electrical Nerve Stimulation, PENS, chronic low back pain, degenerative disc disease, exercise, SHP Transcutaneous Electrical Joint Stimulation Devices, TEJSD, SHP Durable Medical Equipment 227, electrical impulses, brace, BioniCare Knee System, OActive Knee Brac), BIO-1000™ System, Diatermed II, OrthoCor™ Active Knee System™, neoGEN-Series® system, SofPulse®, SofPulse® 912-M10, Roma3™, Torino II™, StimRouter Neuromodulation System, Peripheral Nerve Stimulation, Electro-Acuscope Myopulse Therapy System, DyAnslys auricular electrical nerve stimulator