SENTARA HEALTH PLANS

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; <u>fax to 1-800-750-9692</u>. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. <u>If the information provided is not</u> complete, correct, or legible, the authorization process can be delayed.

Drug Requested: Cimzia[®] SQ (certolizumab) (Pharmacy)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name:	
Member Sentara #:	
Prescriber Signature:	
Office Contact Name:	
Phone Number:	
NPI #:	
DRUG INFORMATION: Authorization r	
Drug Name/Form/Strength:	
	Length of Therapy:
Diagnosis:	ICD Code, if applicable:
Weight (if applicable):	Date weight obtained:
	oncomitant therapy with more than one biologic hira, Rinvoq, Stelara) prescribed for the same or different l. Safety and efficacy of these combinations has <u>NOT</u> been
• Will the member be discontinuing a previousl	ly prescribed biologic if approved for requested medication?

 \Box Yes **OR** \Box No

• If yes, please list the medication that will be discontinued and the medication that will be initiated upon approval along with the corresponding effective date.

Medication to be discontinued:	Effective date:
Medication to be initiated:	Effective date:

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied. **Check the diagnosis below that applies.**

Diagnosis: Moderate-to-Severe Crohn's disease (CD)

- □ Member has a diagnosis of moderate-to-severe Crohn's disease
- **D** Prescribed by or in consultation with a **Gastroenterologist**
- □ Member meets <u>ONE</u> of the following:
 - □ Member has tried and failed budesonide or high dose steroids (40-60 mg prednisone)
 - □ Member has tried and failed at least <u>ONE</u> of the following DMARD therapies for at least <u>three (3)</u> <u>months</u>
 - □ 5-aminosalicylates (balsalazide, olsalazine, sulfasalazine)
 - □ oral mesalamine (Apriso, Asacol/HD, Delzicol, Lialda, Pentasa)
- □ Member meets <u>ONE</u> of the following:
 - □ Member tried and failed, has a contraindication, or intolerance to <u>ONE</u> preferred adalimumab product
 - Member has been established on Cimzia[®] for at least 90 days <u>AND</u> prescription claims history indicates <u>at least a 90-day supply of Cimzia was dispensed within the past 130 days</u> (verified by chart notes or pharmacy paid claims)

Diagnosis: Active Psoriatic Arthritis

- □ Member has a diagnosis of active **psoriatic arthritis**
- **D** Prescribed by or in consultation with a **Rheumatologist**
- □ Member has tried and failed at least <u>ONE</u> of the following **DMARD** therapies for at least <u>three (3)</u> <u>months</u>
 - □ cyclosporine
 - □ leflunomide
 - □ methotrexate
 - □ sulfasalazine

- □ Member meets <u>ONE</u> of the following:
 - □ Member tried and failed, has a contraindication, or intolerance to <u>**TWO**</u> of the <u>**PREFERRED**</u> biologics below (verified by chart notes or pharmacy paid claims):

	□ Enbrel [®]	□ Otezla [®]	□ Rinvoq [®] / Rinvoq [®] LQ
Preferred adalimumab product	□ Skyrizi [®]	□ Stelara [®]	\Box Taltz [®]
	\Box Xeljanz [®] /XR [®]	□ Tremfya [®]	

Member has been established on Cimzia[®] for at least 90 days <u>AND</u> prescription claims history indicates <u>at least a 90-day supply of Cimzia was dispensed within the past 130 days</u> (verified by chart notes or pharmacy paid claims)

Diagnosis: Moderate-to-Severe Rheumatoid Arthritis

- D Member has a diagnosis of moderate-to-severe rheumatoid arthritis
- **D** Prescribed by or in consultation with a **Rheumatologist**
- □ Member has tried and failed at least <u>ONE</u> of the following DMARD therapies for at least <u>three (3)</u> <u>months</u>
 - □ hydroxychloroquine
 - □ leflunomide
 - □ methotrexate
 - □ sulfasalazine
- □ Member meets <u>ONE</u> of the following:
 - □ Member tried and failed, has a contraindication, or intolerance to **TWO** of the **PREFERRED** biologics below (verified by chart notes or pharmacy paid claims):

Preferred adalimumab product	□ Enbrel [®]
\Box Rinvoq [®]	Preferred tocilizumab product: Actemra [®] SC or Tyenne [®] SC
$\Box Xeljanz^{\mathbb{R}}/XR^{\mathbb{R}}$	

Member has been established on Cimzia[®] for at least 90 days <u>AND</u> prescription claims history indicates <u>at least a 90-day supply of Cimzia was dispensed within the past 130 days</u> (verified by chart notes or pharmacy paid claims)

Diagnosis: Active Non-Radiographic Axial Spondyloarthritis

- □ Member has a diagnosis of active non-radiographic **axial spondyloarthritis**
- **D** Prescribed by or in consultation with a **Rheumatologist**

- □ Member has at least <u>ONE</u> of the following objective signs of inflammation:
 - □ C-reactive protein [CRP] levels above the upper limit of normal
 - □ Sacroiliitis on magnetic resonance imaging [MRI] (indicative of inflammatory disease, but without definitive radiographic evidence of structural damage on sacroiliac joints)
- □ Member tried and failed, has a contraindication, or intolerance to <u>TWO</u> NSAIDs

Diagnosis: Active Ankylosing Spondylitis

- □ Member has a diagnosis of active **ankylosing spondylitis**
- **D** Prescribed by or in consultation with a **Rheumatologist**
- □ Member tried and failed, has a contraindication, or intolerance to **<u>TWO</u>** NSAIDs
- □ Member meets <u>ONE</u> of the following:
 - □ Member tried and failed, has a contraindication, or intolerance to <u>TWO</u> of the <u>PREFERRED</u> biologics below (verified by chart notes or pharmacy paid claims):

Preferred adalimumab product	□ Enbrel [®]	□ Rinvoq [®]
\Box Taltz [®]	$\Box \text{Xeljanz}^{\circledast}/\text{XR}^{\circledast}$	

Member has been established on Cimzia[®] for at least 90 days <u>AND</u> prescription claims history indicates <u>at least a 90-day supply of Cimzia was dispensed within the past 130 days</u> (verified by chart notes or pharmacy paid claims)

Diagnosis: Moderate-to-Severe Plaque Psoriasis

- □ Member has a diagnosis of moderate-to-severe plaque psoriasis
- **D** Prescribed by or in consultation with a **Dermatologist**
- □ Member tried and failed at least <u>ONE</u> of either Phototherapy or Alternative Systemic Therapy for at least <u>three (3) months</u> (check each tried below):

<u>Phototherapy</u> :	□ <u>Alternative Systemic Therapy</u> :	
UV Light Therapy	Oral Medications	
□ NB UV-B	□ acitretin	
D PUVA	□ methotrexate	
	□ cyclosporine	

- □ Member meets <u>ONE</u> of the following:
 - □ Member tried and failed, has a contraindication, or intolerance to <u>**TWO**</u> of the <u>**PREFERRED**</u> biologics below (verified by chart notes or pharmacy paid claims):

Preferred adalimumab product	□ Enbrel [®]	□ Otezla [®]	□ Skyrizi [®]
□ Sotyktu [™]	□ Stelara [®]	\Box Taltz [®]	□ Tremfya [®]

Member has been established on Cimzia[®] for at least 90 days <u>AND</u> prescription claims history indicates <u>at least a 90-day supply of Cimzia was dispensed within the past 130 days</u> (verified by chart notes or pharmacy paid claims)

Diagnosis: Active Polyarticular Juvenile Idiopathic Arthritis Dosing: SubQ: Greater than or equal to 40 kg (88 lbs): 400 mg initially and at Weeks 2 and 4, followed by 200 mg every other week. NOTE: There is no dosage form for Cimzia that allows for patient self-administration for doses below 200 mg. Doses less than 200 mg require administration by a health care professional using the vial kit & provider must submit request to the SHP medical department

- □ Member is 2 years of age or older and weighs at least 40 kg
- □ Member has a diagnosis of active polyarticular **juvenile idiopathic arthritis**
- **D** Prescribed by or in consultation with a **Rheumatologist**
- □ Member has tried and failed at least <u>ONE</u> of the following DMARD therapies for at least <u>three (3)</u> <u>months</u>
 - □ cyclosporine
 - □ hydroxychloroquine
 - □ leflunomide
 - □ methotrexate
 - □ Non-steroidal anti-inflammatory drugs (NSAIDs)
 - □ oral corticosteroids
 - □ sulfasalazine
 - □ tacrolimus

- □ Member meets <u>ONE</u> of the following:
 - □ Member tried and failed, has a contraindication, or intolerance to <u>**TWO**</u> of the following <u>**PREFERRED**</u> biologics:

Preferred adalimumab product	□ Enbrel [®]
□ Rinvoq [®] /Rinvoq [®] LQ	 Preferred tocilizumab product: Actemra[®] SC or Tyenne[®] SC
□ Xeljanz [®] tablets/oral solution	

Member has been established on Cimzia[®] for at least 90 days <u>AND</u> prescription claims history indicates <u>at least a 90-day supply of Cimzia was dispensed within the past 130 days</u> (verified by chart notes or pharmacy paid claims)

Medication being provided by a Specialty Pharmacy – Proprium Rx

Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. *<u>Previous therapies will be verified through pharmacy paid claims or submitted chart notes.</u>*