

SENTARA COMMUNITY PLAN (MEDICAID)

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; fax to 1-800-750-9692. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. **If the information provided is not complete, correct, or legible, the authorization process can be delayed.**

Drug Requested: Kalydeco® (ivacaftor)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member Sentara #: _____ **Date of Birth:** _____

Prescriber Name: _____

Prescriber Signature: _____ **Date:** _____

Office Contact Name: _____

Phone Number: _____ **Fax Number:** _____

NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Form/Strength: _____

Dosing Schedule: _____ **Length of Therapy:** _____

Diagnosis: _____ **ICD Code, if applicable:** _____

Weight (if applicable): _____ **Date weight obtained:** _____

Quantity Limit: 2 packets or tablets per day (all strengths)

Recommended Dosage:

<u>Age</u>	<u>Weight</u>	<u>Dosage</u>
1 month to < 2 months	3 kg or greater	one 5.8 mg packet every 12 hours
2 months to < 4 months	3 kg or greater	one 13.4 mg packet every 12 hours
4 months to < 6 months	5 kg or greater	one 25 mg packet every 12 hours
6 months to < 6 years	5 kg to < 7 kg	one 25 mg packet every 12 hours
	7 kg to < 14 kg	one 50 mg packet every 12 hours
	14 kg or greater	one 75 mg packet every 12 hours
6 years and older	N/A	one 150 mg tablet every 12 hours

(Continued on next page)

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Initial Authorization: 6 months

- ☐ Member is **1 month of age** or older with a diagnosis of Cystic Fibrosis
- ☐ Member has **at least one** mutation in the Cystic Fibrosis transmembrane conductance regulator (CFTR) gene that is responsive to ivacaftor as detected by an FDA cleared test (**test results must be attached**)
- ☐ Prescribing physician is a pulmonologist or has consulted with a pulmonologist who specializes in the treatment of Cystic Fibrosis
- ☐ Baseline FEV₁ within the last 30 days must be submitted (**test results must be attached**), unless the member is unable to perform a pulmonary function test (**documentation required**)
- ☐ Number of pulmonary exacerbations or hospitalizations in the preceding 6 months must be noted:

- ☐ Baseline body mass index must be noted: _____
- ☐ Baseline liver function tests have been completed prior to initiating therapy and will be completed annually (**labs must be attached**)
- ☐ Provider attests a baseline ophthalmic examination to monitor lens opacities/cataracts has been completed for pediatric members
- ☐ Member will **NOT** be taking Kalydeco[®] in combination with any other CFTR modulator therapy (i.e., Symdeko[®], Orkambi[®], Trikafta[®], Alyftrek[™]); concurrent therapy with these agents will **NOT** be approved
- ☐ Member will avoid concomitant use of strong CYP3A inducers (e.g., rifampin, carbamazepine, phenytoin, phenobarbital, St. John's Wort) and strong or moderate CYP3A inhibitors (e.g., fluconazole, itraconazole)

Reauthorization: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

- ☐ Member continues to meet all initial authorization criteria
- ☐ Member has demonstrated disease response as indicated by **one or more** of the following (**must submit current labs and chart notes**):
 - ☐ Decreased pulmonary exacerbations compared to pretreatment baseline
 - ☐ Stabilization of lung function as measured by FEV₁ within the last year as compared to baseline
 - ☐ Improvement in quality of life, weight gain, or growth
- ☐ Member has **NOT** received a lung transplant
- ☐ Member has experienced an absence of unacceptable toxicity from therapy (i.e., elevated transaminases (ALT or AST), development of cataracts or lens opacities)

(Continued on next page)

Date of initiation of Kalydeco® therapy: _____	Re-Authorization Date: _____
Baseline FEV₁ (last FEV₁ prior to starting Kalydeco®): _____	Current FEV₁ (FEV₁ after last dose of Kalydeco®): _____
Baseline weight: _____	Current weight: _____
Baseline BMI: _____	Current BMI: _____
Number of hospitalizations since last approval of Kalydeco® must be noted: _____	

Medication being provided by Specialty Pharmacy – Proprium Rx
--

*****Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*****

****Previous therapies will be verified through pharmacy paid claims or submitted chart notes.****