

SENTARA COMMUNITY PLAN (MEDICAID)

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; fax to 1-800-750-9692. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. If the information provided is not complete, correct, or legible, the authorization process can be delayed.

Hereditary Angioedema (HAE)

Drug Requested: (check box below that applies)

PREFERRED Medications (with Quantity Limits)		
<input type="checkbox"/> Berinert [®] - 4 vials per attack (plus 4 for emergency)	<input type="checkbox"/> Cinryze [®] - 20 vials per 34 days	<input type="checkbox"/> icatibant - 1 dose per attack (plus 1 for emergency)
<input type="checkbox"/> Kalbitor [®] - 3 vials per attack (plus 3 for emergency) (see Black Box warning below)	<input type="checkbox"/> Sajazir [™] - 1 dose per attack (plus 1 for emergency)	
Non-Preferred Medications (with Quantity Limits)		
<input type="checkbox"/> Andembry [®] - 1.2 ml (1 injection) per 30 days	<input type="checkbox"/> Dawnzera [™] - 1 vial per 28 days	
<input type="checkbox"/> Ekterly [®] - 1,200mg (four tablets) per attack	<input type="checkbox"/> Firazyr [®] - 1 dose per attack (plus 1 for emergency)	
<input type="checkbox"/> Haegarda [®] - 2,000 IU SDV kit (16 kits per 28 days) & 3,000 IU SDV kit (8 kits per 28 days)	<input type="checkbox"/> Orladeyo [™] - 1 capsule per day	
<input type="checkbox"/> Ruconest [®] - 2 vials per attack (plus 2 for emergency)	<input type="checkbox"/> Takhzyro [™] - 2 vials per 28 days	

Black Box Warning: Because of the risk of anaphylaxis, KALBITOR[®] should only be administered by a healthcare professional with appropriate medical support to manage anaphylaxis and hereditary angioedema.

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member Sentara #: _____ Date of Birth: _____

Prescriber Name: _____

Prescriber Signature: _____ Date: _____

Office Contact Name: _____

Phone Number: _____ Fax Number: _____

NPI #: _____

(Continued on next page)

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Name/Form/Strength: _____

Dosing Schedule: _____ Length of Therapy: _____

Diagnosis: _____ ICD Code, if applicable: _____

Weight (if applicable): _____ Date weight obtained: _____

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

1. Has the recipient's diagnosis of HAE been confirmed by C1 inhibitor (C1-INh) deficiency/ dysfunction (type I or II HAE) or type III (normal C1-INh) as documented by one of the following:

☐ C1-INh antigenic level below the lower limit of normal

OR

☐ C1-INh functional level below the lower limit of normal

OR

☐ Normal C4 and normal C1-INh level and function with genetic testing demonstrating the presence of a mutation specific for type 3 HAE OR a family history of angioedema together with a demonstrated lack of response to prophylactic therapy for mast cell-mediated angioedema?

☐ Yes ☐ No

2. Was the medication prescribed by, or in consultation with, a specialist in allergy, immunology, hematology, pulmonology, or medical genetics? ☐ Yes ☐ No

3. For non-preferred agents, has the member tried and failed two preferred agents listed on the PDL where applicable for the requested product's intended use? If yes please list the preferred trials

☐ Yes ☐ No

Trial one: _____

Trial two: _____

TREATMENT OF ACUTE HAE ATTACKS

Berinert[®] (C1 esterase inhibitor), Firazyr[®] (icatibant), icatibant, Kalbitor[®] (ecallantide), Ruconest[®] (C1 esterase inhibitor), Sajazir[™] (icatibant), other FDA indicated medication

1. Will the requested medication be used as monotherapy to treat acute HAE attacks?

☐ Yes ☐ No

(Continued on next page)

PROPHYLAXIS OF HAE ATTACKS

Andembry[®] (garadacimab-gxii), Dawnzera[™] (donidalorsen), Cinryze[®] (C1 esterase inhibitor), Haegarda[®] (C1 esterase inhibitor), Orladeyo[®] (berotralstat), Takhzyro[®] (ianadelumab-flyo), or other FDA indicated medication

1. Will the requested medication be used for prophylaxis of HAE attacks? ☐ Yes ☐ No

List pharmaceutical drugs attempted and outcome:

Medical Necessity: Provide clinical evidence that the preferred drug(s) will not provide adequate benefit and/or provide clinical rationale for quantity exception requests:

*****Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*****

****Previous therapies will be verified through pharmacy paid claims or submitted chart notes.****