

SENTARA COMMUNITY PLAN (MEDICAID)

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; **fax to 1-800-750-9692**. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. **If the information provided is not complete, correct, or legible, the authorization process can be delayed.**

Hereditary Angioedema (HAE)

Drug Requested: (check box below that applies)

PREFERRED Medications (with Quantity Limits)		
<input type="checkbox"/> Berinert[®] - 4 vials per attack (plus 4 for emergency)	<input type="checkbox"/> Cinryze[®] - 20 vials per 34 days	<input type="checkbox"/> icatibant - 1 dose per attack (plus 1 for emergency)
<input type="checkbox"/> Kalbitor[®] - 3 vials per attack (plus 3 for emergency) (see Black Box warning below)	<input type="checkbox"/> Sajazir[™] - 1 dose per attack (plus 1 for emergency)	
Non-Preferred Medications (with Quantity Limits)		
<input type="checkbox"/> Firazyr[®] - 1 dose per attack (plus 1 for emergency)	<input type="checkbox"/> Haegarda[®] - 2,000 IU SDV kit (16 kits per 28 days) & 3,000 IU SDV kit (8 kits per 28 days)	
<input type="checkbox"/> Orladeyo[™] - 1 capsule per day	<input type="checkbox"/> Ruconest[®] - 2 vials per attack (plus 2 for emergency)	
<input type="checkbox"/> Takhzyro[™] - 2 vials per 28 days		

Black Box Warning: Because of the risk of anaphylaxis, KALBITOR[®] should only be administered by a healthcare professional with appropriate medical support to manage anaphylaxis and hereditary angioedema.

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member Sentara #: _____ Date of Birth: _____

Prescriber Name: _____

Prescriber Signature: _____ Date: _____

Office Contact Name: _____

Phone Number: _____ Fax Number: _____

DEA OR NPI #: _____

(Continued on next page)

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Form/Strength: _____

Dosing Schedule: _____ **Length of Therapy:** _____

Diagnosis: _____ **ICD Code, if applicable:** _____

Weight: _____ **Date:** _____

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

1. Has the recipient's diagnosis of HAE been confirmed by C1 inhibitor (C1-INh) deficiency or dysfunction (type I or II HAE) as documented by one of the following: ☐ Yes ☐ No

☐ C1 inhibitor (C1-INh) antigenic level below the lower limit of normal as defined by the laboratory performing the test

OR

☐ C1-INh functional level below the lower limit or normal as defined by the laboratory performing the test

2. Was the medication prescribed by, or in consultation with, a specialist in allergy, immunology, hematology, pulmonology, or medical genetics? ☐ Yes ☐ No

If YES, document the physician's specialty: _____

TREATMENT OF ACUTE HAE ATTACKS

Berinert® (C1 esterase inhibitor), Firazyr® (icatibant), icatibant, Kalbitor® (ecallantide), Ruconest® (C1 esterase inhibitor), Sajazir™ (icatibant)

1. Will the requested medication be used as mono therapy to treat acute HAE attacks?

☐ Yes ☐ No

PROPHYLAXIS OF HAE ATTACKS

Cinryze® (C1 esterase inhibitor), Haegarda® (C1 esterase inhibitor), Orladeyo® (berotralstat), Takhzyro® (ianadelumab-flyo)

1. Will the requested medication be used for prophylaxis of HAE attacks?

☐ Yes ☐ No

(Continued on next page)

List pharmaceutical drugs attempted and outcome:

Medical Necessity: Provide clinical evidence that the preferred drug(s) will not provide adequate benefit and/or provide clinical rationale for quantity exception requests:

*****Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*****

****Previous therapies will be verified through pharmacy paid claims or submitted chart notes.****