SENTARA HEALTH PLANS

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions</u>: <u>The prescribing physician must sign and clearly print name (preprinted stamps not valid)</u> on this request. All other information may be filled in by office staff; <u>fax to 1-800-750-9692</u>. No additional phone calls will be necessary if all information (<u>including phone and fax #s</u>) on this form is correct. <u>If the information provided is not complete, correct, or legible, the authorization process can be delayed.</u>

<u>Drug Requested</u>: <u>**Topical Acne Drugs**</u> (check applicable box below)

| | PREFERRED: adapalene (Differin®) cream/gel/solution ** | □ PREFERRED: tretinoin (Retin®-A) cream 0.025%, 0.05%, 0.1%; gel 0.01%, 0.025%** | | | | | |
|--|--|--|--|--|--|--|--|
| | **generic adapalene and tretinoin products require prior authorization if used as treatment in a member greater than 29 years of age | | | | | | |
| | adapalene 0.3%/benzoyl peroxide 2.5% gel (Epiduo Forte®) | □ Altreno® (tretinoin) lotion 0.05% | | | | | |
| | Aklief® (trifarotene) cream 0.005% | □ Amzeeq® (minocycline) topical foam 4% | | | | | |
| | Azelex® (azelaic acid) cream 20% | □ clindamycin 1.2%/benzoyl peroxide 2.5% gel (Acanya®) | | | | | |
| | dapsone gel 5% (Aczone®) | □ tazarotene (Fabior) foam 0.1% | | | | | |
| | Retin®-A Micro (tretinoin microsphere) 0.06%, 0.08% gel | □ tazarotene cream 0.1% (Tazorac®) | | | | | |
| | tretinoin gel 0.05% (Atralin®) | □ tretinoin microsphere gel 0.04%,0.1% (Retin®-A Micro) | | | | | |
| | Winlevi® (clascoterone) cream 1% | | | | | | |
| MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete. | | | | | | | |
| Member Name: | | | | | | | |
| Me | mber Sentara #: | Date of Birth: | | | | | |
| Prescriber Name: | | | | | | | |
| Pre | scriber Signature: | Date: | | | | | |
| Office Contact Name: | | | | | | | |
| Pho | one Number: | Fax Number: | | | | | |
| DE | DEA OR NPI #: | | | | | | |

(Continued on next page)

| DRUG INFORMATION: Authorization may be delayed if incomplete. | | | | | |
|---|--|----------------|--|--|--|
| Drug F | 'orm | /Strength: | | | |
| Diagnosis: | | | Length of Therapy: | | |
| | | | ICD Code, if applicable: | | |
| | | | Date: | | |
| suppor | t eac | | RIA: Check below all that apply. All criteria must be met for approval. To d, all documentation, including lab results, diagnostics, and/or chart notes, must be be denied. | | |
| **NOT | E: A | dapalene and | d all tretinoin based medications are restricted to NON-COSMETIC purposes | | |
| <u>greater</u> | tha | n 29 years of | | | |
| For for | rmı | ılary prefer | red adapalene or tretinoin product requests: | | |
| | ☐ If requesting a formulary preferred adapalene or tretinoin product, member has ONE of the following diagnoses | | | | |
| Į. | | Diagnosis (for | generic adapalene or tretinoin requests): | | |
| | | Acne vulga | aris and member is greater than 29 years of age | | |
| | | Rosacea an | nd member is greater than 29 years of age | | |
| | | | is being requested for a diagnosis not listed on prior authorization form and provider ted rationale for medical necessity of use with supporting clinical documentation below | | |
| Į | | Diagnosis (for | generic tretinoin requests only): | | |
| | | Actinic ker | ratosis and member is greater than 29 years of age | | |
| | | | is being requested for a diagnosis not listed on prior authorization form and provider ted rationale for medical necessity of use with supporting clinical documentation below | | |
| MED adequa | | | SITY: Provide clinical evidence below that the preferred drug will not provide | | |
| | _ | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

(Continued on next page)

For all other topical acne drug requests (excluding formulary preferred adapalene or tretinoin products):

| Fo | For all other topical acne drug requests, member must meet BOTH of the following: | | |
|--|--|--|--|
| | ☐ Member has been diagnosed with acne vulgaris | | |
| ☐ Member must have documentation of at least a 30 day trial and failure of THREE (3) of the following: | | | |
| | | adapalene 0.1% cream/solution/gel or 0.3% gel (generic Differin®) ** | |
| | | adapalene 0.1%/benzoyl peroxide 2.5% gel (generic Epiduo®) | |
| | | benzoyl peroxide OTC | |
| | | benzoyl peroxide 1%, 1.2%/clindamycin 5% gel (generic BenzaClin® & Neuac®/Duac® gel) | |
| | | benzoyl peroxide 5%/erythromycin 3% gel (generic Benzamycin) | |
| | | clindamycin 1% topical | |
| | | erythromycin 2% topical | |
| | | tretinoin (generic Retin-A®) 0.025%, 0.05%, 0.1% cream or 0.01%, 0.025% gel ** | |

Not all drugs may be covered under every Plan

If a drug is non-formulary on a Plan, documentation of medical necessity will be required.

**Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. **

*Previous therapies will be verified through pharmacy paid claims or submitted chart notes. *