SENTARA COMMUNITY PLAN (MEDICAID)

MEDICAL PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions:</u> The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; <u>fax to 1-844-305-2331</u>. No additional phone calls will be necessary if all information (<u>including phone and fax #s</u>) on this form is correct. <u>If information provided is not complete, correct, or legible, authorization can be delayed</u>.

<u>Drug Requested</u>: Tezspire[™] (tezepelumab) (J2356) (Medical)

MEMBER & PRESCRIBER IN	FORMATION: Authorization may be delayed if incomplete.
Member Name:	
Member Sentara #:	Date of Birth:
Prescriber Name:	
	Date:
Office Contact Name:	
Phone Number:	Fax Number:
DEA OR NPI #:	
DRUG INFORMATION: Author Drug Form/Strength:	rization may be delayed if incomplete.
Dosing Schedule:	Length of Therapy:
Diagnosis:	ICD Code, if applicable:
Weight:	Date:
	ox, the timeframe does not jeopardize the life or health of the member or num function and would not subject the member to severe pain.
Recommended Dosage: Adults and syringe or single dose vial once every 4 v	adolescents ≥ 12 years: 210 mg/1.9 mL SubQ, single-dose prefilled weeks
Tezspire [™] and Xolair [®] to be experimentave NOT been established and will Note Note 1 been established and will Note 2 been established and 2 been	tant therapy with Cinqair®, Dupixent®, Fasenra®, Nucala®, ntal and investigational. Safety and efficacy of these combinations OT be permitted. In the event a member has an active Cinqair®, plair® authorization on file, all subsequent requests for Tezspire™
Medication will be (select ONE of the formal selection) □ Self-Administered (pharmacy be one of the formal selection) □ Administered by Provider (medication)	enefit)

(Continued on next page)

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.	
Initial Authorization: 12 months	
☐ Member has a confirmed diagnosis of severe asthma	
☐ Prescribed by or in consultation with an allergist, immunologist or pulmonologist	
☐ Member is 12 years of age or older	
 □ Has the member been approved for Tezspire[™] previously through the Sentara pharmacy department? □ Yes □ No 	
 Member is currently being treated with ONE of the following unless there is a contraindication or intolerance to these medications and must be compliant on therapy for at least 90 consecutive days within a year of request: High-dose inhaled corticosteroid (ICS) (e.g., greater than 500 mcg fluticasone propionate equivalent/day) AND an additional asthma controller medication (e.g., leukotriene receptor antagonist, long-acting beta-2 agonist (LABA), theophylline) One maximally dosed combination ICS/LABA product (e.g., Advair® (fluticasone propionate/salmeterol), Dulera® (mometasone/formoterol), Symbicort® (budesonide/formoterol)) 	
 Member has experienced <u>ONE</u> of the following (check box that applies): More than > 2 exacerbations requiring additional medical treatment (e.g., an increase in oral corticosteroid dose, emergency department, urgent care visits or hospitalizations) within the past 12 months Any prior intubation for an asthma exacerbation 	
☐ Member has a baseline forced expiratory volume (FEV1) < 80% predicted normal (< 90% for members 12-17 years old) submitted with the year of request	
Reauthorization: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.	
 □ Member has experienced a sustained positive clinical response to Tezspire[™] therapy as demonstrated by at least ONE of the following (check all that apply; chart notes must be submitted): □ Increase in percent predicted Forced Expiratory Volume (FEV1) from baseline (pre-treatment) 	

(Continued on next page)

☐ Reduction in asthma symptoms such as chest tightness, coughing, shortness of breath or

Reduction in the dose of inhaled corticosteroids required to control asthma
 Reduction in the use of oral corticosteroids to treat/prevent exacerbation

nocturnal awakenings

PA Tezspire (Medical)(Medicaid) (Continued from previous page)

	ember is currently being treated with ONE of the following unless there is a not
	High-dose inhaled corticosteroid (ICS) (e.g., greater than 500 mcg fluticasone propionate equivalent/day) <u>AND</u> an additional asthma controller medication (e.g., leukotriene receptor antagonist, long-acting beta-2 agonist (LABA), theophylline)
	One maximally dosed combination ICS/LABA product (e.g., Advair® (fluticasone propionate/salmeterol), Dulera® (mometasone/formoterol), Symbicort® (budesonide/formoterol))
Medication being provided by: Please check applicable box below.	
	ation/site of drug administration:
NPI	or DEA # of administering location: OR
□ Spec	zialty Pharmacy – PropriumRx
standard re urgent is a	reviews: Practitioner should call Sentara Health Pre-Authorization Department if they believe a seview would subject the member to adverse health consequences. Sentara Health's definition of a lack of treatment that could seriously jeopardize the life or health of the member or the member's regain maximum function.
	se of samples to initiate therapy does not meet step edit/preauthorization criteria.** <u>us therapies will be verified through pharmacy paid claims or submitted chart notes.</u> *