

SENTARA COMMUNITY PLAN (MEDICAID)

MEDICAL PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; fax to 1-844-305-2331. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. If information provided is not complete, correct, or legible, authorization can be delayed.

Drug Requested: Uplizna™ (inebilizumab-cdon) IV (J3590) NDC 72677-0551-01 (Medical)
Neuromyelitis Optica Spectrum Disorder (NMOSD)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member Sentara #: _____ Date of Birth: _____

Prescriber Name: _____

Prescriber Signature: _____ Date: _____

Office Contact Name: _____

Phone Number: _____ Fax Number: _____

DEA OR NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Name/Form/Strength: _____

Dosing Schedule: _____ Length of Therapy: _____

Diagnosis: _____ ICD Code, if applicable: _____

Weight: _____ Date: _____

Standard Review. In checking this box, the timeframe does not jeopardize the life or health of the member or the member's ability to regain maximum function and would not subject the member to severe pain.

Recommended Dosage: Maximum Units (per dose and over time)

- 300 billable units on day 1 and 15, then 300 billable units every 6 months (beginning 6 months after the first dose)
- Initial dose: 300 mg IV infusion, followed by a second 300 mg IV infusion two weeks later
- Subsequent doses (starting 6 months from the first infusion): single 300 mg IV infusion every 6 months

(Continued on next page)

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Initial Authorization: 6 months

- Prescribing physician must be a neurologist
- Member must be 18 years of age or older
- Provider must submit medical records (e.g. chart notes, laboratory values, etc.) to support a diagnosis of Neuromyelitis Optica Spectrum Disorder (NMOSD) confirmed by **ALL** the following:
 - Past medical history of **ONE** of the following:
 - Optic neuritis
 - Acute myelitis
 - Acute brainstem syndrome
 - Symptomatic narcolepsy or acute diencephalic clinical syndrome with NMOSD-typical diencephalic MRI lesions
 - Symptomatic cerebral syndrome with NMOSD-typical brain lesions
 - Positive serologic test for anti-aquaporin-4 immunoglobulin G (AQP4-IgG)/NMP-IgG antibodies **(must submit lab results)**
 - Diagnosis of multiple sclerosis or other diagnoses have been ruled out
- Member must meet **ONE** of the following [A historical relapse is defined as a new onset of neurologic symptoms or worsening of existing neurologic symptoms with an objective change on neurologic examination (clinical findings, magnetic resonance imaging findings, or both) that persist for more than 24 hours and/or the new onset of neurologic symptoms or worsening of existing neurologic symptoms that require treatment]:
 - Member has a history of at least one relapse during the previous 12 months prior to initiating Uplizna™
 - Member has a history of at least two relapses during the previous 24 months, at least one relapse occurring within the past 12 months prior to initiating Uplizna™
- Member must have documentation of an inadequate response, contraindication or intolerance with **BOTH** rituximab **AND** Enspryng™ (requires prior authorization) during the 12 months prior to initiating Uplizna™
- Member does **NOT** have an active infection, including clinically important localized infections
- Member has been evaluated and screened for the presence of latent TB infection prior to initiating treatment
- Member has been evaluated and screened for the presence hepatitis B virus (HBV) prior to initiating treatment

(Continued on next page)

- Provider attests to monitoring serum immunoglobulin levels during treatment; discontinuation of Uplizna™ should be considered if the patient has low IgG or IgM levels, develops a serious opportunistic infection or prolonged hypogammaglobulinemia requiring treatment with IVIG
- Uplizna™ will **NOT** be used in combination with disease-modifying therapies for the treatment of multiple sclerosis (e.g. Gilenya (fingolimod), Tecfidera (dimethyl fumarate), Ocrevus (ocrelizumab))
- Uplizna™ will **NOT** be used in combination with other complement inhibitor therapy (e.g., eculizumab, ravulizumab), IL-6 inhibitors (e.g., tocilizumab, satralizumab), anti-CD20 directed antibody therapy (e.g., rituximab)

Reauthorization: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

- Member continues to meet all initial authorization criteria
 - Provider attests to an absence of unacceptable toxicity from therapy (i.e. tuberculosis (TB) infections, hepatitis B reactivation, infusion reactions, serious infections, Progressive Multifocal Leukoencephalopathy (PML), hypogammaglobulinemia)
 - Provider must submit clinical notes documenting clinical improvement (fewer relapses from baseline) or stabilization of patient relapses while on Uplizna™ therapy
- Note:** Add on, dose escalation of immunosuppressive therapy, or additional rescue therapy from baseline to treat NMOSD or exacerbation of symptoms while on therapy will be considered as treatment failure. Uplizna™ therapy has **NOT** been studied with other immunosuppressants

Medication being provided by (check box below that applies):

- Location/site of drug administration:** _____
NPI or DEA # of administering location: _____
- OR**
- Specialty Pharmacy – Proprium Rx**

For urgent reviews: Practitioner should call Sentara Health Plans Pre-Authorization Department if they believe a standard review would subject the member to adverse health consequences. Sentara Health Plan's definition of urgent is a lack of treatment that could seriously jeopardize the life or health of the member or the member's ability to regain maximum function.

*****Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*****
****Previous therapies will be verified through pharmacy paid claims or submitted chart notes.****