

SENTARA HEALTH PLANS

MEDICAL PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; **fax to 1-844-668-1550**. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. **If information provided is not complete, correct, or legible, authorization can be delayed.**

For Medicare Members: Medicare Coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD) and Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. They can be found at: <https://www.cms.gov/medicare-coverage-database/overview-and-quick-search.aspx>. Additional indications may be covered at the discretion of the health plan.

Drug Requested: Recarbrio™ (imipenem, cilastatin, and relebactam) (J0742) (Medical)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member Sentara #: _____ Date of Birth: _____

Prescriber Name: _____

Prescriber Signature: _____ Date: _____

Office Contact Name: _____

Phone Number: _____ Fax Number: _____

NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Form/Strength: _____

Dosing Schedule: _____ Length of Therapy: _____

Diagnosis: _____ ICD Code, if applicable: _____

Weight (if applicable): _____ Date weight obtained: _____

- ☐ Standard Review. In checking this box, the timeframe does not jeopardize the life or health of the member or the member's ability to regain maximum function and would not subject the member to severe pain.

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Length of Authorization: Date of Service (7 days)

☐ **Diagnosis: Complicated Urinary Tract Infections (cUTI) or Pyelonephritis**

☐ **New Start**

(Continued on next page)

- ☐ Member is 18 years of age or older
- ☐ Member has a diagnosis of complicated urinary tract infection (cUTI) or pyelonephritis
- ☐ Provider has submitted lab cultures from current hospital admission or office visit collected within the last 7 days
- ☐ Lab cultures must show that bacteria is sensitive to Recarbrio
- ☐ Member must meet **ONE** of the following:
 - ☐ Provider must submit chart notes documenting trial and failure of **ALL** the following oral antibiotics: nitrofurantoin, cefdinir, cephalexin, amoxicillin, amoxicillin-clavulanate, ciprofloxacin, levofloxacin, trimethoprim-sulfamethoxazole, and fosfomycin
 - ☐ Cultures (retrieved from most recent office visit or current inpatient admission collected within the last 7 days) shows resistance to **ALL** the following oral antibiotics: nitrofurantoin, cefdinir, cephalexin, amoxicillin, amoxicillin-clavulanate, ciprofloxacin, levofloxacin, trimethoprim-sulfamethoxazole, and fosfomycin
- ☐ Member must meet **ONE** of the following:
 - ☐ Provider must submit chart notes documenting trial and failure of **ALL** the following IV antibiotics: ciprofloxacin, levofloxacin, ceftriaxone, cefazolin, cefepime, piperacillin-tazobactam, trimethoprim-sulfamethoxazole, gentamicin, tobramycin, amikacin, ertapenem, imipenem-cilastatin, and meropenem
 - ☐ Cultures (retrieved from most recent office visit or current inpatient admission collected within the last 7 days) shows resistance to **ALL** the following IV antibiotics: ciprofloxacin, levofloxacin, ceftriaxone, cefazolin, cefepime, piperacillin-tazobactam, trimethoprim-sulfamethoxazole, gentamicin, tobramycin, amikacin, ertapenem, imipenem-cilastatin, and meropenem

Length of Authorization: Date of Service (7 days)
--

<input type="checkbox"/> Diagnosis: Complicated intra-abdominal infections (cIAI)
--

<input type="checkbox"/> New Start

- ☐ Member is 18 years of age or older
- ☐ Member has a diagnosis of complicated intra-abdominal infection (cIAI) with limited or no alternative treatment options
- ☐ Provider has submitted lab cultures from current hospital admission or office visit collected within the last 7 days
- ☐ Lab cultures must show that bacteria is sensitive to Recarbrio

(Continued on next page)

- ☐ Member must meet **ONE** of the following:
 - ☐ Provider must submit chart notes documenting trial and failure of **ALL** the following IV antibiotics: ciprofloxacin, levofloxacin, ceftriaxone, cefazolin, cefepime, piperacillin-tazobactam, trimethoprim-sulfamethoxazole, ertapenem, imipenem-cilastatin, and meropenem
 - ☐ Cultures (retrieved from most recent office visit or current inpatient admission collected within the last 7 days) shows resistance to **ALL** the following IV antibiotics: ciprofloxacin, levofloxacin, ceftriaxone, cefazolin, cefepime, piperacillin-tazobactam, trimethoprim-sulfamethoxazole, ertapenem, imipenem-cilastatin, and meropenem

Length of Authorization: Date of Service

<input type="checkbox"/> Diagnosis: Complicated Urinary Tract Infections (cUTI) or Pyelonephritis or Complicated intra-abdominal infections (cIAI)

<input type="checkbox"/> Continuation of therapy following inpatient administration
--

- ☐ Member has **ONE** of the following diagnoses:
 - ☐ Complicated Urinary Tract Infections (cUTI) or Pyelonephritis
 - ☐ Complicated intra-abdominal infections (cIAI)
- ☐ Member is currently on Recarbrio for more than 72 hours inpatient (**progress notes must be submitted**)
- ☐ Provider has submitted lab culture sensitivity results retrieved during inpatient admission which shows resistance to **ALL** preferred antibiotics except for Recarbrio (sensitive)

Medication being provided by (check applicable box(es) below):

- ☐ **Location/site of drug administration:** _____
NPI or DEA # of administering location: _____
OR
- ☐ **Specialty Pharmacy**

For urgent reviews: Practitioner should call Sentara Health Pre-Authorization Department if they believe a standard review would subject the member to adverse health consequences. Sentara Health's definition of urgent is a lack of treatment that could seriously jeopardize the life or health of the member or the member's ability to regain maximum function.

*****Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*****

****Previous therapies will be verified through pharmacy paid claims or submitted chart notes.****