SENTARA HEALTH PLANS

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions</u>: <u>The prescribing physician must sign and clearly print name (preprinted stamps not valid)</u> on this request. All other information may be filled in by office staff; <u>fax to 1-800-750-9692</u>. No additional phone calls will be necessary if all information <u>(including phone and fax #s)</u> on this form is correct. <u>If the information provided is not complete, correct, or legible, the authorization process can be delayed.</u>

<u>Drug Requested</u>: **Olumiant**[®] (baricitinib)

MEMBER & PRESCRIBER INFORMA	ATION: Authorization may be delayed if incomplete.	
Member Name:		
Member Sentara #:	Date of Birth:	
Prescriber Name:		
Prescriber Signature:		
Office Contact Name:		
Phone Number:	Fax Number:	
NPI #:		
DRUG INFORMATION: Authorization ma	ay be delayed if incomplete.	
Drug Name/Form/Strength:		
	Length of Therapy:	
Diagnosis:	ICD Code, if applicable:	
Weight (if applicable):	Date weight obtained:	
	comitant therapy with more than one biologic ra, Rinvoq, Stelara) prescribed for the same or different Safety and efficacy of these combinations has NOT been	
• Will the member be discontinuing a previously	prescribed biologic if approved for requested medication? ☐ Yes OR ☐ No	
• If yes, please list the medication that will be dis approval along with the corresponding effective	scontinued and the medication that will be initiated upon e date.	
Medication to be discontinued:	Effective date:	
Medication to be initiated:	Effective date:	

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

□ D	iag	nosis: Moderate-to-Severe Activ	e Rheumatoid Arthritis	
Recommended Dose: 2 mg by mouth once daily				
	Me	mber has a diagnosis of moderate- to-se	vere active rheumatoid arthritis	
	Pre	scribed by a Rheumatologist		
	Me	mber has tried and failed at least ONE of	of the following DMARD therapies for at least three (3)	
		<u>nths</u>		
		hydroxychloroquine		
		leflunomide		
		methotrexate		
		sulfasalazine		
	Me	mber meets ONE of the following:		
		Member tried and failed, has a contrain biologics below (verified by chart not	dication, or intolerance to <u>TWO</u> of the <u>PREFERRED</u> es or pharmacy paid claims):	
		☐ Preferred adalimumab product*	□ Enbrel®	
		□ Rinvoq®/Rinvoq® LQ	☐ Preferred tocilizumab product: Actemra® SC or Tyenne® SC	
		□ Xeljanz [®] /XR [®]		
	<u> </u>	not approved, NDC's starting with 00074 (or adalimumab-adbm Member has been established on Olumi	Iumira/Cyltezo/Yuflyma - Humira NDC's starting with 83457 are MFG: Abbvie) are preferred; SG/IP/HIX preferreds = Simlandi fant [®] for at least 90 days <u>AND</u> prescription claims history <u>clumiant was dispensed within the past 130 days</u> (verified ms)	
□ Diagnosis: Alopecia Areata				
Recommended Dose: 2 mg by mouth once daily; if response is inadequate may increase to 4 mg once daily. In patients receiving 4 mg once daily (as initial therapy or after a dose increase), reduce dose to 2 mg once daily once an adequate response is achieved.				
	Me	mber is 18 years of age or older		
	Pre	scribed by or in consultation with a Der	matologist	
	Me	mber has a diagnosis of alopecia areata	ı	
		mber has $\geq 50\%$ of scalp hair loss measurements (chart notes with documentation)	ured by the Severity of Alopecia Tool (SALT) for more than n of SALT score must be submitted)	
			ther forms of alopecia (i.e., androgenetic alopecia, logen effluviums, and systemic lupus erythematosus)	

(Continued on next page)

Member has experienced treatment failure, has a contraindication or intolerance to <u>ONE</u> of the		
following therapies used for at least three (3) months (chart notes documenting treatment failure must be submitted):		
	Oral corticosteroids (e.g., prednisone)	
	Oral immunosuppressants (e.g., azathioprine, cyclosporine, methotrexate)	
	Intralesional corticosteroids (e.g., triamcinolone acetonide 5-10 mg/mL)	
	Topical immunotherapy treatment (e.g., Squaric Acid Dibutyl Ester – SADBE; Diphenylcyclopropenone – DPCP)	
Member is <u>NOT</u> receiving Olumiant [®] in combination with other JAK inhibitors, biologic immunomodulators, or with other potent immunosuppressants		

Medication being provided by Specialty Pharmacy – Proprium Rx

Not all drugs may be covered under every Plan

If a drug is non-formulary on a Plan, documentation of medical necessity will be required.

**Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. **

*Previous therapies will be verified through pharmacy paid claims or submitted chart notes. *