# SENTARA HEALTH PLANS

### MEDICAL PRIOR AUTHORIZATION/STEP-EDIT REQUEST\*

<u>Directions:</u> The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; <u>fax to 1-844-668-1550</u>. No additional phone calls will be necessary if all information (<u>including phone and fax #s</u>) on this form is correct. <u>If information provided is not complete, correct, or legible, authorization can be delayed</u>.

<u>For Medicare Members:</u> Medicare Coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD) and Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. They can be found at: <a href="https://www.cms.gov/medicare-coverage-database/overview-and-quick-search.aspx">https://www.cms.gov/medicare-coverage-database/overview-and-quick-search.aspx</a>. Additional indications may be covered at the discretion of the health plan.

# The Sentara Health Plans Oncology Program is administered by OncoHealth

- ❖ For any oncology indications, the most efficient way to submit a prior authorization request is through the OncoHealth OneUM Provider Portal at <a href="https://oneum.oncohealth.us">https://oneum.oncohealth.us</a>. Fax to 1-800-264-6128. OncoHealth can also be contacted by Phone: 1-888-916-2616.
- ❖ Commercial customers <u>NOT</u> enrolled in the OncoHealth program, please fax requests to Sentara Health plans at fax number 1-844-668-1550.

<u>Drug Requested</u>: Tecelra® (afamitresgene autoleucel) (Q2057) (Medical)

MEMBER & PRESCRIBER INF	<b>ORMATION:</b> Authorization may be delayed if incomplete.
Member Name:	
Member Sentara #:	
Prescriber Name:	
Prescriber Signature:	
Office Contact Name:	
Phone Number:	
NPI #:	
DRUG INFORMATION: Authoriz	
Drug Name/Form/Strength:	
Dosing Schedule:	Length of Therapy:
Diagnosis:	ICD Code, if applicable:
Weight (if applicable):	Date weight obtained:
	t, the timeframe does not jeopardize the life or health of the member

(Continued on next page)

or the member's ability to regain maximum function and would not subject the member to severe pain.

#### A. Quantity Limit (max daily dose) [NDC Unit]:

• A single dose of Tecelra containing a minimum of  $2.68 \times 10^9$  to a maximum of  $10 \times 10^9$  of viable cells suspended in one or more patient-specific infusion bags

# B. Max Units (per dose and over time) [HCPCS Unit]:

• A single dose of Tecelra containing a minimum of  $2.68 \times 10^9$  to a maximum of  $10 \times 10^9$  of viable cells suspended in one or more patient-specific infusion bags

**CLINICAL CRITERIA:** Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Member is 18 years of age or older
Provider is an oncologist and the administrating healthcare facility is trained in the management of cytokine release syndrome (CRS) and neurological toxicities
Member has <u>NOT</u> received prior CAR-T therapy
Member has <u>NOT</u> received systemic corticosteroids for at least 14 days prior to leukapheresis and lymphodepletion
Member has <u>NOT</u> received a prior allogeneic stem cell transplant (or has, but is without evidence of residual donor cells present), and is a candidate for autologous stem cell transplantation (e.g., adequate renal and hepatic function)
Member has been screened and found to be negative for Epstein-Barr Virus (EBV), Cytomegalovirus (CMV), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), and any other infectious agents, if clinically indicated
Member is HIV negative as confirmed by a HIV test prior to mobilization
<b>NOTE</b> : Patients who have received Tecelra are likely to test false-positive on some commercial HIV nucleic acid tests for HIV due to the lentiviral vector used to make Tecelra having limited, short spans of genetic material which is identical to HIV
Member does <b>NOT</b> have a left ventricular ejection fraction (LVEF) less than 50%
Member does <b>NOT</b> have a history of hypersensitivity to dimethyl sulfoxide (DMSO)
Member does <b>NOT</b> have a clinically significant active systemic infection
Member does <b>NOT</b> does not have symptomatic brain metastases including leptomeningeal disease
Provider will monitor for secondary malignancies periodically after treatment
Member has a diagnosis of unresectable or metastatic synovial sarcoma confirmed by the presence of a translocation between SYT on the X chromosome and SSX1, SSX2, or SSX4 on chromosome 18 (may be presented in the pathology report as t (X; 18))
Member's condition has been confirmed to express the MAGE-A4 tumor antigen as determined by FDA-approved or cleared companion diagnostic device

	Member's condition has been confirmed to show positive for the HLA-A*02:01P, HLA-A*02:02P, HLA-A*02:03P, and HLA-A*02:06P allele
	Member's condition does <u>NOT</u> have HLA-A*02:05P in either allele (i.e., heterozygous or homozygous)
	Member has received one prior line of therapy with an anthracycline (e.g., doxorubicin) or ifosfamide
	<b>NOTE</b> : Members who have a contraindication or are intolerant to both anthracycline and ifosfamide must have previously received at least one systemic therapy
Rea	uthorization: Coverage cannot be renewed
Med	dication being provided by: Please check applicable box below.
_ ]	Location/site of drug administration:
I	NPI or DEA # of administering location:
	<u>OR</u>
<b>-</b> 5	Specialty Pharmacy
standa urgent	gent reviews: Practitioner should call Sentara Health Plans Pre-Authorization Department if they believe and review would subject the member to adverse health consequences. Sentara Health Plan's definition of a is a lack of treatment that could seriously jeopardize the life or health of the member or the member's to regain maximum function.

\*\*Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. \*\*

\*Previous therapies will be verified through pharmacy paid claims or submitted chart notes. \*