## SENTARA COMMUNITY PLAN (MEDICAID)

## PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST\*

<u>Directions</u>: <u>The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request</u>. All other information may be filled in by office staff; <u>fax to 1-800-750-9692</u>. No additional phone calls will be necessary if all information (<u>including phone and fax #s</u>) on this form is correct. <u>If the information provided is not complete</u>, correct, or legible, the authorization process can be delayed.

<u>Drug Requested</u>: Pulmozyme<sup>®</sup> (dornase alfa) inhalation solution

MEMBER & PRESCRIPER IN	TODAKATION
MEMBER & PRESCRIBER IN	<b>FORMATION:</b> Authorization may be delayed if incomplete.
Member Name:	
Member Sentara #:	Date of Birth:
Prescriber Name:	
Prescriber Signature:	Date:
Office Contact Name:	
Phone Number:	Fax Number:
DEA OR NPI #:	
DRUG INFORMATION: Author	ization may be delayed if incomplete.
Drug Form/Strength:	
	Length of Therapy:
Diagnosis:	ICD Code, if applicable:
Weight:	Date:
	single use ampule inhaled once daily using selected nebulizers. Some ministration. Maximum Quantity: 150ml per 30 days (60 ampules per
	elow all that apply. All criteria must be met for approval. To ation, including lab results, diagnostics, and/or chart notes, must be
<b>Initial Authorization: 12 months</b>	
☐ Member must be 3 months of age	or older with a diagnosis of Cystic Fibrosis (must submit chart note
AND	
☐ Prescribing physician is a pulmon	ologist or has consulted with a pulmonologist who specializes in the

(Continued on next page)

treatment of Cystic Fibrosis

A	N	D
		_

Medication will be used in conjunction with standard Cystic Fibrosis therapies (e.g. oral/inhaled/parenteral antibiotics, inhaled hypertonic saline, chest physiotherapy, bronchodilators, enzyme supplements/vitamins, oral or inhaled corticosteroids)
AND
Requests for twice daily dosing- Provider must submit documentation of an inadequate trial of once daily dosing and the member has demonstrated one or more of the following:
☐ Increased pulmonary exacerbations
☐ Increased hospitalization rate
☐ Inability to stabilize lung function as measured by FEV1
□ Decrease in quality of life
 ort each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be ided or request may be denied.  Medication will continue to be used in conjunction with standard Cystic Fibrosis therapies (e.g. oral/inhaled/parenteral antibiotics, inhaled hypertonic saline, chest physiotherapy, bronchodilators,
enzyme supplements/vitamins, oral or inhaled corticosteroids)
<u>AND</u>
Member has demonstrated disease response to therapy as indicated by improvement or stability of disease symptoms by one or more of the following (must submit chart notes):
□ Decreased pulmonary exacerbations
☐ Decrease in hospitalization rate
☐ Stabilization of lung function as measured by FEV1
☐ Stabilization of lung function as measured by FEV1☐ Improvement in quality of life☐

## Medication being provided by a Specialty Pharmacy - PropriumRx

\*\*Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. \*\*

\*Previous therapies will be verified through pharmacy paid claims or submitted chart notes. \*