

SENTARA COMMUNITY PLAN (MEDICAID)

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; fax to 1-800-750-9692. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. If the information provided is not complete, correct, or legible, the authorization process can be delayed.

The Sentara Health Plans Oncology Program is administered by OncoHealth

- ❖ **For any oncology indications**, the most efficient way to submit a prior authorization request is through the OncoHealth OneUM Provider Portal at <https://oneum.oncohealth.us>. Fax to **1-800-264-6128**.
OncoHealth can also be contacted at Phone: 1-888-916-2616

Drug Requested: Kineret™ (anakinra) **(Non-Preferred)**

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____
Member Sentara #: _____ Date of Birth: _____
Prescriber Name: _____
Prescriber Signature: _____ Date: _____
Office Contact Name: _____
Phone Number: _____ Fax Number: _____
NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Name/Form/Strength: _____
Dosing Schedule: _____ Length of Therapy: _____
Diagnosis: _____ ICD Code, if applicable: _____
Weight (if applicable): _____ Date weight obtained: _____

Recommended dose and quantity limit: One syringe per day (maximum quantity 30/30 days)

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

☐ **Diagnosis: Moderate to severe Active Rheumatoid Arthritis**

☐ Member is 18 years of age or older

(Continued on next page)

- ☐ Member has a diagnosis of **moderate to severely active rheumatoid arthritis**
- ☐ Trial and failure of methotrexate **OR**
- ☐ Member has a contraindication to methotrexate (e.g., alcohol abuse, cirrhosis, chronic liver disease, or other contraindication)
- ☐ Trial and failure of at least **ONE (1) other DMARD** (check each tried):

<input type="checkbox"/> azathioprine	<input type="checkbox"/> leflunomide	<input type="checkbox"/> auranofin	<input type="checkbox"/> sulfasalazine
<input type="checkbox"/> hydroxychloroquine	<input type="checkbox"/> minocycline	<input type="checkbox"/> Other: _____	

- ☐ Trial and failure of **BOTH** of the preferred biologics below:

<input type="checkbox"/> adalimumab-adbm (Boehringer Ingelheim) OR Hadlima [®] (adalimumab-bwwd)	<input type="checkbox"/> Enbrel [®]
---	--

☐ **Diagnosis: Cryopyrin-Associated Periodic Syndromes (CAPS)**
Approvable with confirmation of this diagnosis.

- ☐ Cryopyrin -Associated Periodic Syndromes (CAPS), including:
 - ☐ Treatment of Neonatal-Onset Multisystem Inflammatory Disease

☐ **Diagnosis: Deficiency of Interleukin-1 Receptor Antagonist (DIRA)**
Approvable with confirmation of this diagnosis.

- ☐ Deficiency of Interleukin-1 Receptor Antagonist (DIRA)

Medication being provided by (check applicable box(es) below):

- ☐ Physician's office **OR** ☐ Specialty Pharmacy – PropriumRx

******Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*****
****Previous therapies will be verified through pharmacy paid claims or submitted chart notes.****