

SENTARA HEALTH PLANS

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; **fax to 1-800-750-9692.** No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. **If information provided is not complete, correct, or legible, authorization may be delayed.**

Drug Requested: Cholbam[®] (cholic acid)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member Sentara #: _____ Date of Birth: _____

Prescriber Name: _____

Prescriber Signature: _____ Date: _____

Office Contact Name: _____

Phone Number: _____ Fax Number: _____

DEA OR NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Form/Strength: _____

Dosing Schedule: _____ Length of Therapy: _____

Diagnosis: _____ ICD Code, if applicable: _____

Weight: _____ Date: _____

Recommended Dosage: Oral: 10 to 15 mg/kg (once daily or in 2 divided doses); administer 11 to 17 mg/kg (once daily or in 2 divided doses) in patients with concomitant familial hypertriglyceridemia

Quantity Limits:

- 50 mg – 4 capsules per day
- 250 mg – 7 capsules per day

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Bile Acid Synthesis Disorders due to Single Enzyme Defects (SEDs)

Initial Authorization: 6 months

- Member is 3 weeks of age or older
- Diagnosis has been confirmed using mass spectrometry (FAB-SM) of serum or urinary bile acid levels
- Member has a diagnosis of **ONE** of the following single enzyme defects:

(Continued on next page)

- 3-beta-hydroxysteroid dehydrogenase (3- β -HSD) deficiency
- Aldo-keto reductase 1D1 (AKR1D1)
- Cerebrotendinous xanthomatosis (CTX)
- Alpha-methylacyl-CoA racemase (AMACR) deficiency
- Member is **NOT** receiving treatment for extrahepatic manifestations of bile acid synthesis disorders (i.e. neurologic symptoms)
- Assessment of liver function (AST, ALT & bilirubin) has been performed initially and will be performed with each renewal (**submit lab results**)
- Member will **NOT** be on concomitant therapy with Bile Salt Efflux Pump (BSEP) Inhibitors (e.g., cyclosporine), or if therapy is unavoidable, member will be monitored closely for adverse reactions

Peroxisomal Disorders (PDs) Including Zellweger Spectrum Disorders

Initial Authorization: 6 months

- Member is 3 weeks of age or older
- Diagnosis has been confirmed by **ONE** of the following molecular and biochemical findings:
 - Detection of abnormalities using mass spectrometry (FAB-MS) of serum or urinary bile acid levels
 - Detection of pathogenic variants of the PEX gene by molecular genetic testing
- Member has a diagnosis of **ONE** of the following:
 - Neonatal Adrenoleukodystrophy
 - Generalized Peroxisomal Disorder
 - Refsum Disease
 - Zellweger Syndrome
 - Peroxisomal Disorder, Type Unknown
- Member exhibits at least **ONE** or more of the following:
 - Manifestations of liver disease
 - Steatorrhea
 - Complications from decreased fat-soluble vitamin absorption
- Member is **NOT** receiving treatment for extrahepatic manifestations of bile acid synthesis disorders (i.e., neurologic symptoms)
- Medication will be used as adjunctive treatment of peroxisomal disorders (PDs)
- Assessment of liver function (AST, ALT, & bilirubin) has been performed initially and will be performed with each renewal (**submit lab results**)
- Member will **NOT** be on concomitant therapy with Bile Salt Efflux Pump (BSEP) Inhibitors (e.g., cyclosporine), or if therapy is unavoidable, member will be monitored closely for adverse reactions

Reauthorization: 12 months. Check below all that apply. All criteria must be checked for approval. To support each line checked, all documentation (lab results, diagnostics, and/or chart notes) must be provided or request may be denied.

(Continued on next page)

- ❑ All initial authorization criteria continues to be met
- ❑ Member has experienced disease response as indicated by **ALL** of the following:
 - ❑ Reduction in ALT or AST to less than 50 U/L, or an 80% reduction from baseline
 - ❑ Reduction in total bilirubin to 1 mg/dL or less
 - ❑ Reduction in steatorrhea and/or jaundice
 - ❑ Body weight increased by 10% or remains stable at greater than the 50th percentile
 - ❑ Member has **NOT** developed cholestasis
- ❑ Member has **NOT** experienced unacceptable toxicity from the drug (e.g., exacerbation of liver impairment)

Medication being provided by Specialty Pharmacy - PropriumRx

*****Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*****

****Previous therapies will be verified through pharmacy paid claims or submitted chart notes.****