SENTARA HEALTH PLANS

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions:</u> The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; <u>fax to 1-800-750-9692</u>. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. <u>If information provided is not complete, correct, or legible, authorization will be delayed.</u>

<u>Drug Requested</u>: Nucala® SQ (mepolizumab) (Pharmacy) {Severe Eosinophilic Asthma (SEA)}

MEMBER & PRESCRIBER INF	TORMATION: Authorization may be delayed if incomplete.
Member Name:	
Member Sentara #:	Date of Birth:
Prescriber Name:	
	Date:
Office Contact Name:	
Phone Number: Fax Number:	
NPI #:	
DRUG INFORMATION: Authoriza	ation may be delayed if incomplete.
Drug Form/Strength:	
Dosing Schedule:	Length of Therapy:
Diagnosis:	ICD Code, if applicable:
Weight (if applicable): Date weight obtained:	

Recommended Dosage for Severe Asthma:

- Adults and adolescents ≥ 12 years: 100 mg/mL SubQ, single-dose prefilled auto-injector or single-dose prefilled syringe, once every 4 weeks
- Children ≥ 6 years to 11 years: 40 mg/mL SubQ, single-dose prefilled syringe, once every 4 weeks

*The Health Plan considers the use of concomitant therapy with Cinqair®, Dupixent®, Fasenra®, Nucala®, Tezspire® and Xolair® to be experimental and investigational. Safety and efficacy of these combinations have NOT been established and will NOT be permitted. In the event a member has an active Cinqair®, Dupixent®, Fasenra®, Tezspire® or Xolair® authorization on file, all subsequent requests for Nucala® will NOT be approved.

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Initial Authorization: 12 months

PA Nucala SQ-SEA (Pharmacy) (CORE) (Continued from previous page)

	Prescribed by or in consultation with an allergist, immunologist or pulmonologist		
	Member is 6 years of age or older		
	Has the member been approved for Nucala [®] previously through the Health Plan medical department? ☐ Yes ☐ No		
	Member has been diagnosed with severe eosinophilic phenotype defined by a baseline (pre-Nucala® treatment) peripheral blood eosinophil level ≥ 150 cells/microliter		
	Member is currently being treated with <u>ONE</u> of the following unless there is a contraindication or intolerance to these medications and must be compliant on therapy <u>for at least 90 consecutive days</u> within a year of request (verified by pharmacy paid claims):		
	☐ High-dose inhaled corticosteroid (ICS) (e.g., greater than 500 mcg fluticasone propionate equivalent/day) AND an additional asthma controller medication (e.g., leukotriene receptor antagonist, long-acting beta-2 agonist (LABA), theophylline)		
	One maximally dosed combination ICS/LABA product (e.g., Advair® (fluticasone propionate/salmeterol), Dulera® (mometasone/formoterol), Symbicort® (budesonide/formoterol))		
	Member has experienced ONE of the following (check box that applies):		
	ONE (1) or more exacerbations requiring additional medical treatment (e.g., oral corticosteroids, emergency department, urgent care visits or hospitalizations within the past 12 months)		
	☐ Any prior intubation for an asthma exacerbation		
	Member has a baseline forced expiratory volume (FEV1) < 80% predicted normal (< 90% for members 6-17 years old) submitted within year of request		
	Provider must submit member blood eosinophil count after a trial and failure of at least 90 consecuti days of therapy with high dose inhaled corticosteroids <u>AND</u> long-acting inhaled beta-2 agonist. A fa of these medications is defined as a blood count > 150 cells/microliter (submit labs collected within past 12 months)		
	Eosinophil count: Date:		
ppo	uthorization: 12 months. Check below all that apply. All criteria must be met for approval. To ort each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be ided or request may be denied.		
	Member has experienced a sustained positive clinical response to Nucala® therapy as demonstrated by at least ONE of the following (check all that apply):		
	☐ Increase in percent predicted Forced Expiratory Volume (FEV1) from baseline (pre-treatment)		
	☐ Reduction in the dose of inhaled corticosteroids required to control asthma		
	☐ Reduction in the use of oral corticosteroids to treat/prevent exacerbation		
	☐ Reduction in asthma symptoms such as chest tightness, coughing, shortness of breath or nocturnal awakenings		

(Continued on next page)

2

PA Nucala SQ-SEA (Pharmacy) (CORE) (Continued from previous page)

		Iember is currently being treated with ONE of the following unless there is a contraindication or tolerance to these medications (verified by pharmacy paid claims):	
		High-dose inhaled corticosteroid (ICS) (e.g., greater than 500 mcg fluticasone propionate equivalent/day) <u>AND</u> an additional asthma controller medication (e.g., leukotriene receptor antagonist, long-acting beta-2 agonist (LABA), theophylline)	
		One maximally dosed combination ICS/LABA product (e.g., Advair® (fluticasone propionate/salmeterol), Dulera® (mometasone/formoterol), Symbicort® (budesonide/formoterol))	
ledication being provided by a Specialty Pharmacy – Proprium Rx			

Use of samples to initiate therapy does not meet step-edit/preauthorization criteria.

Previous therapies will be verified through pharmacy paid claims or submitted chart notes.