

Dermatologic Conditions, Surgical 09

Table of Content

Description & Definitions

Criteria

Document History

Coding

Special Notes

References

Keywords

Effective Date 10/1/2025

Next Review Date 7/2026

Coverage Policy Surgical 09

Version 11

Member-specific benefits take precedence over medical policy and benefits may vary across plans. Refer to the individual's benefit plan for details *.

Description & Definitions:

Skin lesions, including: moles, skin tags, fibromas, tumors, keloids, and cysts are removed from an individual's body either surgically or with treatments including, but not limited to, corticosteroids, cryotherapy, etc.

A skin biopsy is a medical procedure that removes a small sample of tissue to examine for damage or disease.

Epidermal Nerve Fiber Density Testing is a measurement an intra-epidermal nerve fiber density (IENFD) by skin punch biopsy where a small specimen to identify the amount of nerve fibers in the skin.

Criteria:

Dermatologic Conditions (treatments, removal, laser therapy, dermoscopy or biopsy) are considered medically necessary for indications of **1 or more** of the following:

- Biopsy of skin lesions (11104, 11105) may be indicated for 1 or more of the following:
 - An unexplained rash that did not improve with treatment
 - o Open sores that did not heal with treatment
 - A skin growth or mole that has changed in size, color or shape
 - o A skin growth or mole that appears to potentially be a melanoma
 - Rough, scaly or blistering skin that did not improve with treatment
- Epidermal nerve fiber density testing (ENFD) (11100, 11101, 11104, 11105, 88356) is considered medically necessary for individuals with suspected small fiber neuropathy and ALL of the following:
 - Painful sensory neuropathy
 - Physical examination shows no evidence of findings consistent with large-fiber neuropathy, such as reduced or absent muscle-stretch reflexes or reduced proprioception and vibration sensation
 - Electromyography studies are normal and show no evidence of large fiber neuropathy
 - Autonomic testing is normal and show no evidence of large fiber neuropathy
 - Nerve conduction velocity studies are normal and show no evidence of large fiber neuropathy
- Fractional ablative laser (Carbon Dioxide Laser Therapy) (0479T, 0480T) is considered medically necessary for 1 or more of the following:
 - Actinic keratosis when failed treatments include 1 or more of the following:

Surgical 09 Page 1 of 10

- Topical imiquimod or 5-fluorouracil with or without tretinoin cream
- Cryosurgery with liquid nitrogen
- Curettage or excision when squamous cell carcinoma is suspected
- Chemical peel
- Dermabrasion
- Photodynamic therapy (PDT)
- Condylomata acuminata (anogenital warts)
- Hidradenitis Suppurativa
- Pyogenic granuloma in the face and neck
- Superficial basal cell carcinomas of the skin
- o Scar revisions post burn scar or traumatic scar with ALL of the following:
 - Procedure is being done by a plastic surgeon
 - · Individual has functional impairment
 - Individual has tried and failed at least 1 or more of the following:
 - Silicone gel
 - Pressure garments
 - Sheeting
- Handheld or digital dermoscopy (96904) may be indicated for 1 or more of the following:
 - Alopecia
 - o Nonpigmented skin lesion, and clinical suspicion of skin cancer
 - o Pigmented skin lesion, and need for initial evaluation
 - Pigmented skin lesion, and need for follow-up or surveillance (ie, nevi), as indicated by 1 or more of the following:
 - Major atypical, pigmented (highly suspicious, highly atypical) skin lesions
 - Minor atypical, pigmented skin lesions
 - Moderate atypical, pigmented (eg, multiple lesions, high-risk patient) skin lesions
 - Systemic sclerosis, and need for evaluation of nailfold capillaries, as indicated by ALL of the following:
 - · Individual diagnosed with systemic sclerosis by rheumatologist
 - Skin involvement distal to metacarpophalangeal joints
- Initial Excimer Laser Therapy and Pulse-dye Laser Therapy is considered medically necessary for 1 or more of the following:
 - o Initial Excimer Laser Therapy (96920, 96921, 96922) as indicated by 1or more of the following:
 - Treatment of mild to moderate localized plaque psoriasis as indicated by ALL of the following:
 - Refractory to conservative treatment with topical agents and/or phototherapy.
 - Affecting 10 percent or less of body
 - Treatment of vitiligo indicated as indicated by ALL of the following:
 - Refractory to conservative treatment including ALL of the following:
 - An eight week trial of one topical corticosteroid
 - A twelve week trial of one topical calcineurin inhibitor (e.g., tacrolimus 0.03% or 0.1% ointment, pimecrolimus 1% cream)
 - Initial Pulse-dye Laser Therapy/ YAG laser (17106, 17107, 17108) is considered medically necessary for 1 or more of the following:
 - Acne keloidalis nuchae (AKN) with extensive scarring observed in plaque or tumor stage
 - Genital warts when home therapy with 1 or more of the following has been unsuccessful:
 - Podophyllotoxin
 - Imiquimod
 - Granuloma faciale
 - Hidradenitis Suppurativa
 - Keloid or other hypertrophic scars resulting in substantial loss of function
 - Keloids/Hypertrophic scars cause substantial pain necessitating constant pain relief medication
 - Hair removal for recurrent pilonidal cyst
 - Mild-to-moderate localized plaque psoriasis

Surgical 09 Page 2 of 10

- Multiple cutaneous and/or deep tissue hemangiomas, port wine stains and other vascular malformation (e.g., venous, arteriovenous, lymphatic) on the face and neck where surgical removal is not feasible
- Numerous glomangiomas superficially located in the face and neck where surgical removal is not feasible
- Penile intraepithelial neoplasia
- Pyogenic granuloma in the face and neck
- Refractory Actinic keratoses
- Verrucae (warts) when standard treatments have failed
- Repeat or continued Excimer Laser Therapy (96920, 96921, 96922) or Pulse-dye Laser Therapy/ YAG laser (17106, 17107, 17108) for 1 or more of the following:
 - Treatment of mild to moderate localized plaque psoriasis is considered medically necessary with ALL of the following:
 - No more than 13 laser treatments per course or three courses per year
 - Individual has documentation showing favorable clinical response to initial course of laser therapy
 - Treatment of vitiligo is considered medically necessary with ALL of the following:
 - No more than 200 total treatments
 - Individual has documentation showing favorable clinical response to initial course of laser therapy
- Radiation Treatment (77401 77417, 77431) for Selected Nononcologic Indications are considered medically necessary for 1 or more of the following:
 - Adjunctive therapy immediately following excisional surgery (within 7 days) treatment of keloids
 - o Orbital radiotherapy with severe Graves' ophthalmopathy
- Surgical treatment or removal for 1 or more of the following
 - Benign skin lesions, warts, skin tags or tumors (11200, 11201, 11300 11313, 11400 11446, 17000 17004, 17110, 17111) of with 1 or more of the following
 - Sudden growth/enlargement, color changes, beginning to bleed or ulcerate, inflammation, infection, pain
 - The lesion in located in an anatomical region subject to recurrent physical trauma with documentation proving that such trauma has occurred
 - The lesion restricts vision
 - The lesion obstructs a body orifice
 - Showing evidence of spread from one body area to another, particularly in immunosuppressed patients
 - Lesions are condyloma acuminata or molluscum contagiosum
 - o Congenital dermal sinus, dermoidal cysts, or nevus sebaceous of Jadassohn
 - Destruction of cutaneous or intraneural neurofibroma (64788, 64790, 64792) with 1 or more of the following
 - Suspicion of malignancy (e.g. sudden growth/enlargement, color changes, beginning to bleed or ulcerate, inflammation, pruritic, pain)
 - The lesion in located in an anatomical region subject to recurrent physical trauma with documentation proving that such trauma has occurred
 - The lesion restricts vision
 - The lesion obstructs a body orifice
 - Keloids (15786, 15787) is considered medically necessary after the failure of conservative non-surgical therapies (including but not limited to corticosteroids, pressure dressing, etc.) and 1 or more of the following
 - Significant pain
 - Bleeding
 - Infection
 - Plantar lesions, warts or other symptomatic lesions on the foot as indicated by 1 or more of the following
 - Sudden growth or enlargement
 - Lesion exhibits spotty color changes or becomes darker
 - Lesion begins to bleed or ulcerate
 - Lesion becomes inflamed, pruritic or painful

Surgical 09 Page 3 of 10

Dermatologic Conditions (treatments, removal, laser therapy, dermoscopy or biopsy) are considered contraindicated and/or not medically necessary for any use other than those indicated in clinical criteria, to include but not limited to:

- Carbon Dioxide (CO2) Laser for Hailey-Hailey Disease
- Destruction of cutaneous or intraneural neurofibroma (more than 50 on the face, head, and neck, or more than 100 on the trunk and extremities) **0419T**, **0420T**
- Epidermal Nerve Fiber Density Testing to detect preclinical small fiber neuropathy in asymptomatic members with any of the following:
 - Diabetes
 - o impaired glucose intolerance
 - hypothyroid persons, and for evaluation of individuals with Fabry disease, not an exclusive list) known to cause peripheral neuropathy
 - o hereditary transthyretin (TTR) amyloidosis and iatrogenic TTR amyloidosis
 - o Ehlers-Danlos syndromes
 - o Fabry disease
 - o fibromyalgia
 - o postural tachycardia syndrome
 - o REM sleep behavior disorder
 - o For monitoring disease progression or response to treatment
 - Sweat gland nerve fiber density for the diagnosis of small-fiber neuropathy and other indications
 - Diagnosis of endometriosis
- Keloids that result from a cosmetic procedure such as body piercing
- Non-symptomatic Benign Skin Lesions or tumors
- Non-symptomatic Port Wine stains are considered cosmetic
- Non-symptomatic plantar and venereal warts
- Non-symptomatic keloids
- Syn-One test for neurodegenerative diseases 88305, 88314, 88346, 88350, 88356
- Visual image analysis, electrical impedance devices, multispectral image analysis, ultrasound, or other optical
 methods (e.g., optical coherence tomography [OCT], reflectance confocal microscopy [RCM]) for the early
 detection or monitoring of melanoma (96931 96936)
- Whole body integumentary photography (96904)

Document History:

Revised Dates:

- 2025: July Implementation date of October 1, 2025. Criteria updated.
- 2025: May Implementation date of August 1, 2025. Coding and criteria updates. References updated.
- 2025: April Implementation date of July 1, 2025. Criteria updated references updated
- 2025: March Implementation date of 6/1/2025. Add exclusions from Photodynamic Therapy for Oncologic and Dermatologic Conditions and notes to reference MCG Photodynamic Therapy, Skin (A-0254)
- 2025: January criteria updated codes updated references updated
- 2024: September Added codes and criteria for skin biopsies, and Epidermal Nerve Fiber testing
- 2024: June expanded criteria references updated
- 2022: May, July
- 2020: June
- 2016: January, March
- 2015: October
- 2014: August
- 2013: February
- 2012: August
- 2011: October
- 2010: August
- 2009: August
- 2008: August

Surgical 09 Page 4 of 10

- 2006: December
- 2003: October
- 2000: November
- 1998: February, October
- 1996: January

Reviewed Dates:

- 2022: 2023: May
- 2021: May
- 2020: March
- 2018: April, May
- 2017: January
- 2015: August
- 2014: October
- 2013: August
- 2011: August
- 2007: August
- 2006: May, October
- 2005: August
- 2004: October, December
- 2003: September
- 2002: September
- 2001: December
- 1999: October
- 1994: February

Origination Date:

August 1991

Coding:

Medically necessary with criteria:

Coding	Description
0479T	Fractional ablative laser fenestration of burn and traumatic scars for functional Improvement; first 100 cm2 or part thereof, or 1% of body surface area of infants and children
0480T	Fractional ablative laser fenestration of burn and traumatic scars for functional improvement; each additional 100 cm2, or each additional 1% of body surface area of infants and children, or part thereof (List separately in addition to code for primary procedure)
11104	Punch biopsy of skin (including simple closure, when performed); single lesion.
11105	Punch biopsy of skin (including simple closure, when performed); each separate/additional lesion (List separately in addition to code for primary procedure)
11200	Removal of skin tags, multiple fibrocutaneous tags, any area; up to and including 15 lesions
11201	Removal of skin tags, multiple fibrocutaneous tags, any area; each additional 10 lesions, or part thereof (List separately in addition to code forprimary procedure)
11300	Shaving of epidermal or dermal lesion, single lesion, trunk, arms or legs; lesion diameter 0.5 cm or less
11301	Shaving of epidermal or dermal lesion, single lesion, trunk, arms or legs; lesion diameter 0.6 to 1.0 cm
11302	Shaving of epidermal or dermal lesion, single lesion, trunk, arms or legs; lesion diameter 1.1 to 2.0 cm

Surgical 09 Page 5 of 10

11303	Shaving of epidermal or dermal lesion, single lesion, trunk, arms or legs; lesion diameter over 2.0 cm
11305	Shaving of epidermal or dermal lesion, single lesion, scalp, neck, hands, feet, genitalia; lesion diameter 0.5 cm or less
11306	Shaving of epidermal or dermal lesion, single lesion, scalp, neck, hands, feet, genitalia; lesion diameter 0.6 to 1.0 cm
11307	Shaving of epidermal or dermal lesion, single lesion, scalp, neck, hands, feet, genitalia; lesion diameter 1.1 to 2.0 cm
11308	Shaving of epidermal or dermal lesion, single lesion, scalp, neck, hands, feet, genitalia; lesion diameter over 2.0 cm
11310	Shaving of epidermal or dermal lesion, single lesion, face, ears, eyelids, nose, lips, mucous membrane; lesion diameter 0.5 cm or less
11311	Shaving of epidermal or dermal lesion, single lesion, face, ears, eyelids, nose, lips, mucous membrane; lesion diameter 0.6 to 1.0 cm
11312	Shaving of epidermal or dermal lesion, single lesion, face, ears, eyelids, nose, lips, mucous membrane; lesion diameter 1.1 to 2.0 cm
11313	Shaving of epidermal or dermal lesion, single lesion, face, ears, eyelids, nose, lips, mucous membrane; lesion diameter over 2.0 cm
11400	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 0.5 cm or less
11401	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 0.6 to 1.0 cm
11402	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 1.1 to 2.0 cm
11403	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 2.1 to 3.0 cm
11404	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 3.1 to 4.0 cm
11406	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter over 4.0 cm
11420	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 0.5 cmor less
11421	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 0.6 to 1.0 cm
11422	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 1.1 to2.0 cm
11423	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 2.1 to 3.0 cm
11424	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 3.1 to4.0 cm
11426	Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter over4.0 cm
11440	Excision, other benign lesion including margins, except skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter 0.5 cm or less
11441	Excision, other benign lesion including margins, except skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter 0.6 to 1.0 cm

Surgical o9 Page 6 of 10

11442	Excision, other benign lesion including margins, except skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter 1.1 to 2.0 cm
11443	Excision, other benign lesion including margins, except skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter 2.1 to 3.0 cm
11444	Excision, other benign lesion including margins, except skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter 3.1 to 4.0 cm
11446	Excision, other benign lesion including margins, except skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter over 4.0 cm
17000	Destruction (eg, laser surgery, electrosurgery, cryosurgery, chemosurgery, surgical curettement), premalignant lesions (eg, actinic keratoses);first lesion
17003	Destruction (eg, laser surgery, electrosurgery, cryosurgery, chemosurgery, surgical curettement), premalignant lesions (eg, actinic keratoses);second through 14 lesions, each (List separately in addition to code for first lesion)
17004	Destruction (eg, laser surgery, electrosurgery, cryosurgery, chemosurgery, surgical curettement), premalignant lesions (eg, actinic keratoses),15 or more lesions
17106	Destruction of cutaneous vascular proliferative lesions (eg, laser technique); less than 10 sq cm
17107	Destruction of cutaneous vascular proliferative lesions (eg, laser technique); 10.0 to 50.0 sq cm
17108	Destruction of cutaneous vascular proliferative lesions (eg, laser technique); over 50.0 sq cm
17110	Destruction (eg, laser surgery, electrosurgery, cryosurgery, chemosurgery, surgical curettement), of benign lesions other than skin tags or cutaneous vascular proliferative lesions; up to 14 lesions
17111	Destruction (eg, laser surgery, electrosurgery, cryosurgery, chemosurgery, surgical curettement), of benign lesions other than skin tags or cutaneous vascular proliferative lesions; 15 or more lesions
77401	Radiation treatment delivery, superficial and/or ortho voltage, per day
77402	Radiation treatment delivery; Level 1 (eg, single-electron field, multiple-electron fields, or 2D photons), including imaging guidance, when performed
77407	Radiation treatment delivery; Level 2, single-isocenter (eg, 3D or IMRT), photons, including imaging guidance, when performed
77417	Therapeutic radiology port image(s)
77431	Radiation therapy management with complete course of therapy consisting of 1 or 2 fractions only
96920	Laser treatment for inflammatory skin disease (psoriasis); total area less than 250 sq cm
96921	Laser treatment for inflammatory skin disease (psoriasis); 250 sq cm to 500 sq cm
96922	Laser treatment for inflammatory skin disease (psoriasis); over 500 sq cm
96999	Unlisted special dermatological service or procedure
97039	Unlisted modality (specify type and time if constant attendance)

Considered Not Medically Necessary:

Coding	Description

Surgical 09 Page 7 of 10

0419T	Destruction neurofibroma, extensive, (cutaneous, dermal extending into subcutaneous); face, head and neck, greater than 50 neurofibromas
0420T	Destruction neurofibroma, extensive, (cutaneous, dermal extending into subcutaneous); trunk and extremities, extensive, greater than 100 neurofibromas
S8948	Application of a modality (requiring constant provider attendance) to one or more areas; low-level laser; each 15 minutes
96904	Whole body integumentary photography, for monitoring of high risk patients with dysplastic nevus syndrome or a history of dysplastic nevi, or patients with a personal or familial history of melanoma
96931	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition and interpretation and report, first lesion
96932	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition only, first lesion
96933	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; interpretation and report only, first lesion
96934	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition and interpretation and report, each additional lesion (List separately in addition to code for primary procedure)
96935	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition only, each additional lesion (List separately in addition to code for primary procedure)
96936	Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; interpretation and report only, each additional lesion (List separately in addition to code for primary procedure)
88305	Level IV - Surgical pathology, gross and microscopic examination
88314	Special stain including interpretation and report; histochemical stain on frozen tissue block (List separately in addition to code for primary procedure)
88346	Immunofluorescence, per specimen; initial single antibody stain procedure
88350	Immunofluorescence, per specimen; each additional single antibody stain procedure (List separately in addition to code for primary procedure)
88356	Morphometric analysis; nerve

U.S. Food and Drug Administration (FDA) - approved only products only.

The preceding codes are included above for informational purposes only and may not be all inclusive. Additionally, inclusion or exclusion of a treatment, procedure, or device code(s) does not constitute or imply member coverage or provider reimbursement. Please refer to the member's contract benefits in effect at the time of service to determine coverage or non-coverage of these services as it applies to an individual member.

Special Notes: *

- Coverage: See the appropriate benefit document for specific coverage determination. Member specific benefits take precedence over medical policy.
- Application to Products: Policy is applicable to Sentara Health Plan Commercial products.
 - o Check Plan documents as some groups consider plantar wart treatment a non-covered benefit.
 - o See MCG Photodynamic Therapy, Skin (A-0254) CPT 96567, 96573, 96574
- Authorization Requirements: Pre-certification by the Plan is required.
- Special Notes:

Medical policies can be highly technical and complex and are provided here for informational purposes.
 These medical policies are intended for use by health care professionals. The medical policies do not constitute medical advice or medical care. Treating health care professionals are solely responsible for

Surgical 09 Page 8 of 10

diagnosis, treatment, and medical advice. Sentara Health Plan members should discuss the information in the medical policies with their treating health care professionals. Medical technology is constantly evolving, and these medical policies are subject to change without notice, although Sentara Health Plan will notify providers as required in advance of changes that could have a negative impact on benefits.

§ Services mean both medical and behavioral health (mental health) services and supplies unless We specifically tell You otherwise. We do not cover any services that are not listed in the Covered Services section unless required to be covered under state or federal laws and regulations. We do not cover any services that are not Medically Necessary. We sometimes give examples of specific services that are not covered but that does not mean that other similar services are covered. Some services are covered only if We authorize them. When We say You or Your We mean You and any of Your family members covered under the Plan. Call Member Services if You have questions

References:

Specialty Association Guidelines; Government Regulations; Winifred S. Hayes, Inc; UpToDate; Literature Review; Specialty Advisors; National Coverage Determination (NCD); Local Coverage Determination (LCD).

28th Edition. (2025). Retrieved 3 2025, from MCG: https://careweb.careguidelines.com/ed28/

(2025). Retrieved 4 2025, from CMS: https://www.cms.gov/medicare-coverage-database/search.aspx?redirect=Y&kq=true

(2025). Retrieved 4 2025, from NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines): https://www.nccn.org/guidelines/category 1

(2025). Retrieved 4 2025, from Hayes:

https://evidence.hayesinc.com/search?q=%257B%2522text%2522:%2522Laser%2520Therapy%2522,%2522title %2522:null,%2522termsource%2522:%2522searchbar%2522,%2522page%2522:%257B%2522page%2522:1,% 2522size%2522:50%257D,%2522type%2522:%2522all%2522,%2522sources%2522

Carbon Dioxide Laser. (2025). Retrieved 4 2025, from Cleveland Clinic: https://my.clevelandclinic.org/health/treatments/8314-carbon-dioxide-laser-resurfacing

CO2 Laser Surgical Excision for Hidradenitis Suppurativa. (2024). Retrieved 4 2025, from Healthline: https://www.healthline.com/health/hidradenitis-suppurativa/hidradenitis-suppurativa-carbon-dioxide-laser

Conditions and Treatments. (2025). Retrieved 4 2025, from American Academy of Dermatology Association: https://www.aad.org/public/diseases

Epidermal Nerve Fiber Density Test. (2025). Retrieved 4 2025, from Therapath: Labs: https://therapath.com/services/small-fiber-neuropathy-testing/

LCD:. (2025). Retrieved 4 2025, from CMS: https://www.cms.gov/medicare-coverage-database/search-results.aspx?keyword=lesion&keywordType=all&areald=all&docType=NCA,CAL,NCD,MEDCAC,TA,MCD,6,3,5,1,F,P&contractOption=all&sortBy=relevance

Principles of laser and intense pulsed light for cutaneous lesions. (2024). Retrieved 4 2025, from UpToDate: <a href="https://www.uptodate.com/contents/principles-of-laser-and-intense-pulsed-light-for-cutaneous-lesions?search=Carbon%20Dioxide%20Laser%20Therapy&topicRef=13629&source=see_link#H31999185

Provider Manuals. (2025). Retrieved 4 2025, from DMAS: https://www.dmas.virginia.gov/for-providers/

Skin biopsy for the evaluation of peripheral nerve disease. (2025, 1). Retrieved 4 2025, from UpToDate: <a href="https://www.uptodate.com/contents/skin-biopsy-for-the-evaluation-of-peripheral-nerve-disease?search=epidermal%20nerve%20fiber&source=search_result&selectedTitle=1%7E150&usage_type=defa_ult&display_rank=1

Two-step algorithm in dermoscopy. (2025). Retrieved 4 2025, from Dermoscopedia: https://dermoscopedia.org/Two-step algorithm

Surgical 09 Page 9 of 10

Keywords:

Lesion, Wart(s), Keloid, Skin tag(s), Mole(s), SHP Skin Lesions/Keloids/Warts/Dermoscopy, SHP Surgical 09, electron beam radiotherapy, benign, malignant, cutaneous neurofibroma, intraneural neurofibroma, tumor, congenital dermal sinus, dermoidal cysts, nevus sebaceous of Jadassohn, sudden growth, sudden enlargement, color changes, bleeding, inflammation, pruritic, pain, skintags, skin tags, Handheld dermoscopy, digital dermoscopy, Nonpigmented skin lesion, pigmented skin lesion, Biopsies, Epidermal Nerve Fiber Density testing

Surgical 09 Page 10 of