

SENTARA HEALTH PLANS

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; **fax to 1-800-750-9692**. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. **If the information provided is not complete, correct, or legible, the authorization process can be delayed.**

The Sentara Health Plans Oncology Program is administered by OncoHealth

- ❖ **For any oncology indications**, the most efficient way to submit a prior authorization request is through the OncoHealth OneUM Provider Portal at <https://oneum.oncohealth.us>. Fax to **1-800-264-6128**.
OncoHealth can also be contacted by Phone: 1-888-916-2616.
- ❖ Commercial customers **NOT** enrolled in the OncoHealth program, please fax requests to Sentara Health plans at fax number 1-800-750-9692.

Somatostatin Analog Drugs & Somavert® (PHARMACY)

Drug Requested: (select drug below)

<input type="checkbox"/> Bynfezia® (octreotide) SQ Injection	<input type="checkbox"/> Sandostatin® LAR Depot (octreotide)
<input type="checkbox"/> lanreotide acetate extended release SQ injection 120 mg/0.5 mL	<input type="checkbox"/> Signifor® (pasireotide) SQ Injection
<input type="checkbox"/> Mycapssa® (octreotide) Oral Tablet	<input type="checkbox"/> Signifor® LAR (pasireotide) SQ Injection
<input type="checkbox"/> octreotide injection (generic Sandostatin®)	<input type="checkbox"/> Somatuline® Depot (lanreotide) injection
<input type="checkbox"/> Palsonify™ (paltusotine) Oral Tablet	<input type="checkbox"/> Somavert® (pegvisomant) Injection – GH receptor antagonist

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member Sentara #: _____ Date of Birth: _____

Prescriber Name: _____

Prescriber Signature: _____ Date: _____

Office Contact Name: _____

Phone Number: _____ Fax Number: _____

NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Form/Strength: _____

Dosing Schedule: _____ Length of Therapy: _____

Diagnosis: _____ ICD Code, if applicable: _____

Weight (if applicable): _____ Date weight obtained: _____

(Continued on next page)

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

☐ **Diagnosis: Acromegaly (Bynfezia, lanreotide, octreotide, Sandostatin LAR, Signifor LAR, Somatuline Depot, Somavert)**

Initial Authorization: 12 months

- ☐ Member is 18 years of age or older

AND

- ☐ Provider is an endocrinologist or neurosurgeon

AND

- ☐ Member has undergone pituitary surgery and/or irradiation, or surgery is contraindicated (**chart notes must be submitted to document diagnosis and surgical history or contraindication to surgery**)

AND

- ☐ Diagnosis confirmed by elevated IGF-1 levels as well as inadequate suppression of growth hormone (GH) levels (**current labs must be submitted for documentation**)

AND

- ☐ **For Sandostatin LAR, Signifor LAR, Somatuline Depot and Somavert:** Medication will not be used in combination with long-acting somatostatin analogs

AND

- ☐ **For Somavert only:** Medication requires trial and failure of a long-acting injectable octreotide product (e.g., Sandostatin LAR, Somatuline Depot)

☐ **Diagnosis: Acromegaly (Bynfezia, lanreotide, octreotide, Sandostatin LAR, Signifor LAR, Somatuline Depot, Somavert)**

Reauthorization: 12 months

- ☐ No toxicity has been observed while taking the requested medication

AND

- ☐ Response is demonstrated by **BOTH** of the following (**Chart notes and current lab test results must be submitted for documentation**)

- ☐ Reduction of GH levels from pre-treatment baseline
- ☐ Normalization of IGF-1 level

(Continued on next page)

☐ **Diagnosis: Acromegaly (Mycapssa, Palsonify)**

Initial Authorization: 6 months

- ☐ Member is 18 years of age or older

AND

- ☐ Provider is an endocrinologist or neurosurgeon

AND

- ☐ Member has undergone pituitary surgery and/or irradiation, or surgery is contraindicated (**chart notes must be submitted to document diagnosis and surgical history or contraindication to surgery**)

AND

- ☐ Diagnosis confirmed by elevated IGF-1 levels as well as inadequate suppression of growth hormone (GH) levels (**current labs must be submitted for documentation**)

AND

- ☐ Medication will not be used in combination with long-acting somatostatin analogs

AND

- ☐ **For Mycapssa Requests:** Member must meet **BOTH** of the following:

- ☐ Member must be established on an injectable somatostatin analogue for ≥ 6 months with a stable dose for ≥ 3 months and has shown a clinical response
- ☐ There must be a documented medical necessity for use of oral capsules over injectable alternatives (**chart notes must be submitted to document contraindication to injectable therapy**)

AND

- ☐ **For Palsonify Requests:** Member must meet **BOTH** of the following:

- ☐ Medication requires trial and failure of **TWO** long-acting injectable octreotide or lanreotide products (e.g., Somatuline Depot, Sandostatin LAR) (**chart notes and/or lab results must be submitted to document therapy failures**)
- ☐ For doses above 60 mg once daily, documentation of medical necessity for high dose must be submitted (i.e. long-term use of moderate to strong CYP3A4 inducer medication that may not be discontinued, concomitant use of proton pump inhibitors that may not be discontinued; etc.)

☐ **Diagnosis: Acromegaly (Mycapssa, Palsonify)**

Reauthorization: 12 months

- ☐ No toxicity has been observed while taking requested medication

AND

(Continued on next page)

AND

- ☐ Response is demonstrated by **BOTH** of the following (Chart notes and current lab test results **must** be submitted for documentation)
 - ☐ Reduction of GH levels from pre-treatment baseline
 - ☐ Normalization of IGF-1 level

AND

- ☐ Medication will not be used in combination with long-acting somatostatin analogs

AND

- ☐ **For Palsonify Requests:** For doses above 60 mg once daily, documentation of medical necessity for high dose must be submitted (i.e. long-term use of moderate to strong CYP3A4 inducer medication that may not be discontinued, concomitant use of proton pump inhibitors that may not be discontinued; etc.)

<input type="checkbox"/> Diagnosis – Cushing’s Disease (Signifor SQ, Signifor LAR)

<u>Initial Authorization: 6 months</u>

- ☐ Member is 18 years of age or older

AND

- ☐ Provider is an endocrinologist or neurosurgeon

AND

- ☐ Member has diagnosis of Cushing’s disease and pituitary surgery is not an option or has not been curative (chart notes **must** be submitted to document diagnosis and surgical history or contraindication to surgery)

AND

- ☐ Member’s baseline 24-hour urinary free cortisol level is greater than 1.5 times the upper limit of normal (labs **must** be submitted for documentation)

AND

- ☐ Current baseline labs are attached documenting **ALL** the following: liver function tests, fasting plasma glucose, hemoglobin A1c, thyroid function, baseline ECG, and gallbladder ultrasound

<input type="checkbox"/> Diagnosis – Cushing’s Disease (Signifor SQ, Signifor LAR)

<u>Reauthorization: 12 months</u>
--

- ☐ Member’s current 24-hour urinary free cortisol level is below the upper limit of normal mean (labs **must** be submitted for documentation)

AND

- ☐ Current labs documenting member’s liver function, fasting plasma glucose and hemoglobin A1c are attached

(Continued on next page)

AND

- ☐ Improvements in blood pressure, triglycerides, low-density lipoprotein cholesterol, weight and health related quality of life have been maintained while on Signifor therapy (**Chart notes must be submitted for documentation**)

☐ **Diagnosis: Other**

Please submit documentation showing medical necessity

Medication being provided by Specialty Pharmacy – Proprium Rx

Not all drugs may be covered under every Plan

If a drug is non-formulary on a Plan, documentation of medical necessity will be required.

Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.

Previous therapies will be verified through pharmacy paid claims or submitted chart notes.