SENTARA COMMUNITY PLAN (MEDICAID)

MEDICAL PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions:</u> The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; <u>fax to 1-844-305-2331</u>. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. <u>If information provided is not complete, correct, or legible, authorization can be delayed</u>.

<u>Drug Requested</u>: Vyepti[™] (eptinezumab) Intravenous (IV) Injection (Medical) (J3032)

WEWIDER & I RESCRIBER II	NFORMATION: Authorization may be delayed if incomplete.
Member Name:	
	Date of Birth:
Prescriber Name:	
Prescriber Signature:	Date:
none Number: Fax Number:	
DEA OR NPI #:	
DRUG INFORMATION: Author	prization may be delayed if incomplete.
Drug Form/Strength:	
Dosing Schedule:	Length of Therapy:
Diagnosis:	ICD Code, if applicable:
Weight:	Date:
<u> </u>	ox, the timeframe does not jeopardize the life or health of the member of mum function and would not subject the member to severe pain.

Recommended Dosage: 100mg intravenously every 3 months; individuals who do not respond to 100mg may be approved for 3 vials (300mg) every 3 months.

**Vyepti is unproven and not medically necessary for:

- Acute attack of migraine
- Episodic cluster headache

Sentara Health Plans Considers the use of concomitant therapy with Calcitonin Gene-Related Peptide Antagonists (CGRP) and Botox to be experimental and investigational. Safety and efficacy of these combinations has not been established and will not be permitted. In the event a member has an active Botox authorization on file, all subsequent CGRP requests will not be approved.

(Continued on next page)

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.
Initial Authorization Approval: 3 months
☐ Member must be 18 years of age or older
<u>AND</u>
☐ The prescribing physician is a neurologist or pain specialist OR has consulted with a neurologist or pain specialist
DIAGNOSIS: Please check one of the applicable diagnoses below
□ Diagnosis: Episodic Migraine
☐ Member must have a diagnosis of episodic migraines defined by BOTH of the following:
☐ Member has < 15 headache days per month <u>AND</u> 4 to 14 migraine days per month for a <u>minimum</u> <u>of 3 months</u> ;
AND
☐ Member must have failed a <u>2-month</u> trial of at least <u>TWO</u> migraine prophylactic classes supported by the American Headache Society/American Academy of Neurology treatment guidelines 2012/2015, Level A and B evidence; ICSI 2013, high quality evidence:
☐ Anticonvulsants (divalproex, valproate, topiramate)
☐ Beta blockers (atenolol, metoprolol, nadolol, propranolol, timolol)
☐ Antidepressants (amitriptyline, venlafaxine)
AND
☐ Member must have failed a <u>3-month</u> trial of at least <u>ONE</u> of the following chronic migraine prophylactic therapies and documented the reason for failing treatment in chart notes:

Μe	ember must have failed a 3-month trial of at least ONE of the following
pro	ophylactic therapies and documented the reason for failing treatment in
	Aimovig (erenumab)*
	Ajovy (fremanezumab)*
	Emgality (galcanezumab)*
	Nurtec ODT (rimegepant)*
	Qulipta (atogepant)*

*Requires PA

(Continued on next page)

□ Diagnosis: Chronic Migraine
 Member must have a diagnosis of chronic migraines defined by <u>BOTH</u> of the following: Member has > 15 headache days per month AND > 8 migraine days per month for a <u>minimum of months</u>;
<u>AND</u>
☐ Member must have failed a <u>2-month</u> trial of at least <u>TWO</u> migraine prophylactic classes supported by the American Headache Society/American Academy of Neurology treatment guidelines 2012/2015, Level A and B evidence; ICSI 2013, high quality evidence:
☐ Anticonvulsants (divalproex, valproate, topiramate)
☐ Beta blockers (atenolol, metoprolol, nadolol, propranolol, timolol)
☐ Antidepressants (amitriptyline, venlafaxine)
<u>AND</u>
☐ Member must have failed a <u>3-month</u> trial of at least <u>ONE</u> of the following chronic migraine prophylactic therapies and documented the reason for failing treatment in chart notes:
☐ Aimovig (erenumab)*
☐ Ajovy (fremanezumab)*
□ Emgality (galcanezumab)*
□ Nurtec ODT (rimegepant)*
☐ Qulipta (atogepant)*
*Requires PA
<u>OR</u>
☐ Onabotulinumtoxin A (Botox) (trial of at least 2 quarterly injections or 6 months)
*Member must meet all PA criteria for Botox approval.
□ Diagnosis: For Both Episodic Migraine and Chronic Migraine
☐ Member has been evaluated for medication overuse headache (MOH) (defined as headaches occurring greater than or equal to 15 days per month. It develops as a consequence of regular overuse of acute symptomatic headache medication for more than 3 months)
AND
☐ Treatment will include a plan to taper off the offending medication if MOH is diagnosed;
AND
☐ The member will not be initiating botulinum toxin headache prophylaxis after starting the requested agent
AND

(Continued on next page)

_	The requested medication will <u>NOT</u> be used in combination with Botox or another CGRP inhibitor or antagonist [e.g., Aimovig (erenumab), Ajovy (fremanezumab), Emgality (galcanezumab), Nurtec ODT (rimegepant), Qulipta (atogepant) and Ubrelvy (ubrogepant)]		
aı	Leauthorization Approval : 12 months. Check below all that apply. All criteria must be met for oppoval. To support each line checked, all documentation, including lab results, diagnostics, and/or nart notes, must be provided or request may be denied.		
	The prescribing physician is a neurologist or pain specialist OR has consulted with a neurologist or pain specialist;		
	<u>AND</u>		
	Member has experienced a positive response to therapy, demonstrated by a reduction in headache frequency and/or intensity		
	AND		
	Use of acute migraine medications (e.g., NSAIDs, triptans) has decreased since the start of CGRP inhibitor or antagonist therapy		
	<u>AND</u>		
	The member will not be initiating botulinum toxin headache prophylaxis after starting the requested agent		
	AND		
	The member continues to be monitored for medication overuse headache (MOH)		
	<u>AND</u>		
	The requested medication will <u>NOT</u> be used in combination with Botox or another CGRP inhibitor or antagonist [e.g., Aimovig (erenumab), Ajovy (fremanezumab), Emgality (galcanezumab), Nurtec ODT (rimegepant), and Ubrelvy (ubrogepant)].		
Medication being provided by (check box below that applies):			
	Location/site of drug administration:		
	NPI or DEA # of administering location:		
	OR		
	Physician's office OR Specialty Pharmacy – PropriumRx		
	For urgent reviews: Practitioner should call Sentara Health Pre-Authorization Department if they believe a standard review would subject the member to adverse health consequences. Sentara Health's definition of		

**Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. **

Previous therapies will be verified through pharmacy paid claims or submitted chart notes.

urgent is a lack of treatment that could seriously jeopardize the life or health of the member or the member's

ability to regain maximum function.