

SENTARA HEALTH PLANS

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; fax to **1-800-750-9692**. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. If information provided is not complete, correct, or legible, authorization may be delayed.

Drug Requested: Prevmis® (letermovir) tablets (**Pharmacy**)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member Sentara #: _____ Date of Birth: _____

Prescriber Name: _____

Prescriber Signature: _____ Date: _____

Office Contact Name: _____

Phone Number: _____ Fax Number: _____

DEA OR NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Form/Strength: _____

Dosing Schedule: _____ Length of Therapy: _____

Diagnosis: _____ ICD Code: _____

Weight: _____ Date: _____

Quantity Limit: 1 tablet per day (all strengths)

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Diagnosis: Cytomegalovirus, prophylaxis in hematopoietic cell transplant recipients

Recommended Dose: 480 mg orally once daily. Initiate therapy between Day 0 and Day 28 post transplantation (before or after engraftment), and continue through Day 200 post-transplantation

Length of Authorization: 200 days of therapy

- Member is \geq 18 years of age
- Member will be receiving Prevmis® for the prophylaxis of cytomegalovirus (CMV) disease
- Member is a CMV-seropositive recipient [R+] of an allogeneic hematopoietic stem cell transplant (HSCT)

(Continued on next page)

- Medication will be initiated between day 0 and day 28, before or after engraftment
 - Enter date transplant was performed: _____
- Member is **NOT** receiving the requested medication beyond 200 days post-transplantation

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Diagnosis: Cytomegalovirus, prophylaxis in kidney transplant recipients

Recommended Dose: 480 mg orally once daily. Initiate therapy between Day 0 and Day 7 post transplantation (before or after engraftment), and continue through Day 200 post-transplantation

Length of Authorization: 200 days of therapy

- Member is \geq 18 years of age
- Member will be receiving a kidney transplant
- Member will be receiving Prevymis[®] for the prophylaxis of cytomegalovirus (CMV) disease
- Member is at high-risk for CMV disease [documentation recording kidney donor is CMV-seropositive, and the recipient (member) is CMV-seronegative (D+/R-)]
- Medication will be initiated between day 0 and day 7, before or after engraftment
 - Enter date transplant was performed: _____
- Member is **NOT** receiving the medication beyond 200 days post-transplantation

Medication being provided by Specialty Pharmacy – Proprium Rx

*****Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*****

****Previous therapies will be verified through pharmacy paid claims or submitted chart notes.****