SENTARA HEALTH PLANS

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions</u>: <u>The prescribing physician must sign and clearly print name (preprinted stamps not valid)</u> on this request. All other information may be filled in by office staff; <u>fax to 1-800-750-9692</u>. No additional phone calls will be necessary if all information <u>(including phone and fax #s)</u> on this form is correct. <u>If the information provided is not complete, correct, or legible, the authorization process can be delayed.</u>

Drug Requested: Alyftrek[™] (vanzacaftor/tezacaftor/deutivacaftor)

MEMBER & PRESCRIBER INF	ORMATION: Authorization may be delayed if incomplete.
Member Name:	
Member Sentara #:	
Prescriber Name:	
Prescriber Signature:	
Office Contact Name:	
	Fax Number:
NPI #:	
DRUG INFORMATION: Authoriz	ation may be delayed if incomplete.
Drug Name/Form/Strength:	
Dosing Schedule:	Length of Therapy:
Diagnosis:	ICD Code, if applicable:
Weight (if applicable):	Date weight obtained:
Recommended Dosing:	

- Children ≥ 6 years to < 12 years weighing < 40 kg: Oral: Three tablets of vanzacaftor 4 mg/tezacaftor 20 mg/deutivacaftor 50 mg once daily
- Children ≥ 6 years to < 12 years weighing ≥ 40 kg: Oral: Two tablets of vanzacaftor 10 mg/tezacaftor 50 mg/deutivacaftor 125 mg once daily
- 12 years and older: Oral: Two tablets of vanzacaftor 10 mg/tezacaftor 50 mg/deutivacaftor 125 mg once daily

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Initial Authorization: 6 months

☐ Member is <u>6 years of age or older</u> with a diagnosis of Cystic Fibrosis

(Continued on next page)

	Member has <u>at least one</u> of the F508del mutations in the cystic fibrosis transmembrane conductance regulator (CFTR) gene or another responsive mutation in the CFTR gene as confirmed by an FDA-cleared test that is responsive to vanzacaftor/tezacaftor/deutivacaftor (Test results must be attached)		
	Prescribing physician is a pulmonologist or has consulted with a pulmonologist who specializes in the treatment of Cystic Fibrosis		
	Baseline FEV1 within the last 30 days must be submitted, unless the member is unable to perform a pulmonary function test (Test results must be attached)		
	Number of pulmonary exacerbations or hospitalizations in the preceding 6 months must be noted:		
	Baseline body mass index must be noted:		
	Baseline liver function tests have been completed prior to initiating therapy and will be completed annually (Labs must be attached)		
	Provider attests that baseline ophthalmic examination to monitor lens opacities/cataracts has been completed for pediatric members		
	Member does NOT have severe hepatic impairment (Child-Pugh Class C)		
	Member will <u>NOT</u> be taking Alyftrek [™] in combination with any other CFTR modulator therapy (i.e., Trikafta [®] , Symdeko [®] , Orkambi [®] , or Kalydeco [®]) <u>NOTE</u> : Concurrent therapy with these agents will <u>NO</u> be approved		
	Member will avoid concomitant use of strong CYP3A inducers (e.g., rifampin, carbamazepine, phenytoin, phenobarbital, St. John's wort) and strong or moderate CYP3A inhibitors (e.g., fluconazole, itraconazole)		
suppo	uthorization: 12 months. Check below all that apply. All criteria must be met for approval. To ort each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must ovided or request may be denied.		
	Member continues to meet initial criteria		
	Member has demonstrated disease response as indicated by one or more of the following (must submit current labs and chart notes) :		
	☐ Decreased pulmonary exacerbations or hospitalizations compared to pretreatment baseline		
	 Stabilization of lung function as measured by FEV1 within the last year compared to baseline Improvement in quality of life, weight gain, or growth 		
	Member has NOT received a lung transplant		
	Member has experienced an absence of unacceptable toxicity from therapy (i.e. elevated transaminases (ALT or AST), development of cataracts or lens opacities)		

(Continued on next page)

Date of initiation of Alyftrek [™] therapy:	Reauthorization Date:	
Baseline FEV1 (last FEV1 prior to starting Alyftrek [™]):	Current FEV1 (FEV1 <u>AFTER</u> last dose of Alyftrek [™]):	
Baseline Weight:	Current weight:	
Baseline BMI:	Current BMI:	
Number of hospitalizations since last approval of Alyftrek [™] must be noted		

Medication being provided by Specialty Pharmacy – Proprium Rx

**Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. **

*Previous therapies will be verified through pharmacy paid claims or submitted chart notes. *