

# **Prosthetic Devices, DME 21**

#### **Table of Content**

Purpose

**Description & Definitions** 

Criteria

Coding

**Document History** 

References

Special Notes

Keywords

Effective Date	06/2012
Next Review Date	06/2025
Coverage Policy	DME 21

Member-specific benefits take precedence over medical policy and benefits may vary across plans. Refer to the individual's benefit plan for details \*.

Version

### Purpose:

This policy addresses Prosthetic Devices.

# Description & Definitions:

A prosthetic is an artificial substitute or replacement of a part of the body.

Functional classification levels:

- Level 0: Does not have the ability or potential to ambulate or transfer safely with or without assistance and a prosthesis does not enhance their quality of life or mobility.
- Level 1: Has the ability or potential to use a prosthesis for transfers or ambulation on level surfaces at fixed cadence. Typical of the limited and unlimited household ambulator.
- Level 2: Has the ability or potential for ambulation with the ability to traverse low level environmental barriers such as curbs, stairs or uneven surfaces. Typical of the limited community ambulator.
- Level 3: Has the ability or potential for ambulation with variable cadence. Typical of the community ambulator who has the ability to traverse most environmental barriers and may have vocational, therapeutic, or exercise activity that demands prosthetic utilization beyond simple locomotion.
- Level 4: Has the ability or potential for prosthetic ambulation that exceeds basic ambulation skills, exhibiting high impact, stress, or energy levels. Typical of the prosthetic demands of the child, active adult, or athlete.

#### Criteria:

Prosthetic devices are considered medically necessary for 1 or more of the following:

- Request is for a lower limb for an individual with ALL of the following:
  - o Ability or potential to ambulate or transfer safely with or without assistance
  - o Adequate physical condition to tolerate transferring, walking, or both, with prosthesis
  - Adequate projected functional level, as indicated by 1 or more of the following:
    - Active adult or athlete
    - Community ambulator
    - Household ambulator

DME 21 Page 1 of 16

- Limited community ambulator
- Amputation level specified is 1 or more of the following:
  - Chopart amputation and forefoot specified as 1 or more of the following:
    - Silicone
    - Other filler
  - Hip disarticulation with prescription specifying ALL of the following components:
    - Socket specified as 1 or more of the following:
      - Ischial containment for limited community ambulator, community ambulator, or active adult or athlete
      - Modified quadrilateral for any anticipated functional level
    - Socket interface specified as 1 or more of the following:
      - o Gel liner for any anticipated functional level
      - o Hard socket (no liner) for any anticipated functional level
      - Soft socket for household ambulator
    - Suspension specified as 1 or more of the following:
      - Hip joint/pelvic band for active adult or athlete
      - Lanyard for household ambulator or limited community ambulator
      - o Pin for any anticipated functional level
      - Shuttle for any anticipated functional level
      - o Silesian for any anticipated functional level
      - Suction for limited community ambulator or community ambulator
      - Total-elastic support for household ambulator
    - Knee system specified as **1 or more** of the following:
      - Electronic or microprocessor for limited community ambulator, community ambulator, or active adult or athlete
      - Fluid-controlled for community ambulator or active adult or athlete
      - o Manual-locking for household ambulator or limited community ambulator
      - Polycentric for community ambulator or active adult or athlete
      - Single-axis friction for household ambulator or limited community ambulator
      - Weight-controlled for household ambulator or limited community ambulator
    - Endoskeletal pylon
    - Foot/ankle system specified as 1 or more of the following:
      - Dynamic-response for community ambulator or active adult or athlete
      - Energy-storing for community ambulator or active adult or athlete
      - o Flexible-keel for community ambulator or active adult or athlete
      - o Multiaxial for community ambulator or active adult or athlete
      - SACH for household ambulator or limited community ambulator
      - Single-axis for household ambulator or limited community ambulator
  - Knee disarticulation, with prescription specifying ALL of the following components):
    - Modified quadrilateral socket
    - Socket interface specified as 1 or more of the following:
      - Gel liner for any anticipated functional level
      - Hard socket (no liner) for any anticipated functional level
      - Soft liner for household ambulator, limited community ambulator, community ambulator, or active adult or athlete
    - Suspension specified as 1 or more of the following:
      - Shuttle/pin for any anticipated functional level
      - Sleeve for any anticipated functional level
      - Suction for any anticipated functional level
      - Supracondylar cuff for any anticipated functional level
    - Knee system specified as 1 or more of the following:

DME 21 Page 2 of 16

- Electronic or microprocessor for limited community ambulator, community ambulator, or active adult or athlete
- Fluid-controlled for community ambulator or active adult or athlete
- o Outside hinges for limited community ambulator
- Polycentric for household ambulator, limited community ambulator, or community ambulator
- o Weight-activated for household ambulator or limited community ambulator
- Pylon specified as 1 or more of the following:
  - o Endoskeletal and 1 or more of the following:
    - Rigid for any anticipated functional level
    - Torsion for limited community ambulator, community ambulator, or active adult or athlete
    - Vertical shock for limited community ambulator, community ambulator, or active adult or athlete
  - o Exoskeletal and **1 or more** of the following:
    - Rigid for any anticipated functional level
    - Torsion for limited community ambulator, community ambulator, or active adult or athlete
    - Vertical shock for limited community ambulator, community ambulator, or active adult or athlete
- Foot/ankle system specified as **1 or more** of the following:
  - Dynamic-response for active adult or athlete
  - Energy-storing for active adult or athlete
  - Flexible-keel for household ambulator, limited community ambulator, community ambulator, or active adult or athlete
  - o Multiaxial for community ambulator or active adult or athlete
  - SACH for household ambulator or limited community ambulator
  - o Single-axis for limited community ambulator
  - Specialty for active adult or athlete
- Syme amputation with prescription specifying ALL of the following components:
  - Suspension system specified as 1 or more of the following:
    - Canadian Syme socket for any anticipated functional level
    - o Expandable-air for any anticipated functional level
    - Removable-liner for any anticipated functional level
  - Foot system specified as 1 or more of the following:
    - o SACH for household ambulator or limited community ambulator
    - Seattle Syme for community ambulator or active adult or athlete
    - Single-axis for household ambulator or limited community ambulator
    - Syme flex foot for community ambulator or active adult or athlete
- Transfemoral amputation, with prescription specifying ALL of the following components:
  - Socket specified as 1 or more of the following:
    - Ischial containment for limited community ambulator, community ambulator, or active adult or athlete
    - Modified quadrilateral for household ambulator, limited community ambulator, or community ambulator
    - o Quadrilateral for limited community ambulator or community ambulator
  - Socket interface specified as 1 or more of the following:
    - Gel liner for any anticipated functional level
    - Hard socket (no liner) for any anticipated functional level
    - o Soft liner for household ambulator
  - Suspension specified as 1 or more of the following:
    - o Combination for active adult or athlete
    - Lanyard for household ambulator or limited community ambulator

DME 21 Page 3 of 16

- Pin/shuttle for any anticipated functional level
- Silesian for any anticipated functional level
- Suction for limited community ambulator, community ambulator, or active adult or athlete
- Total-elastic support for household ambulator, limited community ambulator, or community ambulator
- Knee system specified as 1 or more of the following:
  - Electronic or microprocessor for limited community ambulator, community ambulator, or active adult or athlete
  - o Fluid-controlled for community ambulator or active adult or athlete
  - o Manual-locking for household ambulator or limited community ambulator
  - o Polycentric for community ambulator or active adult or athlete
  - o Single-axis friction for household ambulator or limited community ambulator
  - o Transverse rotator for community ambulator or active adult or athlete
  - Weight-activated for household ambulator or limited community ambulator
- Rigid endoskeletal pylon
- Foot/ankle system specified as 1 or more of the following:
  - o Dynamic-response for active adult or athlete
  - Energy-storing for community ambulator or active adult or athlete
  - o Flexible-keel for limited community ambulator or community ambulator
  - o Multiaxial for limited community ambulator or community ambulator
  - o SACH for household ambulator or limited community ambulator
  - Single-axis for household ambulator or limited community ambulator
  - Specialty for active adult or athlete
- Transtibial amputation with prescription specifying ALL of the following components:
  - Socket specified as 1 or more of the following:
    - Bypass prosthesis for delayed healing
    - Combination patella tendon-bearing/total-contact for any anticipated functional level
    - o Patella tendon-bearing for any anticipated functional level
    - Total-contact for any anticipated functional level
  - Socket interface specified as 1 or more of the following:
    - o Gel liner for any anticipated functional level
    - Hard socket (no liner) for household ambulator, limited community ambulator, or community ambulator
    - Soft liner for any anticipated functional level
  - Suspension specified as 1 or more of the following:
    - Shuttle/pin for any anticipated functional level
    - Sleeve for any anticipated functional level
    - o Suction for community ambulator or active adult or athlete
    - Supracondylar cuff for any anticipated functional level
    - Vacuum for community ambulator or active adult or athlete
  - Pylon specified as 1 or more of the following:
    - Endoskeletal and 1 or more of the following:
      - Rigid for any anticipated functional level
      - Torsion for community ambulator or active adult or athlete
      - Vertical shock for community ambulator or active adult or athlete
    - Exoskeletal and 1 or more of the following:
      - Rigid for any anticipated functional level
      - Torsion for community ambulator or active adult or athlete
      - Vertical shock for community ambulator or active adult or athlete
  - Foot/ankle system specified as 1 or more of the following(:
    - Dynamic-response for active adult or athlete

DME 21 Page 4 of 16

- Energy-storing for limited community ambulator, community ambulator, or active adult or athlete
- Flexible-keel for any anticipated functional level
- o Multiaxial for limited community ambulator or community ambulator
- o SACH for household ambulator or limited community ambulator
- o Single-axis for household ambulator or limited community ambulator
- o Specialty for active adult or athlete
- Cognitive or behavioral status does not prohibit learning or automation (repetitive learning) for function
- Contralateral limb will tolerate weight-bearing
- Individual or caregiver has ability to understand and apply knowledge to fitting and use of prosthesis.
- Provider or team of experts with appropriate expertise in patient's condition has evaluated patient and recommended prosthesis
- o Willingness and motivation to participate in prosthetic rehabilitation
- Request is for Myoelectric upper extremity prosthetic device with ALL of the following:
  - o Age 2 years or older
  - Upper extremity prosthesis needed
  - o Individual is suitable candidate for myoelectric prosthesis, as indicated by **ALL** of the following:
    - Unilateral transhumeral or transradial (forearm) deficiency
    - Able and willing to participate in myoelectric prosthesis training
    - Able to tolerate weight of prosthesis
    - Adequate cognitive ability to operate myoelectric prosthesis
    - Remaining proximal arm musculature contains minimum microvolt threshold to operate myoelectric prosthesis.
    - No surrounding environment that precludes use of myoelectric prosthesis (eg, excessive moisture or dust)
    - No underlying neuromuscular disease
  - Provider or team of experts with appropriate expertise in individual's condition has evaluated individual and recommended prosthesis.
  - Standard body-powered prosthesis cannot be used or has insufficient functionality to assist individual with performance of activities of daily living
- Vacuum-Assisted socket systems are considered medically necessary for 1 or more of the following
  - o Unable to keep prosthetic secure with current suspension system
  - o Excessive swelling or edema with previous system
  - Excessive moisture with previous system
  - o Three or more falls in a 6-month period in below-knee amputees (trans-tibial amputation).
- Finger prosthetics are considered medically necessary for ALL of the following:
  - Passive prosthesis for amputated fingers
- Superficial facial prosthesis is considered medically necessary with ALL of the following:
  - Loss or absence of facial tissues is due to 1 or more of the following:
    - Disease
    - Trauma
    - Surgery
    - Congenital defect
- Replacement of a lower limb prosthesis or prosthetic component is considered medically necessary with ALL of the following:
  - Replacement ordered by physician
  - o Replacement prosthetic is same as prosthetic being replaced (not an upgraded version)
  - o Individual needs replacement due to **1 or more** of the following:
    - Change in the physiological condition of the individual

DME 21 Page 5 of 16

- Wear of the device or part of the device that cannot be repaired
- Cost of the repair equals more than 60% of replacement cost
- Accessories are considered medically necessary when necessary for effective use of the prosthetic
- Prosthetic repairs are considered medically necessary when need to make the device functional
- Prosthetic maintenance listed by manufacturer's recommendation that must be performed by a prosthetist is considered medical necessary
- Prosthetic adjustments required due to wear/tear or change in individual's condition is considered medically necessary

The following Prosthetic Devices do not meet the definition of medical necessity, to include but not limited to:

- Bone-anchored prosthetics or Functional (myoelectric) finger prostheses for amputated fingers
- Charges to replace Boston Scleral lenses that are lost, damaged, or required solely due to refractive changes are not covered under medical plans
- More than two test (diagnostic) sockets for an individual prosthesis are considered not medically necessary without additional documentation of need.
- Partial-hand myoelectric prostheses
- Powered lower limb prosthesis (e.g., Power Knee,)
- Robotic lower body exoskeleton suits (e.g., the ReWalk,)
- Superficial facial prosthesis items such as skin care products related to the prosthesis, including but not limited to cosmetics, skin cream, cleansers, etc., are not considered medical items.
- Test (diagnostic) sockets for immediate post-surgical or early fitting prostheses
- Upgrades to any existing, functional external prosthetic system to achieve aesthetic improvement, such as smaller profile components
- MISHA KNEE SYSTEMS
- · Eye-lid wieghts

## Coding:

Medically necessary with criteria:

Coding	Description
L2006	Knee-ankle-foot (KAF) device, any material, single or double upright, swing and stance phase microprocessor control with adjustability,
L5000	Partial foot, shoe insert with longitudinal arch, toe filler
L5010	Partial foot, molded socket, ankle height, with toe filler
L5020	Partial foot, molded socket, tibial tubercle height, with toe filler
L5050	Ankle, Symes, molded socket, SACH foot
L5060	Ankle, Symes, metal frame, molded leather socket, articulated ankle/foot
L5100	Below knee (BK), molded socket, shin, SACH foot
L5105	Below knee (BK), plastic socket, joints and thigh lacer, SACH foot
L5150	Knee disarticulation (or through knee), molded socket, external knee joints, shin, SACH foot
L5160	Knee disarticulation (or through knee), molded socket, bent knee configuration, external knee joints, shin, SACH foot
L5200	Above knee (AK), molded socket, single axis constant friction knee, shin, SACH foot
L5210	Above knee (AK), short prosthesis, no knee joint (stubbies), with foot blocks, no ankle joints, each
L5220	Above knee (AK), short prosthesis, no knee joint (stubbies), with articulated ankle/foot, dynamically aligned, each
L5230	Above knee (AK), for proximal femoral focal deficiency, constant friction knee, shin, SACH foot

DME 21 Page 6 of 16

L5250 L5270	Hip disarticulation, Canadian type; molded socket, hip joint, single axis constant friction knee, shin, SACH foot
L5270	
	Hip disarticulation, tilt table type; molded socket, locking hip joint, single axis constant friction knee, shin, SACH foot
L5280	Hemipelvectomy, Canadian type; molded socket, hip joint, single axis constant friction knee, shin, SACH foot
L5301	Below knee (BK), molded socket, shin, SACH foot, endoskeletal system
L5312	Knee disarticulation (or through knee), molded socket, single axis knee, pylon, SACH foot, endoskeletal system
L5321	Above knee (AK), molded socket, open end, SACH foot, endoskeletal system, single axis knee
L5331	Hip disarticulation, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, SACH foot
L5341	Hemipelvectomy, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, SACH foot
L5400	Immediate postsurgical or early fitting, application of initial rigid dressing, including fitting, alignment, suspension, and one cast change,
L5410	Immediate postsurgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension, below knee (BK),
L5420	Immediate postsurgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension and one cast
L5430	Immediate postsurgical or early fitting, application of initial rigid dressing, including fitting, alignment and suspension, above knee (AK)
L5450	Immediate postsurgical or early fitting, application of nonweight bearing rigid dressing, below knee (BK)
L5460	Immediate postsurgical or early fitting, application of nonweight bearing rigid dressing, above knee (AK)
L5500	Initial, below knee (BK) PTB type socket, nonalignable system, pylon, no cover, SACH foot, plaster socket, direct formed
L5505	Initial, above knee (AK), knee disarticulation, ischial level socket, nonalignable system, pylon, no cover, SACH foot, plaster socket,
L5510	Preparatory, below knee (BK) PTB type socket, nonalignable system, pylon, no cover, SACH foot, plaster socket, molded to model
L5520	Preparatory, below knee (BK) PTB type socket, nonalignable system, pylon, no cover, SACH foot, thermoplastic or equal, direct formed
L5530	Preparatory, below knee (BK) PTB type socket, nonalignable system, pylon, no cover, SACH foot, thermoplastic or equal, molded to
L5535	Preparatory, below knee (BK) PTB type socket, nonalignable system, no cover, SACH foot, prefabricated, adjustable open end socket
L5540	Preparatory, below knee (BK) PTB type socket, nonalignable system, pylon, no cover, SACH foot, laminated socket, molded to model
L5560	Preparatory, above knee (AK), knee disarticulation, ischial level socket, nonalignable system, pylon, no cover, SACH foot, plaster
L5570	Preparatory, above knee (AK), knee disarticulation, ischial level socket, nonalignable system, pylon, no cover, SACH foot, thermoplastic
L5580	Preparatory, above knee (AK), knee disarticulation, ischial level socket, nonalignable system, pylon, no cover, SACH foot, thermoplastic
L5585	Preparatory, above knee (AK), knee disarticulation, ischial level socket, nonalignable system, pylon, no cover, SACH foot, prefabricated

DME 21 Page 7 of 16

L5590	Preparatory, above knee (AK), knee disarticulation, ischial level socket, nonalignable system, pylon, no cover, SACH foot, laminated
L5595	Preparatory, hip disarticulation/hemipelvectomy, pylon, no cover, SACH foot, thermoplastic or equal, molded to patient model
L5600	Preparatory, hip disarticulation/hemipelvectomy, pylon, no cover, SACH foot, laminated socket, molded to patient model
L5610	Addition to lower extremity, endoskeletal system, above knee (AK), hydracadence system
L5610	Addition to lower extremity, endoskeletal system, above knee (AK), knee disarticulation, four-bar linkage, with friction swing phase
L5611	Addition to lower extremity, endoskeletal system, above knee (AK), knee disarticulation, four-bar linkage, with friction swing phase control
L5613	Addition to lower extremity, endoskeletal system, above knee (AK), knee disarticulation, four-bar linkage, with hydraulic swing phase
L5614	Addition to lower extremity, exoskeletal system, above knee (AK), knee disarticulation, four-bar linkage, with pneumatic swing phase
L5615	Addition, endoskeletal knee-shin system, 4 bar linkage or multiaxial, fluid swing and stance phase control
L5616	Addition to lower extremity, endoskeletal system, above knee (AK), universal multiplex system, friction swing phase control
L5617	Addition to lower extremity, quick change self-aligning unit, above knee (AK) or below knee (BK), each
L5618	Addition to lower extremity, test socket, Symes
L5620	Addition to lower extremity, test socket, below knee (BK)
L5622	Addition to lower extremity, test socket, knee disarticulation
L5624	Addition to lower extremity, test socket, above knee (AK)
L5626	Addition to lower extremity, test socket, hip disarticulation
L5628	Addition to lower extremity, test socket, hemipelvectomy
L5629	Addition to lower extremity, below knee, acrylic socket
L5630	Addition to lower extremity, Symes type, expandable wall socket
L5631	Addition to lower extremity, above knee (AK) or knee disarticulation, acrylic socket
L5632	Addition to lower extremity, Symes type, PTB brim design socket
L5634	Addition to lower extremity, Symes type, posterior opening (Canadian) socket
L5636	Addition to lower extremity, Symes type, medial opening socket
L5637	Addition to lower extremity, below knee (BK), total contact
L5638	Addition to lower extremity, below knee (BK), leather socket
L5639	Addition to lower extremity, below knee (BK), wood socket
L5640	Addition to lower extremity, knee disarticulation, leather socket
L5642	Addition to lower extremity, above knee (AK), leather socket
L5643	Addition to lower extremity, hip disarticulation, flexible inner socket, external frame
L5644	Addition to lower extremity, above knee (AK), wood socket
L5645	Addition to lower extremity, below knee (BK), flexible inner socket, external frame
L5646	Addition to lower extremity, below knee (BK), air, fluid, gel or equal, cushion socket
L5647	Addition to lower extremity, below knee (BK), suction socket
L5648	Addition to lower extremity, above knee (AK), air, fluid, gel or equal, cushion socket
L5649	Addition to lower extremity, ischial containment/narrow M-L socket

DME 21 Page 8 of 16

L5650	Additions to lower extremity, total contact, above knee (AK) or knee disarticulation socket
L5651	Addition to lower extremity, above knee (AK), flexible inner socket, external frame
L5652	Addition to lower extremity, suction suspension, above knee (AK) or knee disarticulation socket
L5653	Addition to lower extremity, knee disarticulation, expandable wall socket
L5654	Addition to lower extremity, socket insert, Symes, (Kemblo, Pelite, Aliplast, Plastazote or equal)
L5655	Addition to lower extremity, socket insert, below knee (BK) (Kemblo, Pelite, Aliplast, Plastazote or equal)
L5656	Addition to lower extremity, socket insert, knee disarticulation (Kemblo, Pelite, Aliplast, Plastazote or equal)
L5658	Addition to lower extremity, socket insert, above knee (AK) (Kemblo, Pelite, Aliplast, Plastazote or equal)
L5661	Addition to lower extremity, socket insert, multidurometer Symes
L5665	Addition to lower extremity, socket insert, multidurometer, below knee (BK)
L5666	Addition to lower extremity, below knee (BK), cuff suspension
L5668	Addition to lower extremity, below knee (BK), molded distal cushion
L5670	Addition to lower extremity, below knee (BK), molded supracondylar suspension (PTS or similar)
L5671	Addition to lower extremity, below knee (BK)/above knee (AK), suspension locking mechanism (shuttle, lanyard, or equal), excludes
L5672	Addition to lower extremity, below knee (BK), removable medial brim suspension
L5673	Addition to lower extremity, below knee (BK)/above knee (AK), custom fabricated from existing mold or prefabricated, socket insert,
L5676	Additions to lower extremity, below knee (BK), knee joints, single axis, pair
L5677	Additions to lower extremity, below knee (BK), knee joints, polycentric, pair
L5678	Additions to lower extremity, below knee (BK), joint covers, pair
L5679	Addition to lower extremity, below knee (BK)/above knee (AK), custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism
L5680	Addition to lower extremity, below knee (BK), thigh lacer, nonmolded
L5681	Addition to lower extremity, below knee (BK)/above knee (AK), custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L5673 or L5679)
L5682	Addition to lower extremity, below knee (BK), thigh lacer, gluteal/ischial, molded
L5683	Addition to lower extremity, below knee (BK)/above knee (AK), custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L5673 or L5679)
L5684	Addition to lower extremity, below knee, fork strap
L5685	Addition to lower extremity prosthesis, below knee, suspension/sealing sleeve, with or without valve, any material, each
L5686	Addition to lower extremity, below knee (BK), back check (extension control)
L5688	Addition to lower extremity, below knee (BK), waist belt, webbing
L5690	Addition to lower extremity, below knee (BK), waist belt, padded and lined
L5692	Addition to lower extremity, above knee (AK), pelvic control belt, light
L5694	Addition to lower extremity, above knee (AK), pelvic control belt, padded and lined
L5695	Addition to lower extremity, above knee (AK), pelvic control, sleeve suspension, neoprene or equal, each
L5696	Addition to lower extremity, above knee (AK) or knee disarticulation, pelvic joint

DME 21 Page 9 of 16

L5698 A	122 4 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	Addition to lower extremity, above knee (AK) or knee disarticulation, Silesian bandage
L5699 A	All lower extremity prostheses, shoulder harness
L5700 R	Replacement, socket, below knee (BK), molded to patient model
	Replacement, socket, above knee (AK)/knee disarticulation, including attachment plate, molded to patient model
	Replacement, socket, hip disarticulation, including hip joint, molded to patient model
	Ankle, Symes, molded to patient model, socket without solid ankle cushion heel (SACH) foot, eplacement only
L5704 C	Custom shaped protective cover, below knee (BK)
L5705 C	Custom shaped protective cover, above knee (AK)
L5706 C	Custom shaped protective cover, knee disarticulation
L5707 C	Custom shaped protective cover, hip disarticulation
L5710 A	Addition, exoskeletal knee-shin system, single axis, manual lock
L5711 A	Additions exoskeletal knee-shin system, single axis, manual lock, ultra-light material
	Addition, exoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee)
L5714 A	Addition, exoskeletal knee-shin system, single axis, variable friction swing phase
L5716 A	Addition, exoskeletal knee-shin system, polycentric, mechanical stance phase lock
L5718 A	Addition, exoskeletal knee-shin system, polycentric, friction swing and stance phase control
L5722 A	Addition, exoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control
L5724 A	Addition, exoskeletal knee-shin system, single axis, fluid swing phase control
L5726 A	Addition, exoskeletal knee-shin system, single axis, external joints, fluid swing phase control
L5728 A	Addition, exoskeletal knee-shin system, single axis, fluid swing and stance phase control
L5780 A	Addition, exoskeletal knee-shin system, single axis, pneumatic/hydra pneumatic swing phase control
	Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system
	Addition to lower limb prosthesis, vacuum pump, residual limb volume management and moisture evacuation system, heavy-duty
L5785 A	Addition, exoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal)
L5790 A	Addition, exoskeletal system, above knee (AK), ultra-light material (titanium, carbon fiber or equal)
L5795 A	Addition, exoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal)
L5810 A	Addition, endoskeletal knee-shin system, single axis, manual lock
k	Addition, endoskeletal knee-shin system, single axis, friction swing and stance phase control (safety knee)
s	Addition, endoskeletal knee-shin system, polycentric, hydraulic swing phase control, mechanical stance phase lock
	Addition, endoskeletal knee-shin system, polycentric, mechanical stance phase lock
L5818 A	Addition, endoskeletal knee-shin system, polycentric, friction swing and stance phase control
L5822 A	Addition, endoskeletal knee-shin system, single axis, pneumatic swing, friction stance phase control
L5824 A	Addition, endoskeletal knee-shin system, single axis, fluid swing phase control
h	Addition, endoskeletal knee-shin system, single axis, hydraulic swing phase control, with miniature high activity frame
	Addition, endoskeletal knee-shin system, single axis, fluid swing and stance phase control
L5830 A	Addition, endoskeletal knee-shin system, single axis, pneumatic/swing phase control
	Addition, endoskeletal knee-shin system, four-bar linkage or multiaxial, pneumatic swing phase control
L5845 A	Addition, endoskeletal knee-shin system, stance flexion feature, adjustable

DME 21 Page 10 of

L5850 Addition, endoskeletal system, above knee (AK) or hip disarticulation, knee extension assist L5855 Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing and stance phase, includes electronic sensor(s), any type  L5857 Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing phase only, includes electronic sensor(s), any type  L5858 Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing phase only, includes electronic sensor(s), any type  L5858 Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, stance phase only, includes electronic sensor(s), any type  L5859 Addition to lower extremity prosthesis, endoskeletal knee-shin system, powered and programmable flexion/extension assist control, includes any type motor(s)  L5910 Addition, endoskeletal system, below knee (BK), alignable system  L5920 Addition, endoskeletal system, below knee (BK), alignable system  L5923 Addition, endoskeletal system, above knee (AK), knee disarticulation or hip disarticulation, manual lock in the system and system, above knee (AK), knee disarticulation or hip disarticulation, positional rotation unit, any type  L5926 Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal)  L5930 Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal)  L5940 Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal)  L5950 Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal)  L5961 Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal)  L5962 Addition, endoskeletal system, below knee (BK), litra-light material (titanium, carbon fiber or equal)  L5963 Addition, endoskeletal system, below knee (BK), litra-light	L5848	Addition to endoskeletal knee-shin system, fluid stance extension, dampening feature, with or without adjustability
L5856 Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing and stance phase, includes electronic sensor(s), any type  L5857 Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing phase only, includes electronic sensor(s), any type  L5858 Addition to lower extremity prosthesis, endoskeletal knee shin system, microprocessor control feature, stance phase only, includes electronic sensor(s), any type  L5859 Addition to lower extremity prosthesis, endoskeletal knee-shin system, powered and programmable flexion/extension assist control, includes any type motor(s)  L5859 Addition, endoskeletal system, below knee (BK), alignable system  L5920 Addition, endoskeletal system, above knee (AK) or hip disarticulation, alignable system  L5925 Addition, endoskeletal system, above knee (AK), knee disarticulation or hip disarticulation, manual lock  L5926 Addition to lower extremity prosthesis, endoskeletal, knee disarticulation, above knee, hip disarticulation, positional rotation unit, any type  L5930 Addition, endoskeletal system, hip activity knee control frame  L5940 Addition, endoskeletal system, hip activity knee control frame  L5940 Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal)  L5960 Addition, endoskeletal system, bip disarticulation, ultra-light material (titanium, carbon fiber or equal)  L5961 Addition, endoskeletal system, bip disarticulation, ultra-light material (titanium, carbon fiber or equal)  L5962 Addition, endoskeletal system, bip disarticulation, ultra-light material (titanium, carbon fiber or equal)  L5963 Addition, endoskeletal system, bip disarticulation, ultra-light material (titanium, carbon fiber or equal)  L5964 Addition, endoskeletal system, below knee (BK), flexible protective outer surface covering system  L5966 Addition, endoskeletal system, below knee (BK), flexible protective outer surface covering system  L5968 Addition, endos	L5850	
feature, swing and stance phase, includes electronic sensor(s), any type  Addition to lower extremity prosthesis, endoskeletal knee-shin system, microprocessor control feature, swing phase only, includes electronic sensor(s), any type  L5858 Addition to lower extremity prosthesis, endoskeletal knee shin system, microprocessor control feature, stance phase only, includes electronic sensor(s), any type  L5859 Addition to lower extremity prosthesis, endoskeletal knee-shin system, powered and programmable flexion/extension assist control, includes any type motor(s)  L5910 Addition, endoskeletal system, below knee (BK), alignable system  L5920 Addition, endoskeletal system, above knee (AK) or hip disarticulation, alignable system  L5925 Addition, endoskeletal system, above knee (AK), knee disarticulation or hip disarticulation, nanual lock  L5926 Addition to lower extremity prosthesis, endoskeletal, knee disarticulation, above knee, hip  disarticulation, positional rotation unit, any type  Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal)  L5940 Addition, endoskeletal system, below knee (AK), ultra-light material (titanium, carbon fiber or equal)  L5950 Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal)  L5961 Addition, endoskeletal system, bip disarticulation, ultra-light material (titanium, carbon fiber or equal)  L5962 Addition, endoskeletal system, bip disarticulation, ultra-light material (titanium, carbon fiber or equal)  L5963 Addition, endoskeletal system, bip disarticulation, ultra-light material (titanium, carbon fiber or equal)  L5964 Addition, endoskeletal system, bip disarticulation, litra-light material (titanium, carbon fiber or equal)  L5965 Addition, endoskeletal system, bip disarticulation, litra-light material (titanium, carbon fiber or equal)  L5966 Addition, endoskeletal system, bip disarticulation, litra-light material (titanium, carbon fiber or equal)  L5968 Addition, endoskeletal system, b	L5855	Addition, endoskeletal system, hip disarticulation, mechanical hip extension assist
feature, swing phase only, includes electronic sensor(s), any type  L5858 Addition to lower extremity prosthesis, endoskeletal knee shin system, microprocessor control feature, stance phase only, includes electronic sensor(s), any type  L5859 Addition to lower extremity prosthesis, endoskeletal knee-shin system, powered and programmable flexioniextension assist control, includes any type motor(s)  L5910 Addition, endoskeletal system, below knee (BK), alignable system  L5920 Addition, endoskeletal system, above knee (AK) or hip disarticulation, alignable system  L5921 Addition, endoskeletal system, above knee (AK), knee disarticulation or hip disarticulation, manual lock  L5922 Addition, endoskeletal system, above knee (AK), knee disarticulation, above knee, hip disarticulation, positional rotation unit, any type  L5930 Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal)  L5940 Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal)  L5950 Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal)  L5961 Addition, endoskeletal system, pid isarticulation, ultra-light material (titanium, carbon fiber or equal)  L5962 Addition, endoskeletal system, pid isarticulation, ultra-light material (titanium, carbon fiber or equal)  L5963 Addition, endoskeletal system, pid isarticulation, ultra-light material (titanium, carbon fiber or equal)  L5964 Addition, endoskeletal system, pid isarticulation, ultra-light material (titanium, carbon fiber or equal)  L5965 Addition, endoskeletal system, pid isarticulation, ultra-light material (titanium, carbon fiber or equal)  L5966 Addition, endoskeletal system, pid isarticulation, ultra-light material (titanium, carbon fiber or equal)  L5968 Addition, endoskeletal system, pid isarticulation, flexible protective outer surface covering system  Addition, endoskeletal system, pid isarticulation, flexible protective outer surface covering system  Add	L5856	feature, swing and stance phase,
feature, stance phase only, includes electronic sensor(s), any type  L5859 Addition to lower extremity prosthesis, endoskeletal knee-shin system, powered and programmable flexion/extension assist control, includes any type motor(s)  L5910 Addition, endoskeletal system, below knee (BK), alignable system  L5920 Addition, endoskeletal system, above knee (AK) or hip disarticulation, alignable system  L5921 Addition, endoskeletal system, above knee (AK), knee disarticulation or hip disarticulation, manual lock  L5922 Addition, endoskeletal system, below knee (BK), knee disarticulation, above knee, hip disarticulation, positional rotation unit, any type  L5930 Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal)  L5940 Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal)  L5950 Addition, endoskeletal system, bip disarticulation, ultra-light material (titanium, carbon fiber or equal)  L5960 Addition, endoskeletal system, bip disarticulation, ultra-light material (titanium, carbon fiber or equal)  L5961 Addition, endoskeletal system, bip disarticulation, ultra-light material (titanium, carbon fiber or equal)  L5962 Addition, endoskeletal system, below knee (BK), flexible protective outer surface covering system  L5964 Addition, endoskeletal system, below knee (BK), flexible protective outer surface covering system  L5965 Addition, endoskeletal system, bip disarticulation, flexible protective outer surface covering system  L5968 Addition to lower limb prostheses, multitaxial ankle with swing phase active dorsiflexion feature  L5970 All lower extremity prostheses, foot, flexible keel  L5971 All lower extremity prostheses, foot, flexible keel  L5973 Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source  L5974 All lower extremity prostheses, foot, finglie axis ankle and flexible keel foot  L5976 All lower extremity prostheses, foot, flexible keel	L5857	feature, swing phase only, includes
Ifexion/extension assist control, includes any type motor(s)	L5858	feature, stance phase only, includes
L5920 Addition, endoskeletal system, above knee (AK) or hip disarticulation, alignable system L5925 Addition, endoskeletal system, above knee (AK), knee disarticulation or hip disarticulation, manual lock L5926 Addition to lower extremity prosthesis, endoskeletal, knee disarticulation, above knee, hip disarticulation, positional rotation unit, any type L5930 Addition, endoskeletal system, high activity knee control frame L5940 Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal) L5950 Addition, endoskeletal system, above knee (AK), ultra-light material (titanium, carbon fiber or equal) L5960 Addition, endoskeletal system, polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension control  L5961 Addition, endoskeletal system, below knee (BK), flexible protective outer surface covering system L5962 Addition, endoskeletal system, above knee (AK), flexible protective outer surface covering system L5964 Addition, endoskeletal system, above knee (AK), flexible protective outer surface covering system L5968 Addition, endoskeletal system, above knee (AK), flexible protective outer surface covering system L5968 Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature L5970 All lower extremity prostheses, foot, external keel, SACH foot L5971 All lower extremity prostheses, foot, flexible keel L5973 Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source L5974 All lower extremity prostheses, foot, flexible keel L5975 All lower extremity prostheses, foot, single axis ankle/foot L5976 All lower extremity prostheses, foot, single axis ankle/foot L5977 All lower extremity prostheses, foot, single axis ankle/foot All lower extremity prostheses, foot, system All lower extremity prostheses, foot, system All lower extremity prostheses, flex-foot system All lower extremity prostheses, flex-foot system	L5859	flexion/extension assist control,
L5925 Addition, endoskeletal system, above knee (AK), knee disarticulation or hip disarticulation, manual lock L5926 Addition to lower extremity prosthesis, endoskeletal, knee disarticulation, above knee, hip disarticulation, positional rotation unit, any type L5930 Addition, endoskeletal system, high activity knee control frame L5940 Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal) L5950 Addition, endoskeletal system, above knee (AK), ultra-light material (titanium, carbon fiber or equal) L5960 Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal) L5961 Addition, endoskeletal system, polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension control L5962 Addition, endoskeletal system, below knee (BK), flexible protective outer surface covering system L5964 Addition, endoskeletal system, above knee (AK), flexible protective outer surface covering system L5966 Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system L5968 Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature L5970 All lower extremity prostheses, foot, external keel, SACH foot L5971 All lower extremity prostheses, foot, external keel, SACH foot L5972 All lower extremity prostheses, foot, flexible keel L5973 Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source L5974 All lower extremity prostheses, foot, single axis ankle and flexible keel foot L5976 All lower extremity prostheses, foot, multiaxial ankle/foot L5978 All lower extremity prostheses, foot, multiaxial ankle, dynamic response foot, one piece system L5980 All lower extremity prostheses, flex-foot system L5981 All lower extremity prostheses, flex-foot system L5982 All lower extremity prostheses, flex-foot system	L5910	Addition, endoskeletal system, below knee (BK), alignable system
L5926 Addition to lower extremity prosthesis, endoskeletal, knee disarticulation, above knee, hip disarticulation, positional rotation unit, any type L5930 Addition, endoskeletal system, high activity knee control frame L5940 Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal) L5950 Addition, endoskeletal system, above knee (AK), ultra-light material (titanium, carbon fiber or equal) L5960 Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal) L5961 Addition, endoskeletal system, polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension control  L5962 Addition, endoskeletal system, below knee (BK), flexible protective outer surface covering system L5964 Addition, endoskeletal system, above knee (AK), flexible protective outer surface covering system L5966 Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system L5968 Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature L5970 All lower extremity prostheses, foot, external keel, SACH foot L5971 All lower extremity prostheses, foot, external keel, SACH foot, replacement only L5972 All lower extremity prostheses, foot, flexible keel L5973 Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source L5974 All lower extremity prostheses, foot, single axis ankle/foot L5975 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal) L5978 All lower extremity prostheses, foot, multiaxial ankle, dynamic response foot, one piece system L5980 All lower extremity prostheses, flex-foot system L5981 All lower extremity prostheses, flex-foot system L6982 All lower extremity prostheses, flex-walk system or equal	L5920	Addition, endoskeletal system, above knee (AK) or hip disarticulation, alignable system
L5930 Addition, positional rotation unit, any type L5930 Addition, endoskeletal system, high activity knee control frame L5940 Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal) L5950 Addition, endoskeletal system, above knee (AK), ultra-light material (titanium, carbon fiber or equal) L5960 Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal) L5961 Addition, endoskeletal system, polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension control  L5962 Addition, endoskeletal system, below knee (BK), flexible protective outer surface covering system L5964 Addition, endoskeletal system, above knee (AK), flexible protective outer surface covering system L5966 Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system L5968 Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature L5970 All lower extremity prostheses, foot, external keel, SACH foot L5971 All lower extremity prostheses, foot, external keel, SACH foot L5972 All lower extremity prostheses, foot, flexible keel L5973 Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source L5974 All lower extremity prostheses, foot, single axis ankle/foot L5975 All lower extremity prostheses, foot, single axis ankle and flexible keel foot L5976 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal) L5978 All lower extremity prostheses, multiaxial ankle/foot L5979 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system L5980 All lower extremity prostheses, flex-foot system All lower extremity prostheses, flex-foot system	L5925	lock
L5940 Addition, endoskeletal system, below knee (BK), ultra-light material (titanium, carbon fiber or equal) L5950 Addition, endoskeletal system, above knee (AK), ultra-light material (titanium, carbon fiber or equal) L5960 Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal) L5961 Addition, endoskeletal system, polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension control  L5962 Addition, endoskeletal system, below knee (BK), flexible protective outer surface covering system L5964 Addition, endoskeletal system, above knee (AK), flexible protective outer surface covering system L5966 Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system L5968 Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature L5970 All lower extremity prostheses, foot, external keel, SACH foot L5971 All lower extremity prostheses, solid ankle cushion heel (SACH) foot, replacement only L5972 All lower extremity prostheses, foot, flexible keel L5973 Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source L5974 All lower extremity prostheses, combination single axis ankle and flexible keel foot L5975 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal) L5978 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system L5980 All lower extremity prostheses, flex-foot system L5981 All lower extremity prostheses, flex-foot system L5982 All exoskeletal lower extremity prostheses, sxial rotation unit		disarticulation, positional rotation unit, any type
L5950 Addition, endoskeletal system, above knee (AK), ultra-light material (titanium, carbon fiber or equal) L5960 Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal) L5961 Addition, endoskeletal system, polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension control  L5962 Addition, endoskeletal system, below knee (BK), flexible protective outer surface covering system L5964 Addition, endoskeletal system, above knee (AK), flexible protective outer surface covering system L5966 Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system L5968 Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature L5970 All lower extremity prostheses, foot, external keel, SACH foot L5971 All lower extremity prostheses, solid ankle cushion heel (SACH) foot, replacement only L5972 All lower extremity prostheses, foot, flexible keel L5973 Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source L5974 All lower extremity prostheses, foot, single axis ankle/foot L5975 All lower extremity prostheses, combination single axis ankle and flexible keel foot L5976 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal) L5978 All lower extremity prostheses, flex-foot system L5980 All lower extremity prostheses, flex-foot system L5981 All lower extremity prostheses, flex-walk system or equal L5982 All exoskeletal lower extremity prostheses, axial rotation unit		
L5960 Addition, endoskeletal system, hip disarticulation, ultra-light material (titanium, carbon fiber or equal) L5961 Addition, endoskeletal system, polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension control  L5962 Addition, endoskeletal system, below knee (BK), flexible protective outer surface covering system L5964 Addition, endoskeletal system, above knee (AK), flexible protective outer surface covering system L5966 Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system L5968 Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature L5970 All lower extremity prostheses, foot, external keel, SACH foot L5971 All lower extremity prostheses, solid ankle cushion heel (SACH) foot, replacement only L5972 All lower extremity prostheses, foot, flexible keel L5973 Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source L5974 All lower extremity prostheses, foot, single axis ankle/foot L5975 All lower extremity prostheses, combination single axis ankle and flexible keel foot L5976 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal) L5978 All lower extremity prostheses, flox, multiaxial ankle/foot L5979 All lower extremity prostheses, flex-foot system L5980 All lower extremity prostheses, flex-foot system L5981 All lower extremity prostheses, flex-walk system or equal L5982 All exoskeletal lower extremity prostheses, axial rotation unit		· · · · · · · · · · · · · · · · · · ·
Addition, endoskeletal system, polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion and/or extension control  L5962 Addition, endoskeletal system, below knee (BK), flexible protective outer surface covering system  L5964 Addition, endoskeletal system, above knee (AK), flexible protective outer surface covering system  L5966 Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system  L5968 Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature  L5970 All lower extremity prostheses, foot, external keel, SACH foot  L5971 All lower extremity prostheses, solid ankle cushion heel (SACH) foot, replacement only  L5972 All lower extremity prostheses, foot, flexible keel  L5973 Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source  L5974 All lower extremity prostheses, foot, single axis ankle/foot  L5975 All lower extremity prostheses, combination single axis ankle and flexible keel foot  L5976 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal)  L5978 All lower extremity prostheses, foot, multiaxial ankle/foot  L5979 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system  L5980 All lower extremity prostheses, flex-foot system  L5981 All lower extremity prostheses, flex-walk system or equal  L5982 All exoskeletal lower extremity prostheses, axial rotation unit		· · · · · · · · · · · · · · · · · · ·
with or without flexion and/or extension control  L5962 Addition, endoskeletal system, below knee (BK), flexible protective outer surface covering system  L5964 Addition, endoskeletal system, above knee (AK), flexible protective outer surface covering system  L5966 Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system  L5968 Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature  L5970 All lower extremity prostheses, foot, external keel, SACH foot  L5971 All lower extremity prostheses, solid ankle cushion heel (SACH) foot, replacement only  L5972 All lower extremity prostheses, foot, flexible keel  L5973 Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source  L5974 All lower extremity prostheses, foot, single axis ankle/foot  L5975 All lower extremity prostheses, combination single axis ankle and flexible keel foot  L5976 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal)  L5978 All lower extremity prostheses, foot, multiaxial ankle/foot  L5979 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system  L5980 All lower extremity prostheses, flex-foot system  L5981 All lower extremity prostheses, flex-walk system or equal  L5982 All exoskeletal lower extremity prostheses, axial rotation unit		· · · · · · · · · · · · · · · · · · ·
L5964 Addition, endoskeletal system, above knee (AK), flexible protective outer surface covering system L5966 Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system L5968 Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature L5970 All lower extremity prostheses, foot, external keel, SACH foot L5971 All lower extremity prostheses, solid ankle cushion heel (SACH) foot, replacement only L5972 All lower extremity prostheses, foot, flexible keel L5973 Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source L5974 All lower extremity prostheses, foot, single axis ankle/foot L5975 All lower extremity prostheses, combination single axis ankle and flexible keel foot L5976 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal) L5978 All lower extremity prostheses, foot, multiaxial ankle/foot L5979 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system L5980 All lower extremity prostheses, flex-foot system L5981 All lower extremity prostheses, flex-walk system or equal L5982 All exoskeletal lower extremity prostheses, axial rotation unit	L5961	with or without flexion and/or
L5966 Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system L5968 Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature L5970 All lower extremity prostheses, foot, external keel, SACH foot L5971 All lower extremity prostheses, solid ankle cushion heel (SACH) foot, replacement only L5972 All lower extremity prostheses, foot, flexible keel L5973 Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source L5974 All lower extremity prostheses, foot, single axis ankle/foot L5975 All lower extremity prostheses, combination single axis ankle and flexible keel foot L5976 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal) L5978 All lower extremity prostheses, foot, multiaxial ankle/foot L5979 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system L5980 All lower extremity prostheses, flex-foot system L5981 All lower extremity prostheses, flex-walk system or equal L5982 All exoskeletal lower extremity prostheses, axial rotation unit	L5962	Addition, endoskeletal system, below knee (BK), flexible protective outer surface covering system
L5968 Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature L5970 All lower extremity prostheses, foot, external keel, SACH foot L5971 All lower extremity prostheses, solid ankle cushion heel (SACH) foot, replacement only L5972 All lower extremity prostheses, foot, flexible keel L5973 Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source L5974 All lower extremity prostheses, foot, single axis ankle/foot L5975 All lower extremity prostheses, combination single axis ankle and flexible keel foot L5976 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal) L5978 All lower extremity prostheses, foot, multiaxial ankle/foot L5979 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system L5980 All lower extremity prostheses, flex-foot system L5981 All lower extremity prostheses, flex-walk system or equal L5982 All exoskeletal lower extremity prostheses, axial rotation unit	L5964	Addition, endoskeletal system, above knee (AK), flexible protective outer surface covering system
L5970 All lower extremity prostheses, foot, external keel, SACH foot L5971 All lower extremity prostheses, solid ankle cushion heel (SACH) foot, replacement only L5972 All lower extremity prostheses, foot, flexible keel L5973 Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source L5974 All lower extremity prostheses, foot, single axis ankle/foot L5975 All lower extremity prostheses, combination single axis ankle and flexible keel foot L5976 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal) L5978 All lower extremity prostheses, foot, multiaxial ankle/foot L5979 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system L5980 All lower extremity prostheses, flex-foot system L5981 All lower extremity prostheses, flex-walk system or equal L5982 All exoskeletal lower extremity prostheses, axial rotation unit	L5966	Addition, endoskeletal system, hip disarticulation, flexible protective outer surface covering system
L5971 All lower extremity prostheses, solid ankle cushion heel (SACH) foot, replacement only  L5972 All lower extremity prostheses, foot, flexible keel  L5973 Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source  L5974 All lower extremity prostheses, foot, single axis ankle/foot  L5975 All lower extremity prostheses, combination single axis ankle and flexible keel foot  L5976 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal)  L5978 All lower extremity prostheses, foot, multiaxial ankle/foot  L5979 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system  L5980 All lower extremity prostheses, flex-foot system  L5981 All lower extremity prostheses, flex-walk system or equal  L5982 All exoskeletal lower extremity prostheses, axial rotation unit	L5968	Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature
L5972 All lower extremity prostheses, foot, flexible keel L5973 Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source L5974 All lower extremity prostheses, foot, single axis ankle/foot L5975 All lower extremity prostheses, combination single axis ankle and flexible keel foot L5976 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal) L5978 All lower extremity prostheses, foot, multiaxial ankle/foot L5979 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system L5980 All lower extremity prostheses, flex-foot system L5981 All lower extremity prostheses, flex-walk system or equal L5982 All exoskeletal lower extremity prostheses, axial rotation unit	L5970	All lower extremity prostheses, foot, external keel, SACH foot
Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source  L5974 All lower extremity prostheses, foot, single axis ankle/foot  L5975 All lower extremity prostheses, combination single axis ankle and flexible keel foot  L5976 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal)  L5978 All lower extremity prostheses, foot, multiaxial ankle/foot  L5979 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system  L5980 All lower extremity prostheses, flex-foot system  L5981 All lower extremity prostheses, flex-walk system or equal  L5982 All exoskeletal lower extremity prostheses, axial rotation unit	L5971	All lower extremity prostheses, solid ankle cushion heel (SACH) foot, replacement only
L5974 All lower extremity prostheses, foot, single axis ankle/foot L5975 All lower extremity prostheses, combination single axis ankle and flexible keel foot L5976 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal) L5978 All lower extremity prostheses, foot, multiaxial ankle/foot L5979 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system L5980 All lower extremity prostheses, flex-foot system L5981 All lower extremity prostheses, flex-walk system or equal L5982 All exoskeletal lower extremity prostheses, axial rotation unit	L5972	All lower extremity prostheses, foot, flexible keel
L5975 All lower extremity prostheses, combination single axis ankle and flexible keel foot L5976 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal) L5978 All lower extremity prostheses, foot, multiaxial ankle/foot L5979 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system L5980 All lower extremity prostheses, flex-foot system L5981 All lower extremity prostheses, flex-walk system or equal L5982 All exoskeletal lower extremity prostheses, axial rotation unit	L5973	
L5976 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal)  L5978 All lower extremity prostheses, foot, multiaxial ankle/foot  L5979 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system  L5980 All lower extremity prostheses, flex-foot system  L5981 All lower extremity prostheses, flex-walk system or equal  L5982 All exoskeletal lower extremity prostheses, axial rotation unit	L5974	All lower extremity prostheses, foot, single axis ankle/foot
L5976 All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal)  L5978 All lower extremity prostheses, foot, multiaxial ankle/foot  L5979 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system  L5980 All lower extremity prostheses, flex-foot system  L5981 All lower extremity prostheses, flex-walk system or equal  L5982 All exoskeletal lower extremity prostheses, axial rotation unit	L5975	
L5978 All lower extremity prostheses, foot, multiaxial ankle/foot L5979 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system L5980 All lower extremity prostheses, flex-foot system L5981 All lower extremity prostheses, flex-walk system or equal L5982 All exoskeletal lower extremity prostheses, axial rotation unit	L5976	
L5979 All lower extremity prostheses, multiaxial ankle, dynamic response foot, one piece system L5980 All lower extremity prostheses, flex-foot system L5981 All lower extremity prostheses, flex-walk system or equal L5982 All exoskeletal lower extremity prostheses, axial rotation unit	L5978	
L5980 All lower extremity prostheses, flex-foot system L5981 All lower extremity prostheses, flex-walk system or equal L5982 All exoskeletal lower extremity prostheses, axial rotation unit	L5979	
L5982 All exoskeletal lower extremity prostheses, axial rotation unit	L5980	
L5982 All exoskeletal lower extremity prostheses, axial rotation unit	L5981	• •
	L5982	
/ 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1	L5984	All endoskeletal lower extremity prostheses, axial rotation unit, with or without adjustability

DME 21 Page 11 of 16

Lispan	L5985	All endoskeletal lower extremity prostheses, dynamic prosthetic pylon
L5999 Lower extremity prosthesis, not otherwise specified L5999 Lower extremity prosthesis, not otherwise specified L6000 Partial hand, thumb remaining L6010 Partial hand, thumb remaining L6010 Partial hand, interest and the prosthesis addition, flexion/extension wrist with or without friction, for use with external powered terminal device L6021 Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered eminated elbow L6648 Upper extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system Upper extremity addition, shoulder lock mechanism, body powered actuator L6647 Upper extremity addition, shoulder lock mechanism, body powered actuator L6648 Upper extremity addition, shoulder lock mechanism, body powered actuator L6649 Upper extremity addition, shoulder lock mechanism, body powered actuator L6649 Upper extremity addition, shoulder lock mechanism, body powered actuator L6649 Upper extremity addition, shoulder lock mechanism, body powered actuator L6657 Upper extremity addition, harness, triple control, simultaneous operation of terminal device and elbow L6689 Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert of without locking mechanism, initial only (for other than initial, use code L6649 or L6693). L6680 Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns, L6881 Automatic grasp feature, addition to upper limb electric prosthetic terminal device L6882 Microprocessor control feature, addition to upper limb prosthetic terminal device L6883 Replacement socket, below elbow/wirst disarticulation, molded to patient model, for use with or without external power L6884 Replacement socket, shoulder disarticulation, molded to patient model, for use with or without external power Wirst disarticulation, external power, self-suspended inner socket, remov	L5986	All lower extremity prostheses, multiaxial rotation unit (MCP or equal)
Lower extremity prosthesis, not otherwise specified L6000 Partial hand, thrum remaining L6010 Partial hand, little and/or ring finger remaining L6020 Partial hand, no finger remaining L6021 Upper extremity prosthesis addition, flexion/extension wrist with or without friction, for use with external powered terminal device L6638 Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered elibow L6640 Upper extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system Upper extremity addition, shoulder lock mechanism, body powered actuator L6641 Upper extremity addition, shoulder lock mechanism, body powered actuator L6642 Upper extremity addition, shoulder lock mechanism, external powered actuator L6643 Upper extremity addition, shoulder lock mechanism, external powered actuator L6644 Upper extremity addition, shoulder lock mechanism, external powered actuator L6657 Upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695) Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert L6880 Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns, L6881 Automatic grasp feature, addition to upper limb electric prosthetic terminal device L6883 Replacement socket, below elbow/winst disarticulation, molded to patient model, for use with or without external power L6884 Replacement socket, below elbow/winst disarticulation, molded to patient model, for use with or without external power L6885 Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power. L6886 Below elbow,	L5987	All lower extremity prostheses, shank foot system with vertical loading pylon
L6000 Partial hand, thumb remaining L6010 Partial hand, little and/or ring finger remaining L6021 Partial hand, no finger remaining L6022 Upper extremity prosthesis addition, flexion/extension wrist with or without friction, for use with external powered terminal device L6038 Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered elbow Upper extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system Upper extremity addition, shoulder lock mechanism, body powered actuator Upper extremity addition, shoulder lock mechanism, body powered actuator Upper extremity addition, shoulder lock mechanism, bedy powered actuator Upper extremity addition, shoulder lock mechanism, bedy powered actuator Upper extremity addition, shoulder lock mechanism, bedy powered actuator Upper extremity addition, shoulder lock mechanism, bedy powered actuator Upper extremity addition, shoulder lock mechanism, sexternal powered actuator Upper extremity addition, shoulder lock mechanism, sexternal powered actuator Upper extremity addition, shoulder lock mechanism, oby powered actuator Upper extremity addition, shoulder lock mechanism, oby powered actuator Upper extremity addition of adjust traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only for other than initial, use code 16694 or 16695) L6698 Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket lease L6880 Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns, addition to upper limb electric prosthetic terminal device L6881 Automatic grasp feature, addition to upper limb prosthetic terminal device L6882 Microprocessor control feature, addition to upper limb prosthetic terminal device L6883 Replacement socket, shoulder disarticulation, molded to patient model, for u	L5988	Addition to lower limb prosthesis, vertical shock reducing pylon feature
L6020 Partial hand, little and/or ring finger remaining L6020 Partial hand, no finger remaining L6021 Upper extremity prosthesis addition, flexion/extension wrist with or without friction, for use with external powered terminal device Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered elbow Upper extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system Upper extremity addition, shoulder lock mechanism, body powered actuator Upper extremity addition, shoulder lock mechanism, body powered actuator Upper extremity addition, shoulder lock mechanism, external powered actuator Upper extremity addition, shoulder lock mechanism, external powered actuator Upper extremity addition, at the prostage of the pro	L5999	Lower extremity prosthesis, not otherwise specified
L6020 Partial hand, no finger remaining Upper extremity prosthesis addition, flexion/extension wrist with or without friction, for use with external powered terminal device L6638 Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered elbow Upper extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system Upper extremity addition, shoulder lock mechanism, body powered actuator Upper extremity addition, shoulder lock mechanism, body powered actuator Upper extremity addition, shoulder lock mechanism, body powered actuator Upper extremity addition, shoulder lock mechanism, body powered actuator Upper extremity addition, shoulder lock mechanism, body powered actuator Upper extremity addition, shoulder lock mechanism, body powered actuator Upper extremity addition, shoulder lock mechanism, body powered actuator Upper extremity addition, shoulder lock mechanism, body powered actuator Upper extremity addition, shoulder lock mechanism, external powered actuator Upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone get, elastomeric or equal, for use with or without bocking mechanism, initial only (for other than initial, use code L6694 or L6695) Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert L6880 Electric hand, switch or mycelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns,  L6881 Automatic grasp feature, addition to upper limb electric prosthetic terminal device  L6882 Replacement socket, above elbow/wist disarticulation, molded to patient model, for use with or without external power  L6883 Replacement socket, shoulder disarticulation, molded to patient model, for use with or without external power  L6920 Wrist disarticulation, external power, self-suspended inner s	L6000	Partial hand, thumb remaining
L6621 Upper extremity prosthesis addition, flexion/extension wrist with or without friction, for use with external powered terminal device Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered elbow Upper extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system Upper extremity addition, shoulder lock mechanism, body powered actuator Upper extremity addition, shoulder lock mechanism, body powered actuator Upper extremity addition, shoulder lock mechanism, external powered actuator Upper extremity addition, shoulder lock mechanism, external powered actuator Upper extremity addition, shoulder lock mechanism, external powered actuator Upper extremity addition, shoulder lock mechanism, external powered actuator Upper extremity addition, shoulder lock mechanism, external powered actuator Upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6895) Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert insert. L6881 Automatic grasp feature, addition to upper limb electric prosthetic terminal device L6882 Microprocessor control feature, addition to upper limb prosthetic terminal device L6883 Replacement socket, below elbow/elbow disarticulation, molded to patient model, for use with or without external power L6884 Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power L6885 Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power L6886 Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power L6886 Wrist disarticulation	L6010	Partial hand, little and/or ring finger remaining
external powered terminal device Upper extremity addition to prosthesis, electric locking feature, only for use with manually powered elbow Upper extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system Upper extremity addition, shoulder lock mechanism, body powered actuator Upper extremity addition, shoulder lock mechanism, body powered actuator Upper extremity addition, shoulder lock mechanism, external powered actuator Upper extremity addition, harness, triple control, simultaneous operation of terminal device and elbow Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6945) Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert  L6880 Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns,  L6881 Automatic grasp feature, addition to upper limb electric prosthetic terminal device  L6882 Microprocessor control feature, addition to upper limb prosthetic terminal device  L6883 Replacement socket, below elbow/wirst disarticulation, molded to patient model, for use with or without external power  L6885 Replacement socket, shoulder disarticulation, molded to patient model, for use with or without external power  L6886 Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power  L6920 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries  L6930 Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries  L6940 Elbow disar	L6020	Partial hand, no finger remaining
elbow  L6646 Upper extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system  Upper extremity addition, shoulder lock mechanism, body powered actuator  L6648 Upper extremity addition, shoulder lock mechanism, external powered actuator  Upper extremity addition, harness, triple control, simultaneous operation of terminal device and elbow  Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695)  Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert  L6880 Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns.  L6881 Automatic grasp feature, addition to upper limb electric prosthetic terminal device  L6882 Microprocessor control feature, addition to upper limb prosthetic terminal device  L6883 Replacement socket, below elbow/elbow disarticulation, molded to patient model, for use with or without external power  L6884 Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power  L6885 Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power  L6920 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two  L6935 Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  L6940 Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  L6950 Above elbow, external power, molded inner socket, removable humeral s		external powered terminal device
control, for use with body powered or external powered system  Upper extremity addition, shoulder lock mechanism, body powered actuator  Upper extremity addition, shoulder lock mechanism, external powered actuator  Upper extremity addition, shoulder lock mechanism, external powered actuator  Upper extremity addition, harness, triple control, simultaneous operation of terminal device and elbow  Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695)  Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert  Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns,  L6881 Automatic grasp feature, addition to upper limb electric prosthetic terminal device  L6882 Microprocessor control feature, addition to upper limb prosthetic terminal device  L6883 Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power  L6884 Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power  L6885 Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power  L6920 Wirist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two  Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  Below elbow, external power, self-suspended inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Elbow disarticulation, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal swit	L6638	elbow
L6648 Upper extremity addition, shoulder lock mechanism, external powered actuator  L6677 Upper extremity addition, harness, triple control, simultaneous operation of terminal device and elbow  Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone get, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695)  Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert  L6880 Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert  L6881 Automatic grasp feature, addition to upper limb electric prosthetic terminal device  L6882 Microprocessor control feature, addition to upper limb prosthetic terminal device  L6883 Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power  L6884 Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power  L6885 Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power  L6920 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  L6935 Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  L6936 Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries  L6936 Below elbow, external power, self-suspended inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  L6940 Above elbow, external power, molded inner socket, removable humeral shell, int	L6646	control, for use with body powered or external powered system
L6677 Upper extremity addition, harness, triple control, simultaneous operation of terminal device and elbow Addition to upper extremity prosthesis, below elbow/above elbow, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L6694 or L6695) Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert L6880 Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns.  L6881 Automatic grasp feature, addition to upper limb electric prosthetic terminal device L6882 Microprocessor control feature, addition to upper limb prosthetic terminal device L6883 Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power Replacement socket, shoulder disarticulation molded inner socket, removable forearm shell, Otto Bock or equal switch, cables, two  L6920 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal selectrodes, cables, two  L6935 Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or equal switch,  Above elbow, extern		
elbow	L6648	Upper extremity addition, shoulder lock mechanism, external powered actuator
other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only (for other than initial, use code L 6694 or L 6695)  Addition to upper extremity prosthesis, below elbow/above elbow, lock mechanism, excludes socket insert  L6880 Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns,  L6881 Automatic grasp feature, addition to upper limb electric prosthetic terminal device  L6882 Microprocessor control feature, addition to upper limb prosthetic terminal device  L6883 Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power  L6884 Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power  L6885 Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power  L6920 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two  L6935 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  L6936 Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  L6937 Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  L6940 Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  L6950 Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch.  L6950 Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow,		elbow
L6880 Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns,  L6881 Automatic grasp feature, addition to upper limb electric prosthetic terminal device  L6882 Microprocessor control feature, addition to upper limb prosthetic terminal device  L6883 Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power  L6884 Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power  L6885 Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power  L6920 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two  L6925 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  L6930 Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries  L6935 Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  L6940 Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  L6945 Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  L6950 Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,	L6697	other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or
L6881 Automatic grasp feature, addition to upper limb electric prosthetic terminal device  L6882 Microprocessor control feature, addition to upper limb prosthetic terminal device  L6883 Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power  L6884 Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power  L6885 Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power  L6920 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two  L6925 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  L6930 Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries  L6935 Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  L6940 Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  L6945 Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  L6950 Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,		insert
L6882 Microprocessor control feature, addition to upper limb prosthetic terminal device  L6883 Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power  Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power  L6885 Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power  L6920 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two  L6925 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  L6930 Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries  L6935 Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  L6940 Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  L6945 Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,	L6880	
Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power  Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power  Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power  Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power  Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power  Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries  Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,	L6881	Automatic grasp feature, addition to upper limb electric prosthetic terminal device
without external power  Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power  Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power  Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power  L6920 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries  Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  Below elbow, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,	L6882	Microprocessor control feature, addition to upper limb prosthetic terminal device
without external power  Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power  L6920 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two  L6925 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries  Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,	L6883	without external power
with or without external power  L6920 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two  L6925 Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries  Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  L6945 Elbow disarticulation, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,		without external power
Bock or equal switch, cables, two  Wrist disarticulation, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries  Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow,		with or without external power
Bock or equal electrodes, cables, two  Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries  Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  L6945  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,	L6920	
equal switch, cables, two batteries  Below elbow, external power, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  L6945  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,	L6925	
equal electrodes, cables, two  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow,	L6930	
hinges, forearm, Otto Bock or  Elbow disarticulation, external power, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow,	L6935	
hinges, forearm, Otto Bock or  L6950  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch,  L6955  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow,	L6940	
forearm, Otto Bock or equal switch,  L6955  Above elbow, external power, molded inner socket, removable humeral shell, internal locking elbow,	L6945	•
	L6950	· · · · · · · · · · · · · · · · · · ·
	L6955	

DME 21 Page 12 of 16

L6960	Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section,
L6965	Shoulder disarticulation, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section,
L6970	Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical
L6975	Interscapular-thoracic, external power, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical
L7007	Electric hand, switch or myoelectric controlled, adult
L7008	Electric hand, switch or myoelectric, controlled, pediatric
L7009	Electric hook, switch or myoelectric controlled, adult
L7045	Electric hook, switch or myoelectric controlled, pediatric
L7170	Electronic elbow, Hosmer or equal, switch controlled
L7180	Electronic elbow, microprocessor sequential control of elbow and terminal device
L7181	Electronic elbow, microprocessor simultaneous control of elbow and terminal device
L7185	Electronic elbow, adolescent, Variety Village or equal, switch controlled
L7186	Electronic elbow, child, Variety Village or equal, switch controlled
L7190	Electronic elbow, adolescent, Variety Village or equal, myoelectronically controlled
L7191	Electronic elbow, child, Variety Village or equal, myoelectronically controlled
L7259	Electronic wrist rotator, any type
L7400	Addition to upper extremity prosthesis, below elbow/wrist disarticulation, ultra-light material (titanium, carbon fiber or equal)
L7401	Addition to upper extremity prosthesis, above elbow disarticulation, ultra-light material (titanium, carbon fiber or equal)
L7402	Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, ultra-light material (titanium, carbon fiber or equal)
L7403	Addition to upper extremity prosthesis, below elbow/wrist disarticulation, acrylic material
L7404	Addition to upper extremity prosthesis, above elbow disarticulation, acrylic material
L7405	Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, acrylic material
L7499	Upper extremity prosthesis, not otherwise specified
L7510	Repair of prosthetic device, repair or replace minor parts
L7520	Repair prosthetic device, labor component, per 15
L7600	Prosthetic donning sleeve, any material, each
L8040	Nasal prosthesis, provided by a nonphysician
L8041	Midfacial prosthesis, provided by a nonphysician
L8042	Orbital prosthesis, provided by a nonphysician
L8043	Upper facial prosthesis, provided by a nonphysician
L8044	Hemi-facial prosthesis, provided by a nonphysician
L8045	Auricular prosthesis, provided by a nonphysician
L8046	Partial facial prosthesis, provided by a nonphysician
L8047	Nasal septal prosthesis, provided by a nonphysician
L8048	Unspecified maxillofacial prosthesis, by report, provided by a nonphysician
L8049	Repair or modification of maxillofacial prosthesis, labor component, 15 minute increments, provided by a nonphysician
L8400	Prosthetic sheath, below knee, each
L8410	Prosthetic sheath, above knee, each
L8415	Prosthetic sheath, upper limb, each

DME 21 Page 13 of 16

L8417	Prosthetic sheath/sock, including a gel cushion layer, below knee (BK) or above knee (AK), each
L8420	Prosthetic sock, multiple ply, below knee (BK), each
L8430	Prosthetic sock, multiple ply, above knee (AK), each
L8435	Prosthetic sock, multiple ply, upper limb, each
L8465	Prosthetic shrinker, upper limb, each
L8470	Prosthetic sock, single ply, fitting, below knee (BK), each
L8480	Prosthetic sock, single ply, fitting, above knee (AK), each
L8485	Prosthetic sock, single ply, fitting, upper limb, each
L8499	Unlisted procedure for miscellaneous prosthetic services
L8631	Metacarpal phalangeal joint replacement, two or more pieces, metal (e.g., stainless steel or cobalt chrome), ceramic-like material (e.g., pyrocarbon), for surgical implantation (all sizes, includes entire system)
L8659	Interphalangeal finger joint replacement, two or more pieces, metal (e.g., stainless steel or cobalt chrome), ceramic-like material (e.g., pyrocarbon) for surgical implantation, any size
L8699	Prosthetic implant, not otherwise specified

Considered Not Medically Necessary:

Coding	Description
L5969	Addition, endoskeletal ankle-foot or ankle system, power assist, includes any type motor(s)
L5990	Addition to lower extremity prosthesis, user adjustable heel height
L5991	Addition to lower extremity prostheses, osseointegrated external prosthetic connector
L6026	Transcarpal/metacarpal or partial hand disarticulation prosthesis, external power, self-suspended, inner socket with removable forearm
L8699	Prosthetic implant, not otherwise specified (If used for MISHA)

# **Document History:**

#### Revised Dates:

- 2024: June Annual review, references and coding updated. Criteria updated to include non-myoelectric upper extremity.
- 2024: May
- 2023: June
- 2022: June
- 2021: November
- 2020: July, December
- 2019: December
- 2015: January, September, December
- 2014: January, October
- 2013: January, December

#### **Reviewed Dates:**

- 2020: February, April
- 2018: September
- 2017: November
- 2016: January

#### Effective Date:

• June 2012

DME 21 Page 14 of 16

#### References:

Including but not limited to: Specialty Association Guidelines; Government Regulations; Winifred S. Hayes, Inc; UpToDate; Literature Review; Specialty Advisors; National Coverage Determination (NCD); Local Coverage Determination (LCD).

(2023, Sep 21). Retrieved May 10, 2024, from MCG: https://careweb.carequidelines.com/ed27/index.html

(2024). Retrieved Apr 15, 2024, from National Comprehensive Cancer Network: <a href="https://www.nccn.org/search-result?indexCatalogue=nccn-search-index&searchQuery=prosthetic">https://www.nccn.org/search-result?indexCatalogue=nccn-search-index&searchQuery=prosthetic</a>

(2024). Retrieved May 10, 2024, from Hayes - a symplr company: <a href="https://evidence.hayesinc.com/search?q=%257B%2522text%2522:%2522prosthetic%2522,%2522title%2522:null,%2522termsource%2522:%2522searchbar%2522,%2522page%2522:%257B%2522page%2522:0,%2522size%2522:50%257D,%2522type%2522:%2522all%2522,%2522sources%2522:%255B%

Arm & Hand Prosthetics. (2024). Retrieved Apr 17, 2024, from Medical Center Orthotics and Prosthetics: https://mcopro.com/blog/resources/arm-hand-prosthetics/#how-to-choose-an-upper-arm-prosthetic-section

Durable Medical Equipment - Chapter IV: Covered Services and Limitations. (2024, Jan 04). Retrieved Apr 15, 2024, from Department of Medical Assistance Services - MES Public Portal: <a href="https://vamedicaid.dmas.virginia.gov/sites/default/files/2024-01/DME%20Chapter%20IV%20%28updated%201.4.24%29">https://vamedicaid.dmas.virginia.gov/sites/default/files/2024-01/DME%20Chapter%20IV%20%28updated%201.4.24%29</a> Final.pdf

FDA Approves Prosthetic Implant for Above-the-Knee Amputations. (2020, Dec 18). Retrieved May 13, 2024, from U.S. Food and Drug Administration: <a href="https://www.fda.gov/news-events/press-announcements/fda-approves-prosthetic-implant-above-knee-amputations">https://www.fda.gov/news-events/press-announcements/fda-approves-prosthetic-implant-above-knee-amputations</a>

LCD: Eye Prostheses (L33737). (2020, Jan 01). Retrieved Apr 15, 2024, from Centers for Medicare and Medicaid Services: <a href="https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=33737&ver=20&">https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=33737&ver=20&</a>

LCD: Facial Prostheses (L33738). (2020, Jan 01). Retrieved Apr 15, 2024, from Centers for Medicare and Medicaid Services: <a href="https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=33738&ver=18&">https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=33738&ver=18&</a>

LCD: Limb Prostheses (L33787). (2024, Jan 01). Retrieved Apr 15, 2024, from Centers for Medicare and Medicaid Services: <a href="https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=33787&ver=26&">https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=33787&ver=26&</a>

NCD: Prosthetic Shoe (280.10). (N.D.). Retrieved Apr 15, 2024, from Centers for Medicare and Medicaid Services: <a href="https://www.cms.gov/medicare-coverage-database/view/ncd.aspx?ncdid=208&ncdver=1&keyword=prosthetic&keywordType=starts&areald=s53&docType=NCA,CAL,NCD,MEDCAC,TA,MCD,6,3,5,1,F,P&contractOption=all&sortBy=relevance&bc=1</a>

NCD: Scleral Shell (80.5). (N.D.). Retrieved Apr 15, 2024, from Centers for Medicare and Medicaid Services: https://www.cms.gov/medicare-coverage-

<u>database/view/ncd.aspx?ncdid=235&ncdver=1&keyword=prosthetic&keywordType=starts&areald=s53&docType=NCA,CAL,NCD,MEDCAC,TA,MCD,6,3,5,1,F,P&contractOption=all&sortBy=relevance&bc=1</u>

Osseointegration for Lower and Upper Limbs. (2023, Nov 30). Retrieved Apr 15, 2024, from Aetna: <a href="https://asmbs.org/resources/endorsed-procedures-and-devices/">https://asmbs.org/resources/endorsed-procedures-and-devices/</a>

DME 21 Page 15 of 16

Prosthetic Best Practice Guidelines. (2023). Retrieved May 13, 2024, from Steeper: <a href="https://www.steepergroup.com/SteeperGroup/media/SteeperGroupMedia/Additional%20Downloads/Steeper-Prosthetic-Best-Practice-Guidelines.pdf">https://www.steepergroup.com/SteeperGroup/media/SteeperGroupMedia/Additional%20Downloads/Steeper-Prosthetic-Best-Practice-Guidelines.pdf</a>

Subpart D Prosthetic Devices. (2022, Mar 01). Retrieved May 13, 2024, from Code of Federal Regulations: https://www.ecfr.gov/current/title-21/chapter-l/subchapter-H/part-888/subpart-D?toc=1

WHO standards for prosthetics and orthotics. (2017, Feb 01). Retrieved May 13, 2024, from World Health Organization: https://www.who.int/publications/i/item/9789241512480

# Special Notes: \*

Medical policies can be highly technical and complex and are provided here for informational purposes. These medical policies are intended for use by health care professionals. The medical policies do not constitute medical advice or medical care. Treating health care professionals are solely responsible for diagnosis, treatment, and medical advice. Sentara Health Plan members should discuss the information in the medical policies with their treating health care professionals. Medical technology is constantly evolving, and these medical policies are subject to change without notice, although Sentara Health Plan will notify providers as required in advance of changes that could have a negative impact on benefits.

Services mean both medical and behavioral health (mental health) services and supplies unless We specifically tell You otherwise. We do not cover any services that are not listed in the Covered Services section unless required to be covered under state or federal laws and regulations. We do not cover any services that are not Medically Necessary. We sometimes give examples of specific services that are not covered but that does not mean that other similar services are covered. Some services are covered only if We authorize them. When We say You or Your We mean You and any of Your family members covered under the Plan. Call Member Services if You have questions.

#### MUST SEE MEMBER BENEFIT FOR DETERMINATION.

We only cover DME that is Medically Necessary and prescribed by an appropriate Provider. We also cover colostomy, ileostomy, and tracheostomy supplies, and suction and urinary catheters. We do not cover DME used primarily for the comfort and wellbeing of a Member. We will not cover DME if We deem it useful, but not absolutely necessary for Your care. We will not cover DME if there are similar items available at a lower cost that will provide essentially the same results as the more expensive items.

Pre-Authorization is Required for All Rental Items.

Pre-Authorization is Required for All Repair and Replacement.

#### Keywords:

SHP Prosthetic Devices, SHP Durable Medical Equipment 21, Prosthetic, limb, scleral, lens, ankle, knee, upper extremity, lower extremity, prosthesis, amputee, mastectomy, socket, vacuum assisted, vacuum, feet, foot, microprocessor, finger, SYMBIONIC® LEG 3, LiNX®, Otto Bock C-Leg; Otto-Bock Genium Bionic Prosthetic System (also known as Otto-Bock Genium X3; Otto Bock HealthCare, Minneapolis, MN), Intelligent Prosthesis (Endoliete North America, Centerville, OH), and Ossur Rheo Knee/Ossur RKXC Knee (Ossur-Flexfoot)

DME 21 Page 16 of 16