SENTARA COMMUNITY PLAN (MEDICAID)

MEDICAL PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions:</u> The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; <u>fax to 1-844-305-2331</u>. No additional phone calls will be necessary if all information (<u>including phone and fax #s</u>) on this form is correct. <u>If information provided is not complete</u>, correct, or legible, authorization can be delayed.

<u>Drug Requested</u>: Luxturna[™] (voretigen neparvovec-rzy) Subretinal Injection (J3398) (Medical)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.		
Member Name:		
Member Sentara #:	Date of Birth:	
Prescriber Name:		
Prescriber Signature:		
Office Contact Name:		
Phone Number:		
NPI #:		
DRUG INFORMATION: Authorizat		
Drug Name/Form/Strength:		
Dosing Schedule:	Length of Therapy:	
Diagnosis:	ICD Code, if applicable:	
Weight (if applicable):	Date weight obtained:	
_	he timeframe does not jeopardize the life or health of the member um function and would not subject the member to severe pain.	

NOTE: Luxturna[™] should ONLY be administered in a surgical suite under controlled aseptic conditions by a surgeon experienced in performing intraocular surgery.

Dosing Limits

- A. Quantity Limit (max daily dose) [NDC 71394-0065-01 or 71394-0415-01]:
 - N/A
- B. Max Units (per dose and over time) [HCPCS Unit]:
 - 150 billable units per eye
 - If both eyes are to be treated, Luxturna must be administered to each eye on separate days at least 6 days apart

(Continued on next page)

suppo	NICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To ort each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be ded or request may be denied.
Leng	gth of Authorization: 3 months or as determined by review
One	dose per eye/per lifetime. Coverage cannot be renewed
	Member is at least 1 year of age or older
	Member must have an adequate washout period, defined as a minimum of 3 months, from retinoid therapies prior to receipt of voretigene
	Member has a confirmed diagnosis of a biallelic RPE65 mutation-associated retinal dystrophy
	Member has sufficient viable retinal cells as determined by treating physician through optical coherence tomography (OCT) imaging and/or ophthalmoscopy indicating ONE of the following:
	☐ An area of retinal thickness >100 microns within the posterior pole
	\square \geq 3-disc areas of the retina without atrophy or pigmentary degeneration within the posterior pole
	☐ Any remaining visual field within 30 degrees of fixation as measured by III4e isopter or equivalent
	Member has NOT had intraocular surgery within the past six months
	Member has <u>NOT</u> previously received subretinal administration of a gene therapy vector, or Luxturna into the intended eye
Med	lication being provided by a Specialty Pharmacy – Proprium Rx
	Location/site of drug administration:
	NPI or DEA # of administering location:
	OR
	Specialty Pharmacy – Proprium Rx

For urgent reviews: Practitioner should call Sentara Health Plans Pre-Authorization Department if they believe a standard review would subject the member to adverse health consequences. Sentara Health Plan's definition of urgent is a lack of treatment that could seriously jeopardize the life or health of the member or the member's ability to regain maximum function.

**Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. **

*Previous therapies will be verified through pharmacy paid claims or submitted chart notes. *