

**OPTIMA HEALTH COMMUNITY CARE
AND
OPTIMA FAMILY CARE
(MEDICAID)**

MEDICAL PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; fax to **1-804-799-5118**. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. If information provided is not complete, correct, or legible, authorization can be delayed.

Immune Globulin Intravenous (IVIG) (immunodeficiency SQ) (Medical)

Drug Requested: Check applicable box below.	
<input type="checkbox"/> Gammagard® [Immune Globulin Infusion (Human)] (J1569)	<input type="checkbox"/> Gamunex-C® [Immune Globulin injection (Human)] (J1561)
<input type="checkbox"/> Hizentra® [(Immune Globulin Subcutaneous (HUMAN))] (J1559)	<input type="checkbox"/> Hyqvia® [Immune Globulin Infusion 10% (Human) with Recombinant Human Hyaluronidase] (J1575)
<input type="checkbox"/> Cuvitru Immune Globulin Subcutaneous (Human)] (J3590) <input type="checkbox"/> (NDCs: 0944-2850-07 / 0944-2850-05 / 0944-2850-03 / 0944-2850-01)	

***Hyqvia®: Member must be ≥ 18 years of age**

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member Optima #: _____ Date of Birth: _____

Prescriber Name: _____

Prescriber Signature: _____ Date: _____

Office Contact Name: _____

Phone Number: _____ Fax Number: _____

DEA OR NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.
--

Drug Name/Form: _____ Strength/Month: _____

Dosing Schedule: _____ Length of Therapy: _____

Diagnosis: _____ ICD Code: _____

Weight: _____ kg Height: _____ inches

☐ Standard Review. In checking this box, the timeframe does not jeopardize the life or health of the member or the member's ability to regain maximum function and would not subject the member to severe pain.

(Continued on next page)

Initial Therapy Approval - 6 months.

Maintenance Therapy Approval - 12 months, for titrated doses. Doses above 1g/kg would be approved based on recent ER/hospital visits **PLUS** IVIG < 200 mg/kg **within the last 3 months**.

High Maintenance Approval – 3 months only.

***IMPORTANT* - If recommended adjusted body weight is not accepted, a PARTIAL approval will be granted.**

Dosing should be calculated using adjusted body weight if the patient's actual body weight is 20% higher than his or her ideal body weight (IBW).

(Adjusted body weight = IBW + 0.5 (actual body weight – IBW))

- IBW (kg) for males = 50 + [2.3 (height in inches – 60)]
- IBW (kg) for females = 45.5 + [2.3 x (height in inches – 60)]

It is recommended to attempt to decrease/wean the dose for renewal requests when improvement has occurred and subsequently stop IVIG therapy if improvement is sustained with a dose reduction (this does not apply to authorizations for primary immunodeficiency as long as immunoglobulin levels are **maintained in the appropriate range**).

CLINICAL CRITERIA/DIAGNOSIS: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.	
<input type="checkbox"/> Severe combined immunodeficiency	<input type="checkbox"/> X-linked or autosomal recessive agammaglobulinemia
<input type="checkbox"/> Common variable immunodeficiency	<input type="checkbox"/> Wiskott-Aldrich syndrome
<input type="checkbox"/> CD40 ligand deficiency (X-linked hyper-IgM syndrome)	<input type="checkbox"/> Nuclear factor of $\kappa\beta$ essential modifier deficiency
<input type="checkbox"/> Ataxia-telangiectasia	<input type="checkbox"/> DiGeorge Syndrome

- ☐ Member's IgG level <200 mg/dL **OR** both of the following:
 - ☐ Member has a history of multiple hard to treat infections as indicated by at least **ONE** of the following:
 - ☐ Four or more ear infections within 1 year
 - ☐ Two or more serious sinus infections within 1 year
 - ☐ Two or more months of antibiotics with little effect
 - ☐ Two or more pneumonias within 1 year
 - ☐ Recurrent or deep skin abscesses
 - ☐ Need for intravenous antibiotics to clear infections
 - ☐ Two or more deep-seated infections including septicemia

AND

(Continued on next page)

- ☐ Member has a deficiency in producing antibodies in response to vaccination;

AND

- ☐ Titers were drawn before challenging with vaccination;

AND

- ☐ Titers were drawn between 4 and 8 weeks of vaccination

Continuation of Therapy Approval - 12 months, if titrates considered by MagellanRx

- ☐ Disease response as evidenced by one or more of the following:
 - ☐ Decrease in the frequency of infection
 - ☐ Decrease in the severity of infection

Medication being provided by (check box below that applies):

- ☐ Location/site of drug administration: _____

NPI or DEA # of administering location: _____

OR

- ☐ Specialty Pharmacy - PropriumRx

For urgent reviews: Practitioner should call Optima Pre-Authorization Department if they believe a standard review would subject the member to adverse health consequences. Optima's definition of urgent is a lack of treatment that could seriously jeopardize the life or health of the member or the member's ability to regain maximum function.

*****Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*****

****Previous therapies will be verified through pharmacy paid claims or submitted chart notes.****