## SENTARA HEALTH PLANS

## MEDICAL PRIOR AUTHORIZATION/STEP-EDIT REQUEST\*

<u>Directions:</u> The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; <u>fax to 1-844-668-1550</u>. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. <u>If information provided is not complete, correct, or legible, authorization can be delayed</u>.

<u>For Medicare Members:</u> Medicare Coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD) and Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. They can be found at: <a href="https://www.cms.gov/medicare-coverage-database/overview-and-quick-search.aspx">https://www.cms.gov/medicare-coverage-database/overview-and-quick-search.aspx</a>. Additional indications may be covered at the discretion of the health plan.

**Drug Requested:** Cimzia<sup>™</sup> (certolizumab) **Lyophilized (J0717) (Medical)** 

MEMBER & PRESCRIBER INFORMATION:	Authorization may be delayed if incomplete.
Member Name:	
Member Sentara #:	Date of Birth:
Prescriber Name:	
Prescriber Signature:	Date:
Office Contact Name:	
Phone Number:	Fax Number:
NPI #:	
DRUG INFORMATION: Authorization may be dela	
Drug Name/Form/Strength:	
Dosing Schedule:	Length of Therapy:
Diagnosis:	ICD Code, if applicable:
Weight (if applicable):	Date weight obtained:
☐ Standard Review. In checking this box, the timeframe d the member's ability to regain maximum function and w	
<b>CLINICAL CRITERIA:</b> Check below all that apply. support each line checked, all documentation, including lab provided or request may be denied.	

(Continued on next page)

PART A - DMARD therapy	- Trial and failure of at least	ONE (1) DMARD	therapy for at least	<b>THREE</b>
(3) months (check each tried):				

(0 ) 111	(0.10011 0.0011 0.1001)			
□ methotrexate		□ sulfasala	zine	□ azathioprine
<b>u</b> 1			□ hydroxychloroquine	
	Other:			
o J	DIAGNOSIS - Crohn's D	<b>isease.</b> To qualify	for approval	, boxes must be checked.
	□ Prescribed by or in consultation with a Gastroenterologist			
	AND			
	Diagnosed with Crohn's disea	ase		
	AND			
	Failure of budesonide or high	dose (40-60 mg pre	dnisone) ster	roids
	AND			
	☐ Member tried and failed at least one DMARD for at least three (3) months (REFER TO PART A above and check each DMARD therapy tried)			
DIA	AGNOSIS. Check below the	diagnosis that applic	es.	
□ <b>I</b>	Rheumatoid Arthritis		□ Psori	atic Arthritis
	☐ Prescribed by or in consultation with a <b>Rheumatologist</b>			
	AND			
	□ Diagnosed with one of the diagnoses above (must be checked)			
	AND			
	☐ Member tried and failed at least one (1) DMARD for at least three (3) months (REFER TO PART A above and check each DMARD therapy tried).			
<b>DIAGNOSIS:</b> Check below diagnosis that applies.				
	Ankylosing	□ Axial		□ Non-Radiographic Axial
S	Spondylitis	Spondyloar	thritis	Spondyloarthritis
	Prescribed by or in consultation	on with a Rheumato	ologist	
	AND			
	Diagnosed with one of the dia	agnoses above (must	be checked)	
	AND			

(Continued on next page)

/	~ · · 1	C		
(	Continued	trom	previous	page

	Trial and failure of two (2) NSAIDs within the las	t 60 days	
o I	DIAGNOSIS - Plaque Psoriasis. To qualify fo	or approval, boxes must be checked.	
	Prescribed by or in consultation with a <b>Dermatolo</b>	gist	
	AND		
	Diagnosed with moderate-to-severe Chronic Plaqu	ne Psoriasis	
	AND		
	Member tried and failed <u>at least one</u> of either Phototherapy or Alternative System Therapy for at least <u>three (3) months</u> (check each tried below):		
	□ Phototherapy:	□ Alternative Systemic Therapy:	
	☐ UV Light Therapy	□ Oral Medications	
	□ NB UV-B	□ acitretin	
	□ PUVA	methotrexate	
		☐ cyclosporine	
	DIAGNOSIS – Polyarticular Juvenile Idio poxes must be checked.	pathic Arthritis. To qualify for approval,	
	☐ Diagnosed with active polyarticular <b>juvenile idiopathic arthritis</b>		
	AND		
	Prescribed by or in consultation with a Rheumato	logist	
	AND		
	☐ Member is 2 years of age or older and weighs at least 10 kg		
	AND		
	Member has tried and failed at least <b>ONE</b> of the formonths  □ cyclosporine	ollowing <b>DMARD</b> therapies for at least <b>three (3)</b>	
	□ hydroxychloroquine		
	□ leflunomide		
	□ methotrexate		
	☐ Non-steroidal anti-inflammatory drugs (NSAII	Os)	
	□ oral corticosteroids		
	□ sulfasalazine		
	□ tacrolimus		

(Continued on next page)

Medica	ation being provided by: Please check applicable box below.
□ Locat	tion/site of drug administration:
NPI o	or DEA # of administering location:
	<u>OR</u>
□ Speci	alty Pharmacy
standard is a lack of	at reviews: Practitioner should call Sentara Health Pre-Authorization Department if they believe a review would subject the member to adverse health consequences. Sentara Health's definition of urgen of treatment that could seriously jeopardize the life or health of the member or the member's ability to aximum function.
	se of samples to initiate therapy does not meet step-edit/preauthorization criteria.*  ous therapies will be verified through pharmacy paid claims or submitted chart notes.*