SENTARA HEALTH PLANS

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions</u>: <u>The prescribing physician must sign and clearly print name (preprinted stamps not valid)</u> on this request. All other information may be filled in by office staff; <u>fax to 1-800-750-9692</u>. No additional phone calls will be necessary if all information <u>(including phone and fax #s)</u> on this form is correct. <u>If the information provided is not complete, correct, or legible, the authorization process can be delayed.</u>

Drug Requested: select one			
□ Xeljanz® (tofacitinib) Tablets	□ Xeljanz® (tofacit Solution	inib)	•
MEMBER & PRESCRI	BER INFORMATION:	Authorization may be delayed if it	ncomplete.
Member Name:			
Member Sentara #:		Date of Birth:	
Prescriber Name:			
Prescriber Signature:			
Office Contact Name:			
Phone Number:		Fax Number:	
NPI #:			
DRUG INFORMATION			
		Langth of Thomany	
Dosing Schedule: Diagnosis:			
Weight (if applicable):			
immunomodulator (e.g., Dupix indications to be experimental established and will NOT be per	ent, Entyvio, Humira, Rinvoq and investigational. Safety and ermitted.	herapy with more than one biologic, Stelara) prescribed for the same of defficacy of these combinations has	r different s <u>NOT</u> been
Will the member be discontinuous.	finuing a previously prescribed	d biologic if approved for requested • Yes	I medication? OR □ No
• If yes, please list the medicapproval along with the cor		I and the medication that will be ini	tiated upon
Medication to be discontin	nued:	Effective date:	
Medication to be initiated	•	Effective date:	

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied. **Check the diagnosis below that applies**.

□ D	iagnosis: Moderate-to-Severe Rheumatoid Arthritis
	Member has a diagnosis of moderate-to-severe rheumatoid arthritis
	Prescribed by or in consultation with a Rheumatologist
 Member has tried and failed at least <u>ONE</u> of the following DMARD therapies for at least <u>months</u> 	
	□ hydroxychloroquine
	□ leflunomide
	□ methotrexate
	□ sulfasalazine
	Member meets ONE of the following:
	☐ Member tried and failed, has a contraindication, or intolerance to <u>ONE</u> of the following:
	□ <u>ONE</u> preferred adalimumab product [<u>NOTE</u> : COMM/FAMIS preferreds = Humira/Cyltezo/Yuflyma - Humira NDC's starting with 83457 are not approved, NDC's starting with 00074 (MFG: Abbvie) are preferred; SG/IP/HIX preferreds = Simlandi or adalimumab-adbm]
	□ Enbrel [®]
	 Other Tumor Necrosis Factor (TNF) blocker medication approved for treatment of Moderate-to- Severe Rheumatoid Arthritis:
	Member has been established on Xeljanz/XR® for at least 90 days AND prescription claims history indicates at least a 90-day supply of Xeljanz/XR was dispensed within the past 130 days (verified by chart notes or pharmacy paid claims)
□ D	iagnosis: Active Psoriatic Arthritis
	Member has a diagnosis of active psoriatic arthritis
	Prescribed by or in consultation with a Rheumatologist
	Member has tried and failed at least ONE of the following DMARD therapies for at least three (3) months
	□ cyclosporine
	□ leflunomide
	□ methotrexate
	□ sulfasalazine

[_	Me	ember meets <u>ONE</u> of the following:
			Member tried and failed, has a contraindication, or intolerance to ONE of the following:
			ONE preferred adalimumab product [NOTE: COMM/FAMIS preferreds = Humira/Cyltezo/Yuflyma - Humira NDC's starting with 83457 are not approved, NDC's starting with 00074 (MFG: Abbvie) are preferred; SG/IP/HIX preferreds = Simlandi or adalimumab-adbm]
			□ Enbrel [®]
			Other Tumor Necrosis Factor (TNF) blocker medication approved for treatment of Active Psoriatic Arthritis:
			Member has been established on Xeljanz/XR® for at least 90 days <u>AND</u> prescription claims history indicates <u>at least a 90-day supply of Xeljanz/XR was dispensed within the past 130 days</u> (verified by chart notes or pharmacy paid claims)
	D	iag	gnosis: Moderate-to-Severe Ulcerative Colitis (UC)
[_	Me	ember has a diagnosis of moderate-to-severe Ulcerative Colitis
Į	_	Prescribed by or in consultation with a Gastroenterologist	
[☐ Member meets ONE of the following:		ember meets ONE of the following:
			Member has tried and failed budesonide or high dose steroids (40-60 mg prednisone)
			Member has tried and failed at least ONE of the following DMARD therapies for at least three (3) months
			□ 5-aminosalicylates (balsalazide, olsalazine, sulfasalazine)
			oral mesalamine (Apriso, Asacol/HD, Delzicol, Lialda, Pentasa)
[_	Me	ember meets ONE of the following:
			Member tried and failed, has a contraindication, or intolerance to ONE of the following:
			ONE preferred adalimumab product [NOTE: COMM/FAMIS preferreds = Humira/Cyltezo/Yuflyma - Humira NDC's starting with 83457 are not approved, NDC's starting with 00074 (MFG: Abbvie) are preferred; SG/IP/HIX preferreds = Simlandi or adalimumab-adbm]
			Other Tumor Necrosis Factor (TNF) blocker medication approved for treatment of Moderate-to-Severe Ulcerative Colitis (UC):
			Member has been established on Xeljanz/XR® for at least 90 days <u>AND</u> prescription claims history indicates <u>at least a 90-day supply of Xeljanz/XR was dispensed within the past 130 days</u> (verified by chart notes or pharmacy paid claims)

□ D	iag	nosis: Active Polyarticular Course Juvenile Idiopathic Arthritis	
Dosi	ng	 Children ≥ 2 years weighing ≥10 kg and Adolescents: 10 to < 20 kg: Oral solution (1 mg/mL): 3.2 mg twice daily 20 to < 40 kg: Oral solution (1 mg/mL): 4 mg twice daily ≥ 40 kg: Oral solution (1 mg/mL) or immediate-release tablet: 5 mg twice daily 	
	Me	ember has a diagnosis of active polyarticular course juvenile idiopathic arthritis	
	Pre	escribed by or in consultation with a Rheumatologist	
	Member is ≥ 2 years of age		
	Member has tried and failed at least ONE of the following DMARD therapies for at least three (3) months		
		cyclosporine	
		hydroxychloroquine	
		leflunomide	
		methotrexate	
		Non-steroidal anti-inflammatory drugs (NSAIDs) oral corticosteroids	
		sulfasalazine	
		tacrolimus	
		ember meets <u>ONE</u> of the following:	
_		Member tried and failed, has a contraindication, or intolerance to ONE of the following:	
		 ONE preferred adalimumab product [NOTE: COMM/FAMIS preferreds = Humira/Cyltezo/Yuflyma - Humira NDC's starting with 83457 are not approved, NDC's starting with 00074 (MFG: Abbvie) are preferred; SG/IP/HIX preferreds = Simlandi or adalimumab-adbm] Enbrel® 	
		Other Tumor Necrosis Factor (TNF) blocker medication approved for treatment of Active Polyarticular Course Juvenile Idiopathic Arthritis:	
		Member has been established on Xeljanz [®] IR/solution for at least 90 days <u>AND</u> prescription claims history indicates <u>at least a 90-day supply of Xeljanz IR/solution was dispensed within the past 13 days</u> (verified by chart notes or pharmacy paid claims)	
□ D	iag	nosis: Active Ankylosing Spondylitis	
	Me	ember has a diagnosis of active ankylosing spondylitis	
		escribed by or in consultation with a Rheumatologist	
		ember tried and failed, has a contraindication, or intolerance to TWO NSAIDs	

	Me	mber meets ONE of the following:
		Member tried and failed, has a contraindication, or intolerance to ONE of the following:
		□ <u>ONE</u> preferred adalimumab product [<u>NOTE</u> : COMM/FAMIS preferreds = Humira/Cyltezo/Yuflyma - Humira NDC's starting with 83457 are not approved, NDC's starting with 00074 (MFG: Abbvie) are preferred; SG/IP/HIX preferreds = Simlandi or adalimumab-adbm]
		□ Enbrel [®]
		☐ Other Tumor Necrosis Factor (TNF) blocker medication approved for treatment of Active Ankylosing Spondylitis:
		Member has been established on Xeljanz/XR® for at least 90 days <u>AND</u> prescription claims history indicates <u>at least a 90-day supply of Xeljanz/XR was dispensed within the past 130 days</u> (verified by chart notes or pharmacy paid claims)
Med	lica	tion being provided by a Specialty Pharmacy – Proprium Rx
*:	*Us	e of samples to initiate therapy does not meet step edit/ preauthorization criteria.**
Pre	evio	us therapies will be verified through pharmacy paid claims or submitted chart notes.